GHS Classification

ID415

3,4-Dinitrotoluene

CAS 610-39-9 Physical Hazards

Date Classified: Aug. 22, 2006 (Environmental Hazards: Mar. 31, 2006)

Reference Manual: GHS Classification Manual (Feb. 10, 2006)

Haz	ard class	Classification	symbol	signal word	hazard statement	Rational for the classification
1	Explosives	Not classified	-	-	-	Because of a lack of data on the kick-off temperature and decomposition energy (though the substance contains nitro groups with its oxygen budget calculated at -114, and may explode if heated according to ICSC (2004)). Classified as Division 6.1 (UN#3454 (solid) and UN#1600 (molten)) (UN Recommendations on the Transport of Dangerous Goods).
2	Flammable gases	Not applicable	I	-	_	Classified as "solid" according to GHS definition
	Flammable aerosols	Not applicable	1	-	-	Not aerosol products
4	Oxidizing gases	Not applicable	-	_	-	Classified as "solid" according to GHS definition
5	Gases under pressure	Not applicable	-	_	-	Classified as "solid" according to GHS definition
6	Flammable liquids	Not applicable	_	_	_	Classified as "solid" according to GHS definition
7	Flammable solids	Not classified	_	-	-	Classified as flammable according to ICSC (2004). Classified intoo Division 6.1 (UN#3454 (solid) and UN#1600 (molten)) (UN Recommendations on the Transport of Dangerous Goods).
8	Self-reactive substances and mixtures	Not classified	_	-	_	Containing nitro groups with explosive properties. The substance may explode if heated according to ICSC (2004). Classified into Division 6.1 (UN#3454 (solid) and 1600 (molten)) (UN Recommendations on the Transport of Dangerous Goods).
9	Pyrophoric liquids	Not applicable	-	_	-	Classified as "solid" according to GHS definition
10	Pyrophoric solids	Not classified	-	-	-	Classified into Division 6.1 (UN#3454 (solid) and 1600 (molten)) (UN Recommendations on the Transport of Dangerous Goods).
11	Self-heating substances and mixtures	Classification not possible	_	_	-	Test methods applicable to liquid substances are not available (melting point: 58degC (ICSC, 2004), test temperature: 140degC).
12	Substances and mixtures, which in contact with water, emit flammable gases	Not applicable	ı	-	_	Containing no metals or metalloids (B, Si, P, Ge, As, Se, Sn, Sb, Te, Bi, Po, At)
13	Oxidizing liquids	Not applicable	-	-	-	Classified as "solid" according to GHS definition
14	Oxidizing solids	Not classified	-	_	_	No data available, though being organic compounds containing oxygen bound to elements other than carbon and hydrogen. Classified into Division 6.1 (UN#3454 (solid) and 1600 (molten)) (UN Recommendations on the Transport of Dangerous Goods).
15	Organic peroxides	Not applicable	1	_	_	Organic compounds containing no "-O-O-" structure
16	Corrosive to metals	Classification not possible	ı	_	_	Test methods applicable to solid substances are not available

Health Hazards

Hazard class	Classification	symbol	signal word	hazard statement	Rational for the classification
1 Acute toxicity (oral)	Category 4	Exclamation mark	Warning		Based on the LD50 value of 807mg/kg calculated from the testing data of rat LD50 (oral route) of 807mg/kg, 1,072mg/kg and 907mg/kg (DFGOT vol.6 (1994)).
1 Acute toxicity (dermal)	Classification not possible	-	-	-	No data available
1 Acute toxicity (inhalation	: gas) Not applicable	-	-	-	Due to the fact that the substance is "solid" according to the GHS definition and inhalation of its gas is not expected.
1 Acute toxicity (inhalation	: Classification not possible	-	-	-	No data available
1 Acute toxicity (inhalation mist)	: dust, Classification not possible	_	-	_	No data available
2 Skin corrosion / irritation	•	_	_	_	No data available. As for the health hazards, refer to "ID413, Dinitrotoluene, CAS: 25321-14-6."
3 Serious eye damage / ey irritation	ye Classification not possible	_	_	_	No data available As for the health hazards, refer to "ID413, Dinitrotoluene, CAS: 25321-14-6."
4 Respiratory/skin sensitiza	Respiratory sensitization: Classification not possible Skin sensitization: Category 1	(Respiratory sensitization) — (Skin sensitization) Exclamation mark	(Respiratory sensitization) — (Skin sensitization) Warning	(Respiratory sensitization)— (Skin sensitization) May cause an allergic skin reaction	Respiratory sensitization: No data available Skin sensitization: Based on the positive results in skin sensitization studies with guinea pigs (Maximization Tests) (CERI-NITE Hazard Assessment No.51 (2004)).
5 Germ cell mutagenicity	Classification not possible	_	-	_	Based on the absence of data on multi-generation mutagenicity tests, germ/somatic cell mutagenicity tests in vivo and germ/somatic cell genotoxicity tests in vivo, and no positive data on mutagenicity tests in vitro (several indices), described in NTP DB (Access on April 2006).
6 Carcinogenicity	Classification not possible	_	-	_	No data available As for the health hazards, refer to "ID413, Dinitrotoluene, CAS: 25321-14-6."
7 Toxic to reproduction	Classification not possible	_	_	_	No data available As for the health hazards, refer to "ID413, Dinitrotoluene, CAS: 25321-14-6."

8		Category 2 (central nervous system, cardiovascular system, blood system) Category 3 (narcotic effects)		_	organs (central nervous	Based on the human evidence: "adversely affects the central nervous system, cardiovascular system and blood, and may produce methemoglobin" (ICSC (J) (1997)). Also based on the evidence from animal studies including "somnolency" (RTECS (1999)). Refer to "Dinitrotoluene (ID_0413, CAS_25321-14-6)."
	exposure	Category 2 (central nervous system, cardiovascular system, blood system)	Health hazard	Ü	organs through	Based on the human evidence: "adversely affects the central nervous system, cardiovascular system and blood, and may produce methemoglobin" (ICSC (J) (1997)). Refer to "Dinitrotoluene (ID_0413, CAS_25321-14-6)."
10	Aspiration hazard	Classification not possible	-	_	-	No data available

Environmental Hazards

На	zard class	Classification	symbol	signal word	hazard statement	Rational for the classification
1	Hazardous to the aquatic environment (acute)	Category 1	Environment	Warning	Very toxic to aquatic life	It was classified into Category 1 from 96 hours EC50=0.74mg/L of the algae (Chlorella) (CERI/NITE Hazard Assessment Report, 2004).
1	1 Hazardous to the aquatic environment (chronic)	Category 1	Environment			Although acute toxicity is Category 1 and bio-accumulation is low (BCF<2.7(Existing Chemical Safety Inspections Data,)), since there was no rapidly degrading (the decomposition by BOD: 0%(Existing Chemical Safety Inspections Data)), it was classified into Category 1.