

## GHS Classification

**ID1251**

**crotoxyphos**

**CAS 7700-17-6**

Date Classified: Nov. 20, 2006 (Environmental Hazards: Mar. 31, 2006)

### Physical Hazards

Reference Manual: GHS Classification Manual (Feb. 10, 2006)

Hazard class	Classification	symbol	signal word	hazard statement	Rational for the classification
1 Explosives	Not applicable	-	-	-	There are no chemical groups associated with explosive properties present in the molecules.
2 Flammable gases	Not applicable	-	-	-	Liquid (GHS definition)
3 Flammable aerosols	Not applicable	-	-	-	Not aerosol products
4 Oxidizing gases	Not applicable	-	-	-	Liquid (GHS definition)
5 Gases under pressure	Not applicable	-	-	-	Liquid (GHS definition)
6 Flammable liquids	Classification not possible	-	-	-	No data available
7 Flammable solids	Not applicable	-	-	-	Liquid (GHS definition)
8 Self-reactive substances and mixtures	Not applicable	-	-	-	There are no chemical groups associated with explosive or self-reactive properties present in the molecule.
9 Pyrophoric liquids	Not classified	-	-	-	Uses are agricultural chemicals, and even if it contacts the normal temperature air, it does not ignite spontaneously.
10 Pyrophoric solids	Not applicable	-	-	-	Liquid (GHS definition)
11 Self-heating substances and mixtures	Classification not possible	-	-	-	Test methods applicable to liquid substances are not available
12 Substances and mixtures, which in contact with water, emit flammable gases	Not classified	-	-	-	Stable to water (the water solubility is obtained)
13 Oxidizing liquids	Classification not possible	-	-	-	No data available
14 Oxidizing solids	Not applicable	-	-	-	Liquid (GHS definition)
15 Organic peroxides	Not applicable	-	-	-	Organic compounds containing no -O-O- structure
16 Corrosive to metals	Classification not possible	-	-	-	Although HSDB (2002) has the description "weak corrosion behavior is indicated," there is no test data. Since data is insufficient, it cannot be classified.

### Health Hazards

Hazard class	Classification	symbol	signal word	hazard statement	Rational for the classification
1 Acute toxicity (oral)	Category 2	Skull and crossbones	Danger	Fatal if swallowed	Category 2 based on SPECIES: Rat; ENDPOINT: LD50; VALUE: 38.4 mg/kg; REFERENCE SOURCE: RTECS(2003)
1 Acute toxicity (dermal)	Category 3	Skull and crossbones	Danger	Toxic in contact with skin	Rat dermal LD50 = 202mg/kg. Rabbit oral LD50 = 385mg/kg (both are RTECS (2003)). The higher toxic value (202mg/kg) was adopted, and it was set as Category 3.
1 Acute toxicity (inhalation: gas)	Not applicable	-	-	-	Liquid (GHS definition)
1 Acute toxicity (inhalation: vapour)	Classification not possible	-	-	-	No data available
1 Acute toxicity (inhalation: dust, mist)	Classification not possible	-	-	-	No data available
2 Skin corrosion / irritation	Classification not possible	-	-	-	Insufficient data available
3 Serious eye damage / eye irritation	Classification not possible	-	-	-	No data available
4 Respiratory/skin sensitization	Respiratory sensitization: Classification not possible; Skin sensitization: Classification not possible	(Respiratory sensitization)-; (Skin sensitization)-	(Respiratory sensitization)-; (Skin sensitization)-	(Respiratory sensitization)-; (Skin sensitization)-	No data available
5 Germ cell mutagenicity	Classification not possible	-	-	-	Although there is the positive report in mouse lymphoma test which is one of the in vitro mutagenicity test (RTECS (2003)), there is no other result of the test including in vivo. So it cannot be classified because of insufficient data.
6 Carcinogenicity	Classification not possible	-	-	-	No data available
7 Toxic to reproduction	Classification not possible	-	-	-	No data available
8 Specific target organs/systemic toxicity following single exposure	Classification not possible	-	-	-	Insufficient data available.

9	Specific target organs/systemic toxicity following repeated exposure	Classification not possible	-	-	-	Insufficient data available
10	Aspiration hazard	Classification not possible	-	-	-	No data available

### Environmental Hazards

Hazard class	Classification	symbol	signal word	hazard statement	Rational for the classification
11 Hazardous to the aquatic environment (acute)	Category 1	Environment	Warning	Very toxic to aquatic life	It was classified into Category 1 from 96-hour LC50=11microg/L of Crustacea (Amphipod) (AQUIRE, 2003).
11 Hazardous to the aquatic environment (chronic)	Category 1	Environment	Warning	Very toxic to aquatic life with long lasting effects	Classified into Category 1, since acute toxicity was Category 1, supposed not rapidly degrading (BIOWIN), though supposed less bioaccumulative (log Kow=3.3(PHYSPROP Database, 2005)).