

ANNEX 1G (New entries)

Note that substances notified under Directive 67/548/EEC and pesticides notified under Directive 91/414/EEC are not included.

Index No	Chemical name	Notes related to substances	EC No	CAS No	Classification	Labelling	Concentration Limits	Notes related to preparations
005-007-00-2	boric acid; [1] boric acid, crude natural, containing not more than 85 per cent of H ₃ BO ₃ calculated on the dry weight [2]		233-139-2 [1] 234-343-4 [2]	10043-35-3 [1] 11113-50-1 [2]	Repr. Cat. 2; R60-61	T R: 60-61 S: 53-45	C ≥ 5,5 %; T; R60-61	
005-008-00-8	diboron trioxide; boric oxide		215-125-8	1303-86-2	Repr. Cat. 2; R60-61	T R: 60-61 S: 53-45	C ≥ 3,1 %; T; R60-61	
005-011-00-4	disodium tetraborate, anhydrous; boric acid, disodium salt; [1] tetraboron disodium heptaoxide, hydrate; [2] orthoboric acid, sodium salt [3]		215-540-4 [1] 235-541-3 [2] 237-560-2 [3]	1330-43-4 [1] 12267-73-1 [2] 13840-56-7 [3]	Repr. Cat. 2; R60-61	T R: 60-61 S: 53-45	C ≥ 4,5 %; T; R60-61	
005-011-01-1	disodium tetraborate decahydrate; borax decahydrate		215-540-4	1303-96-4	Repr. Cat. 2; R60-61	T R: 60-61 S: 53-45	C ≥ 8,5 %; T; R60-61	
005-011-02-9	disodium tetraborate pentahydrate; borax pentahydrate		215-540-4	12179-04-3	Repr. Cat. 2; R60-61	T R: 60-61 S: 53-45	C ≥ 6,5 %; T; R60-61	
006-091-00-3	propineb (ISO); polymeric zinc propylenebis(dithiocarbamate)		-	9016-72-2	Xn; R20-48/20/22 R43 N; R50	Xn; N R: 20-43-48/20/22-50 S: (1/2-)24-37-46-61		
006-095-00-5	fosetyl-aluminium (ISO); aluminium triethyl triphosphonate		254-320-2	39148-24-8	Xi; R41	Xi R: 41 S: (2-)26-39-46		
006-096-00-0	chlorpropham (ISO); isopropyl 3-chlorocarbamilate		202-925-7	101-21-3	Carc. Cat. 3; R40 Xn; R48/22 N; R51-53	Xn; N R: 40-48/22-51/53 S: (2-)36/37-61		
007-028-00-2	hydroxylammonium nitrate		236-691-2	13465-08-2	E; R2 Carc. Cat. 3; R40 T; R24 Xn; R22-48/22 Xi; R36/38 R43 N; R50	E; T; N R: 2-22-24-36/38-40-43-48/22-50 S: (1/2-)26-36/37-45-61		
015-113-00-0	tolclofos-methyl (ISO); <i>O</i> -(2,6-dichloro- <i>p</i> -tolyl)- <i>O</i> , <i>O</i> -dimethyl thiophosphate		260-515-3	57018-04-9	R43 N; R50-53	Xi; N R: 43-50/53 S: (2-)24-37-60-61		

026-003-00-7	iron (II) sulfate		231-753-5	7720-78-7	Xn; R22 Xi; R36/38	Xn R: 22-36/38 S: (2-)46		
026-003-01-4	iron (II) sulfate (1:1) heptahydrate; sulfuric acid, iron(II) salt (1:1), heptahydrate; ferrous sulfate heptahydrate		231-753-5	7782-63-0	Xn; R22 Xi; R36/38	Xn R: 22-36/38 S: (2-)46	C ≥ 25%: Xn; R22-36/38 20% ≤ C < 25%: Xi; R36	
027-006-00-6	cobalt acetate		200-755-8	71-48-7	Carc. Cat. 2; R49 Muta. Cat. 3; R68 Repr. Cat. 2; R60 R42/43 N; R50-53	T; N R: 49-60-42/43-68-50/53 S: 53-45-60-61	C ≥ 2,5 %: T, N; R49-60-42/43-68-50/53 1 % ≤ C < 2,5 %: T, N; R49-60-42/43-68-51/53 0,5 % ≤ C < 1 %: T, N; R49-60-51/53 0,25 % ≤ C < 0,5 %: T, N; R49-51/53 0,025 % ≤ C < 0,25 %: T; R49-52/53 0,01 % ≤ C < 0,025 %: T; R49	1
027-009-00-2	cobalt nitrate		233-402-1	10141-05-6	Carc. Cat. 2; R49 Muta. Cat. 3; R68 Repr. Cat. 2; R60 R42/43 N; R50-53	T; N R: 49-60-42/43-68-50/53 S: 53-45-60-61	C ≥ 2,5 %: T, N; R49-60-42/43-68-50/53 1 % ≤ C < 2,5 %: T, N; R49-60-42/43-68-51/53 0,5 % ≤ C < 1 %: T, N; R49-60-51/53 0,25 % ≤ C < 0,5 %: T, N; R49-51/53 0,025 % ≤ C < 0,25 %: T; R49-52/53 0,01 % ≤ C < 0,025 %: T; R49	1
027-010-00-8	cobalt carbonate		208-169-4	513-79-1	Carc. Cat. 2; R49 Muta. Cat. 3; R68 Repr. Cat. 2; R60 R42/43 N; R50-53	T; N R: 49-60-42/43-68-50/53 S: 53-45-60-61	C ≥ 2,5 %: T, N; R49-60-42/43-68-50/53 1 % ≤ C < 2,5 %: T, N; R49-60-42/43-68-51/53 0,5 % ≤ C < 1 %: T, N; R49-60-51/53 0,25 % ≤ C < 0,5 %: T, N; R49-51/53 0,025 % ≤ C < 0,25 %: T; R49-52/53 0,01 % ≤ C < 0,025 %: T; R49	1
028-011-00-6	nickel dichloride	E	231-743-0	7718-54-9	Carc. Cat. 1; R49 Muta. Cat. 3; R68 Repr. Cat. 2; R61 T; R23/25-48/23 Xi; R38 R42/43 N; R50-53	T; N R: 49-61-23/25-38-42/43-48/23-68-50/53 S: 53-45-60-61	C ≥ 25 %: T, N ; R49-61-23/25-38-42/43-48/23-68-50/53 20 % ≤ C < 25 %: T, N; R49-61-20/22-38-42/43-48/23-68-51/53 3 % ≤ C < 20 %: T, N; R49-61-20/22-42/43-48/23-68-51/53 2,5 % ≤ C < 3 %: T, N; R49-61-42/43-48/23-68-51/53	

							<p>1 % ≤ C < 2,5 %: T; R49-61-42/43-48/23-68-52/53 0,5 % ≤ C < 1 %: T; R49-61-43-48/20-52/53 0,25 % ≤ C < 0,5 %: T; R49-43-48/20-52/53 0,1 % ≤ C < 0,25 %: T; R49-43-48/20 0,01 % ≤ C < 0,1 %: Xi; R43</p>	
028-012-00-1	nickel dinitrate; [1] nitric acid, nickel salt [2]	E	236-068-5 [1] 238-076-4 [2]	13138-45-9 [1] 14216-75-2 [2]	O; R8 Carc. Cat. 1; R49 Muta. Cat. 3; R68 Repr. Cat. 2; R61 T; R48/23 Xn; R20/22 Xi; R38-41 R42/43 N; R50-53	O; T; N R: 49-61-8-20/22-38-41-42/43-48/23-68-50/53 S: 53-45-60-61	<p>C ≥ 25 %: T, N; R49-61-20/22-38-41-42/43-48/23-68-50/53 20 % ≤ C < 25 %: T, N; R49-61-38-41-42/43-48/23-68-51/53 10 % ≤ C < 20 %: T, N; R49-61-41-42/43-48/23-68-51/53 5 % ≤ C < 10 %: T, N; R49-61-36-42/43-48/23-68-51/53 2,5 % ≤ C < 5 %: T, N; R49-61-42/43-48/23-68-51/53 1 % ≤ C < 2,5 %: T; R49-61-42/43-48/23-68-52/53 0,5 % ≤ C < 1 %: T; R49-61-43-48/20-52/53 0,25 % ≤ C < 0,5 %: T; R49-43-48/20-52/53 0,1 % ≤ C < 0,25 %: T; R49-43-48/20 0,01 % ≤ C < 0,1 %: Xi; R43</p>	
050-021-00-4	dichlorodioctyl stannane		222-583-2	3542-36-7	T; R23-48/25 R53	T R: 23-48/25-53 S: (1/2-)38-45-61		
050-022-00-X	dibutyltin dichloride; (DBTC)	E	211-670-0	683-18-1	Mut. Cat. 3; R68 Repr. Cat. 2; R60-61 T+; R26 T; R25-48/25 C; R34 Xn; R21 N; R50-53	T+; C; N R: 60-61-21-25-26-34-48/25-68-50/53 S: 53-45-60-61	<p>C ≥ 25 %: T+, C, N; R60-61-21-25-26-34-48/25-68-50/53 10 % ≤ C < 25 %: T+, C, N; R60-61-22-26-34-48/25-68-50/53 7 % ≤ C < 10 %: T+, N; R60-61-22-26-36/38-48/22-68-50/53 3 % ≤ C < 7 %: T, N; R60-61-22-23-36/38-48/22-68-50/53 2,5 % ≤ C < 3 %: T, N; R60-61-23-36/38-48/22-68-50/53 1 % ≤ C < 2,5 %: T, N; R60-61-23-36/38-48/22-68-51/53 0,5 % ≤ C < 1 %: T, N; R60-61-20-36/38-51/53 0,25 % ≤ C < 0,5 %: Xn, N; R20-36/38-51/53 0,1 % ≤ C < 0,25 %: Xn; R20-36/38-52/53 0,025 % ≤ C < 0,1 %: Xi; R36/38-</p>	

							52/53 0,01 % ≤ C < 0,025 %: Xi; R36/38	
602-095-00-X	alkanes, C ₁₄₋₁₇ , chloro; chlorinated paraffins, C ₁₄₋₁₇		287-477-0	85535-85-9	R64 R66 N; R50-53	N R: 64-66-50/53 S: (2-)24-60-61		
603-194-00-0	2-(2-aminoethylamino)ethanol (AEEA)		203-867-5	111-41-1	Repr. Cat. 2; R61 Repr. Cat. 3; R62 C; R34 R43	T R: 61-34-43-62 S: 53-45	C ≥ 10 %: T; R61-34-43-62 5 % ≤ C < 10 %: T; R61-36/37/38-43-62 1 % ≤ C < 5 %: T; R61-43 0,5 % ≤ C < 1 %: T; R61	
603-200-00-1	1-pentanol; [1] 3-pentanol [2]		200-752-1 [1] 209-526-7 [2]	71-41-0 [1] 584-02-1 [2]	R10 Xn; R20 Xi; R37/38	Xn R: 10-20-37/38 S: (1/2-)36/37-46		
603-208-00-5	1,2-diethoxyethane		211-076-1	629-14-1	F; R11 R19 Repr. Cat. 2; R61 Repr. Cat. 3; R62 Xi; R36	F; T R: 61-11-19-36-62 S: 53-45		
607-428-00-2	tetrasodium ethylene diamine tetraacetate		200-573-9	64-02-8	Xn; R22 Xi; R41	Xn R: 22-41 S: (2-)26-39-46		
607-429-00-8	edetic acid (EDTA)		200-449-4	60-00-4	Xi; R36	Xi R: 36 S: (2-)26		
607-483-00-2	1,2-benzenedicarboxylic acid; di-C _{6,8} -branched alkylesters, C ₇ -rich		276-158-1	71888-89-6	Repr. Cat. 2; R61	T R: 61 S: 53-45		
608-055-00-8	fipronil (ISO); 5-amino-1-[2,6-dichloro-4- (trifluoromethyl)phenyl]-4- [(trifluoromethyl)sulfinyl]-1 <i>H</i> - pyrazole-3-carbonitrile		-	120068-37-3	T; R23/24/25-48/25 N; R50-53	T; N R: 23/24/25-48/25-50/53 S: (1/2-)28-36/37-45-60-61	C ≥ 25 %: T, N; R23/24/25-48/25-50/53 10 % ≤ C < 25 %: T, N; R20/21/22-48/25-50/53 3 % ≤ C < 10 %: Xn, N; R20/21/22-48/22-50/53 2,5 % ≤ C < 3 %: Xn, N; R48/22-50/53 1 % ≤ C < 2,5 %: Xn, N; R48/22-51/53 0,25 % ≤ C < 1 %: N; R51/53 0,025 % ≤ C < 0,25 %: R52/53	
611-151-00-2	chrysoidine; 4-(phenylazo)benzene-1,3- diamine		207-803-7	495-54-5	Muta. Cat. 3; R68 Xn; R22 Xi; R38 N; R50-53	Xn; N R: 22-38-68-50/53 S: (2-)23-26-36/37-46-60-61		

611-152-00-8	chrysoidine monohydrochloride; 4-(phenylazophenylene-1,3-diamine monohydrochloride; [1] chrysoidine monoacetate; 4-(phenylazo)benzene-1,3-diamine monoacetate; [2] chrysoidine acetate; 4-(phenylazo)benzene-1,3-diamine acetate; [3] chrysoidine- <i>p</i> -dodecylbenzenesulfonate; dodecylbenzenesulfonic acid, compound with 4-(phenylazo)benzene-1,3-diamine (1:1); [4] chrysoidine dihydrochloride; 4-(phenylazo)benzene-1,3-diamine dihydrochloride; [5] chrysoidine sulfate; bis[4-(phenylazo)benzene-1,3-diamine] sulfate [6]		208-545-8 [1] 278-290-5 [2] 279-116-0 [3] 264-409-8 [4] 281-549-5 [5] 282-432-1 [6]	532-82-1 [1] 75660-25-2 [2] 79234-33-6 [3] 63681-54-9 [4] 83968-67-6 [5] 84196-22-5 [6]	Muta. Cat. 3; R68 Xn; R22 Xi; R38-41 N; R50-53	Xn; N R: 22-38-41-68-50/53 S: (2-)23-26-36/37/39-46-60-61		
611-153-00-3	chrysoidine C ₁₀₋₁₄ -alkyl derivatives; benzenesulfonic acid, mono-C ₁₀₋₁₄ -alkyl derivatives, compounds with 4-(phenylazo)-1,3-benzenediamine; [1] chrysoidine compound with dibutyl-naphthalene sulfonic acid; dibutyl-naphthalenesulfonic acid, compound with 4-(phenylazo)benzene-1,3-diamine (1:1) [2]		286-946-7 [1] 304-236-8 [2]	85407-90-5 [1] 94247-67-3 [2]	Muta. Cat. 3; R68 Xn; R22 Xi; R38-41	Xn R: 22-38-41-68 S: (2-)23-26-36/37/39-46		
612-057-01-1	piperazine; [liquid]		203-808-3	110-85-0	Repr. Cat. 3; R62-63 C; R34 R42/43	Xn; C R: 34-42/43-62-63 S: (1/2-)23-26-36/37/39-45		
612-122-01-4	hydroxylamine ...% [≤ 55 % of the substance in aqueous solution]	B	232-259-2	7803-49-8	R5 Carc. Cat. 3; R40 Xn; R21/22-48/22 Xi; R37/38-41 R43 N; R50	Xn; N R: 5-21/22-37/38-40-41-43-48/22-50 S: (2-)26-36/37/39-46-61		
612-237-00-2	hydroxylammonium hydrogensulfate; hydroxylamine sulfate (1:1)	T	233-154-4	10046-00-1	E; R2 Carc. Cat. 3; R40 Xn; R21/22-48/22 Xi; R36/38	E; Xn; N R: 2-21/22-36/38-40-43-48/22-50 S: (2-)36/37-61		

					R43 N; R50			
613-265-00-8	tribenuron methyl (ISO); 2-[4-methoxy-6-methyl-1,3,5- triazin-2- yl(methyl)carbamoylsulfamoyl] benzoic acid		-	101200-48-0	R43 N; R50-53	Xi; N R: 43-50/53 S: (2-)24-37-46-60-61	C ≥ 1%: Xi, N; R43-50/53 0,25 % ≤ C < 1 %: N; R50/53 0,025 % ≤ C < 0,25 %: N; R51/53 0,0025 % ≤ C < 0,025 %: R52/53	