

## GHS Classification

**ID229**

**CAS 6459-94-5**

### Physical Hazards

**disodium 8-((3,3'-dimethyl-4'-(4-(4-methylphenylsulphonyloxy)phenylazo)(1,1'-biphenyl)-4-yl)azo)-7-hydroxynaphthalene-1,3-disul**

Date Classified: Jul. 24, 2006 (Environmental Hazards: Mar. 31, 2006)

Reference Manual: GHS Classification Manual (Feb. 10, 2006)

Hazard class	Classification	symbol	signal word	hazard statement	Rational for the classification
1 Explosives	Not applicable	-	-	-	There are no chemical groups associated with explosive properties present in the molecules.
2 Flammable gases	Not applicable	-	-	-	Solid (GHS definition)
3 Flammable aerosols	Not applicable	-	-	-	Not aerosol products
4 Oxidizing gases	Not applicable	-	-	-	Solid (GHS definition)
5 Gases under pressure	Not applicable	-	-	-	Solid (GHS definition)
6 Flammable liquids	Not applicable	-	-	-	Solid (GHS definition)
7 Flammable solids	Classification not possible	-	-	-	No data available
8 Self-reactive substances and mixtures	Classification not possible	-	-	-	No data available
9 Pyrophoric liquids	Not applicable	-	-	-	Solid (GHS definition)
10 Pyrophoric solids	Classification not possible	-	-	-	No data available
11 Self-heating substances and mixtures	Classification not possible	-	-	-	No data available
12 Substances and mixtures, which in contact with water, emit flammable gases	Classification not possible	-	-	-	No data available
13 Oxidizing liquids	Not applicable	-	-	-	Solid (GHS definition)
14 Oxidizing solids	Classification not possible	-	-	-	No data available
15 Organic peroxides	Not applicable	-	-	-	Containing no -O-O- structure
16 Corrosive to metals	Classification not possible	-	-	-	Liquid at a test temperature, 55degC. Test methods applicable to solid substances are not available.

### Health Hazards

Hazard class	Classification	symbol	signal word	hazard statement	Rational for the classification
1 Acute toxicity (oral)	Classification not possible	-	-	-	No data available
1 Acute toxicity (dermal)	Classification not possible	-	-	-	No data available
1 Acute toxicity (inhalation: gas)	Not applicable	-	-	-	Solid (GHS definition)
1 Acute toxicity (inhalation: vapour)	Classification not possible	-	-	-	No data available
1 Acute toxicity (inhalation: dust, mist)	Classification not possible	-	-	-	No data available
2 Skin corrosion / irritation	Classification not possible	-	-	-	No data available
3 Serious eye damage / eye irritation	Classification not possible	-	-	-	No data available
4 Respiratory/skin sensitization	respiratory sensitization: Classification not possible; Skin sensitization: Classification not possible	(Respiratory sensitization)-; (Skin sensitization)-	(Respiratory sensitization)-; (Skin sensitization)-	(Respiratory sensitization)-; (Skin sensitization)-	No data available
5 Germ cell mutagenicity	Classification not possible	-	-	-	Although the unscheduled DNA synthesis test, which is an in vivo genotoxicity test using somatic cells, is negative (IARC 57 (1993)), and there are occasional positive Ames results in the in vitro mutagenicity tests (NTP TR 405 (1991), IARC 57 (1993)), other sister chromatid exchange tests using somatic cells, chromosome aberration tests (both NTP TR 405 (1991)) and the unscheduled DNA synthesis test (IARC 57 (1993)) are all negative. So it was decided that the substance could not be classified.

6	Carcinogenicity	Category 2	Health hazard	Warning	Suspected of causing cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	Both IARC (1993) and Japan Society for Occupational Health Recommendation of Occupational Exposure Limits (2005) classify it into 2B. So it was set as Category 2.
7	Toxic to reproduction	Classification not possible	-	-	-	No data available
8	Specific target organs/systemic toxicity following single exposure	Classification not possible	-	-	-	No data available.
9	Specific target organs/systemic toxicity following repeated exposure	Category 2 (liver, lymphatic system, pancreas)	Health hazard	Warning	May cause damage to organs (liver, lymphatic system, pancreas) through prolonged or repeated exposure	Since the description that bleaching, pigmentation of centrilobular liver, reticular cell hyperplasia of mesenteric lymph node, the acinar cell denaturation of the pancreas, etc. are seen in the range of the guidance value of Category 2 in the repeat-dose studies during 90 days using the rat which is the given dose setting examination of a carcinogenicity test, it is classified in Category 2 (a liver, a lymphoid and a pancreatics).
10	Aspiration hazard	Classification not possible	-	-	-	No data available

### Environmental Hazards

Hazard class	Classification	symbol	signal word	hazard statement	Rational for the classification
11 Hazardous to the aquatic environment (acute)	Classification not possible	-	-	-	No data available
11 Hazardous to the aquatic environment (chronic)	Classification not possible	-	-	-	No data available.

phonate