

This content is from the eCFR and is authoritative but unofficial.

## Title 21 – Food and Drugs

### Chapter II – Drug Enforcement Administration, Department of Justice

#### Part 1308 – Schedules of Controlled Substances

##### Schedules

**Authority:** 21 U.S.C. 811, 812, 871(b), 956(b), unless otherwise noted.

**Source:** 38 FR 8254, Mar. 30, 1973, unless otherwise noted. Redesignated at 38 FR 26609, Sept. 24, 1973.

#### § 1308.13 Schedule III.

- (a) Schedule III shall consist of the drugs and other substances, by whatever official name, common or usual name, chemical name, or brand name designated, listed in this section. Each drug or substance has been assigned the DEA Controlled Substances Code Number set forth opposite it.
- (b) **Stimulants.** Unless specifically excepted or unless listed in another schedule, any material, compound, mixture, or preparation which contains any quantity of the following substances having a stimulant effect on the central nervous system, including its salts, isomers (whether optical, positional, or geometric), and salts of such isomers whenever the existence of such salts, isomers, and salts of isomers is possible within the specific chemical designation:

(1) Those compounds, mixtures, or preparations in dosage unit form containing any stimulant substances listed in schedule II which compounds, mixtures, or preparations were listed on August 25, 1971, as excepted compounds under § 1308.32, and any other drug of the quantitative composition shown in that list for those drugs or which is the same except that it contains a lesser quantity of controlled substances	1405
(2) Benzphetamine	1228
(3) Chlorphentermine	1645
(4) Clortermine	1647
(5) Phendimetrazine	1615

- (c) **Depressants.** Unless specifically excepted or unless listed in another schedule, any material, compound, mixture, or preparation which contains any quantity of the following substances having a depressant effect on the central nervous system:

(1) Any compound, mixture or preparation containing:	
(i) Amobarbital	2126
(ii) Secobarbital	2316
(iii) Pentobarbital	2271
or any salt thereof and one or more other active medicinal ingredients which are not listed in any schedule.	
(2) Any suppository dosage form containing:	
(i) Amobarbital	2126
(ii) Secobarbital	2316
(iii) Pentobarbital	2271

or any salt of any of these drugs and approved by the Food and Drug Administration for marketing only as a suppository.	
(3) Any substance which contains any quantity of a derivative of barbituric acid or any salt thereof	2100
(4) Chlorhexadol	2510
(5) Embutramide	2020
(6) Any drug product containing gamma hydroxybutyric acid, including its salts, isomers, and salts of isomers, for which an application is approved under section 505 of the Federal Food, Drug, and Cosmetic Act	2012
(7) Ketamine, its salts, isomers, and salts of isomers [Some other names for ketamine: (±)-2-(2-chlorophenyl)-2-(methylamino)-cyclohexanone]	7285
(8) Lysergic acid	7300
(9) Lysergic acid amide	7310
(10) Methyprylon	2575
(11) Perampanel, and its salts, isomers, and salts of isomers	2261
(12) Sulfondiethylmethane	2600
(13) Sulfonethylmethane	2605
(14) Sulfonmethane	2610
(15) Tiletamine and zolazepam or any salt thereof	7295
Some trade or other names for a tiletamine-zolazepam combination product:	
Telazol	
Some trade or other names for tiletamine:	
2-(ethylamino)-2-(2-thienyl)-cyclohexanone	
Some trade or other names for zolazepam:	
4-(2-fluorophenyl)-6,8-dihydro-1,3,8-trimethylpyrazolo-[3,4-e] [1,4]-diazepin-7(1H)-one, flupyrazapon	

(d) Nalorphine 9400.

(e) **Narcotic drugs.** Unless specifically excepted or unless listed in another schedule:

(1) Any material, compound, mixture, or preparation containing any of the following narcotic drugs, or their salts calculated as the free anhydrous base or alkaloid, in limited quantities as set forth below:	
(i) Not more than 1.8 grams of codeine per 100 milliliters or not more than 90 milligrams per dosage unit, with an equal or greater quantity of an isoquinoline alkaloid of opium	9803
(ii) Not more than 1.8 grams of codeine per 100 milliliters or not more than 90 milligrams per dosage unit, with one or more active, nonnarcotic ingredients in recognized therapeutic amounts	9804
(iii) Not more than 1.8 grams of dihydrocodeine per 100 milliliters or not more than 90 milligrams per dosage unit, with one or more active nonnarcotic ingredients in recognized therapeutic amounts	9807
(iv) Not more than 300 milligrams of ethylmorphine per 100 milliliters or not more than 15 milligrams per dosage unit, with one or more active, nonnarcotic ingredients in recognized therapeutic amounts	9808

(v) Not more than 500 milligrams of opium per 100 milliliters or per 100 grams or not more than 25 milligrams per dosage unit, with one or more active, nonnarcotic ingredients in recognized therapeutic amounts	9809
(vi) Not more than 50 milligrams of morphine per 100 milliliters or per 100 grams, with one or more active, nonnarcotic ingredients in recognized therapeutic amounts	9810
(2) Any material, compound, mixture, or preparation containing any of the following narcotic drugs or their salts, as set forth below:	
(i) Buprenorphine	9064
(ii) [Reserved]	

(f) **Anabolic steroids.** Unless specifically excepted or unless listed in another schedule, any substance meeting the definition of anabolic steroid as set forth in § 1300.01 of this chapter, including any material, compound, mixture or preparation containing any quantity of the following substances, including its salts, esters and ethers (4000):

- (1) 5 $\alpha$ -androstan-3,17-dione;
- (2) 5 $\alpha$ -androstan-3,6,17-trione;
- (3) 1-androstenediol (3 $\beta$ ,17 $\beta$ -dihydroxy-5 $\alpha$ -androst-1-ene);
- (4) 1-androstenediol (3 $\alpha$ ,17 $\beta$ -dihydroxy-5 $\alpha$ -androst-1-ene);
- (5) 4-androstenediol (3 $\beta$ ,17 $\beta$ -dihydroxy-androst-4-ene);
- (6) 5-androstenediol (3 $\beta$ ,17 $\beta$ -dihydroxy-androst-5-ene);
- (7) 1-androstenedione (5 $\alpha$ -androst-1-en-3,17-dione);
- (8) 4-androstenedione (androst-4-en-3,17-dione);
- (9) 5-androstenedione (androst-5-en-3,17-dione);
- (10) bolasterone (7 $\alpha$ ,17 $\alpha$ -dimethyl-17 $\beta$ -hydroxyandrost-4-en-3-one);
- (11) boldenone (17 $\beta$ -hydroxyandrost-1,4-diene-3-one);
- (12) boldione (androsta-1,4-diene-3,17-dione);
- (13) 6-bromo-androsta-1,4-diene-3,17-dione;
- (14) 6-bromo-androstan-3,17-dione;
- (15) calusterone (7 $\beta$ ,17 $\alpha$ -dimethyl-17 $\beta$ -hydroxyandrost-4-en-3-one);
- (16) 4-chloro-17 $\alpha$ -methyl-androsta-1,4-diene-3,17 $\beta$ -diol;
- (17) 4-chloro-17 $\alpha$ -methyl-androst-4-ene-3 $\beta$ ,17 $\beta$ -diol;
- (18) 4-chloro-17 $\alpha$ -methyl-17 $\beta$ -hydroxy-androst-4-en-3-one;
- (19) 4-chloro-17 $\alpha$ -methyl-17 $\beta$ -hydroxy-androst-4-ene-3,11-dione;
- (20) clostebol (4-chloro-17 $\beta$ -hydroxyandrost-4-en-3-one);
- (21) dehydrochloromethyltestosterone (4-chloro-17 $\beta$ -hydroxy-17 $\alpha$ -methyl-androst-1,4-dien-3-one);

- (22) desoxymethyltestosterone (17 $\alpha$ -methyl-5 $\alpha$ -androst-2-en-17 $\beta$ -ol) (a.k.a. "madol");
- (23) 4-dihydrotestosterone (17 $\beta$ -hydroxy-androstan-3-one);
- (24)  $\Delta$ 1-dihydrotestosterone (a.k.a. "1-testosterone") (17 $\beta$ -hydroxy-5 $\alpha$ -androst-1-en-3-one);
- (25) 3 $\beta$ ,17 $\beta$ -dihydroxy-5 $\alpha$ -androstane;
- (26) 3 $\alpha$ ,17 $\beta$ -dihydroxy-5 $\alpha$ -androstane;
- (27) 2 $\alpha$ ,17 $\alpha$ -dimethyl-17 $\beta$ -hydroxy-5 $\beta$ -androstan-3-one;
- (28) drostanolone (17 $\beta$ -hydroxy-2 $\alpha$ -methyl-5 $\alpha$ -androstan-3-one);
- (29) 2 $\alpha$ ,3 $\alpha$ -epithio-17 $\alpha$ -methyl-5 $\alpha$ -androstan-17 $\beta$ -ol;
- (30) estra-4,9,11-triene-3,17-dione;
- (31) 13 $\beta$ -ethyl-17 $\beta$ -hydroxygon-4-en-3-one;
- (32) ethylestrenol (17 $\alpha$ -ethyl-17 $\beta$ -hydroxyestr-4-ene);
- (33) fluoxymesterone (9-fluoro-17 $\alpha$ -methyl-11 $\beta$ ,17 $\beta$ -dihydroxyandrost-4-en-3-one);
- (34) formebolone (2-formyl-17 $\alpha$ -methyl-11 $\alpha$ ,17 $\beta$ -dihydroxyandrost-1,4-dien-3-one);
- (35) furazabol (17 $\alpha$ -methyl-17 $\beta$ -hydroxyandrostan[2,3-c]furazan);
- (36) [3,2-c]furazan-5 $\alpha$ -androstan-17 $\beta$ -ol;
- (37) 18 $\alpha$ -homo-3-hydroxy-estra-2,5(10)-dien-17-one;
- (38) 4-hydroxy-19-nortestosterone (4,17 $\beta$ -dihydroxy-estr-4-en-3-one);
- (39) 4-hydroxy-androst-4-ene-3,17-dione;
- (40) 17 $\beta$ -hydroxy-androstano[2,3-d]isoxazole;
- (41) 17 $\beta$ -hydroxy-androstano[3,2-c]isoxazole;
- (42) 3 $\beta$ -hydroxy-estra-4,9,11-trien-17-one;
- (43) 4-hydroxytestosterone (4,17 $\beta$ -dihydroxy-androst-4-en-3-one);
- (44) mestanolone (17 $\alpha$ -methyl-17 $\beta$ -hydroxy-5 $\alpha$ -androstan-3-one);
- (45) mesterolone (1 $\alpha$ -methyl-17 $\beta$ -hydroxy-5 $\alpha$ -androstan-3-one);
- (46) methandienone (17 $\alpha$ -methyl-17 $\beta$ -hydroxyandrost-1,4-dien-3-one);
- (47) methandriol (17 $\alpha$ -methyl-3 $\beta$ ,17 $\beta$ -dihydroxyandrost-5-ene);
- (48) methasterone (2 $\alpha$ ,17 $\alpha$ -dimethyl-5 $\alpha$ -androstan-17 $\beta$ -ol-3-one or 2 $\alpha$ ,17 $\alpha$ -dimethyl-17 $\beta$ -hydroxy-5 $\alpha$ -androstan-3-one);
- (49) methenolone (1-methyl-17 $\beta$ -hydroxy-5 $\alpha$ -androst-1-en-3-one);
- (50) 17 $\alpha$ -methyl-androsta-1,4-diene-3,17 $\beta$ -diol;
- (51) 17 $\alpha$ -methyl-5 $\alpha$ -androstan-17 $\beta$ -ol;
- (52) 17 $\alpha$ -methyl-androstan-3-hydroxyimine-17 $\beta$ -ol;

- (53) 6 $\alpha$ -methyl-androst-4-ene-3,17-dione;
- (54) 17 $\alpha$ -methyl-androst-2-ene-3,17 $\beta$ -diol;
- (55) 17 $\alpha$ -methyl-3 $\beta$ ,17 $\beta$ -dihydroxy-5 $\alpha$ -androstane;
- (56) 17 $\alpha$ -methyl-3 $\alpha$ ,17 $\beta$ -dihydroxy-5 $\alpha$ -androstane;
- (57) 17 $\alpha$ -methyl-3 $\beta$ ,17 $\beta$ -dihydroxyandrost-4-ene;
- (58) 17 $\alpha$ -methyl-4-hydroxynandrolone (17 $\alpha$ -methyl-4-hydroxy-17 $\beta$ -hydroxyestr-4-en-3-one);
- (59) methyldienolone (17 $\alpha$ -methyl-17 $\beta$ -hydroxyestra-4,9(10)-dien-3-one);
- (60) 17 $\alpha$ -methyl- $\Delta$ 1-dihydrotestosterone (17 $\beta$ -hydroxy-17 $\alpha$ -methyl-5 $\alpha$ -androst-1-en-3-one) (a.k.a. "17 $\alpha$ -methyl-1-testosterone");
- (61) methyltestosterone (17 $\alpha$ -methyl-17 $\beta$ -hydroxyandrost-4-en-3-one);
- (62) methyltrienolone (17 $\alpha$ -methyl-17 $\beta$ -hydroxyestra-4,9,11-trien-3-one);
- (63) mibolerone (7 $\alpha$ ,17 $\alpha$ -dimethyl-17 $\beta$ -hydroxyestr-4-en-3-one);
- (64) nandrolone (17 $\beta$ -hydroxyestr-4-en-3-one);
- (65) 19-nor-4-androstenediol (3 $\beta$ ,17 $\beta$ -dihydroxyestr-4-ene);
- (66) 19-nor-4-androstenediol (3 $\alpha$ ,17 $\beta$ -dihydroxyestr-4-ene);
- (67) 19-nor-5-androstenediol (3 $\beta$ ,17 $\beta$ -dihydroxyestr-5-ene);
- (68) 19-nor-5-androstenediol (3 $\alpha$ ,17 $\beta$ -dihydroxyestr-5-ene);
- (69) 19-nor-4,9(10)-androstadienedione (estra-4,9(10)-diene-3,17-dione);
- (70) 19-nor-4-androstenedione (estr-4-en-3,17-dione);
- (71) 19-nor-5-androstenedione (estr-5-en-3,17-dione);
- (72) norbolethone (13 $\beta$ ,17 $\alpha$ -diethyl-17 $\beta$ -hydroxygon-4-en-3-one);
- (73) norclostebol (4-chloro-17 $\beta$ -hydroxyestr-4-en-3-one);
- (74) norethandrolone (17 $\alpha$ -ethyl-17 $\beta$ -hydroxyestr-4-en-3-one);
- (75) normethandrolone (17 $\alpha$ -methyl-17 $\beta$ -hydroxyestr-4-en-3-one);
- (76) oxandrolone (17 $\alpha$ -methyl-17 $\beta$ -hydroxy-2-oxa-5 $\alpha$ -androstan-3-one);
- (77) oxymesterone (17 $\alpha$ -methyl-4,17 $\beta$ -dihydroxyandrost-4-en-3-one);
- (78) oxymetholone (17 $\alpha$ -methyl-2-hydroxymethylene-17 $\beta$ -hydroxy-5 $\alpha$ -androstan-3-one);
- (79) prostanazol (17 $\beta$ -hydroxy-5 $\alpha$ -androstan[3,2-c]pyrazole or [3,2-c]pyrazole-5 $\alpha$ -androstan-17 $\beta$ -ol);
- (80) [3,2-c]pyrazole-androst-4-en-17 $\beta$ -ol;
- (81) stanozolol (17 $\alpha$ -methyl-17 $\beta$ -hydroxy-5 $\alpha$ -androst-2-eno[3,2-c]-pyrazole);
- (82) stenbolone (17 $\beta$ -hydroxy-2-methyl-5 $\alpha$ -androst-1-en-3-one);
- (83) testolactone (13-hydroxy-3-oxo-13,17-secoandrosta-1,4-dien-17-oic acid lactone);

- (84) testosterone (17 $\beta$ -hydroxyandrost-4-en-3-one);
- (85) tetrahydrogestrinone (13 $\beta$ ,17 $\alpha$ -diethyl-17 $\beta$ -hydroxygon-4,9,11-trien-3-one); and
- (86) trenbolone (17 $\beta$ -hydroxyestr-4,9,11-trien-3-one).

(g) **Hallucinogenic substances.**

- (1) Dronabinol (synthetic) in sesame oil and encapsulated in a soft gelatin capsule in a U.S. Food and Drug Administration approved product—7369.

[Some other names for dronabinol: (6a*R-trans*)-6a,7,8,10a-tetrahydro-6,6,9-trimethyl-3-pentyl-6*H*-dibenzo [*b,d*]pyran-1-ol] or (-)-delta-9-(*trans*)-tetrahydrocannabinol]

- (2) [Reserved]

[39 FR 22142, June 20, 1974]

**Editorial Note:** For FEDERAL REGISTER citations affecting § 1308.13, see the List of CFR Sections Affected, which appears in the Finding Aids section of the printed volume and at [www.govinfo.gov](http://www.govinfo.gov).