

**DANGEROUS DRUGS ACT (APPLICATION)
ORDER, 1994**

*S.I. 77/1994
S.I. 50/1996*

(SECTION 11(2))

[Commencement 14th November, 1994]

1. This Order may be cited as the Dangerous Drugs Act (Application) Order, 1994. Citation.

2. It is hereby declared that Part IV of the Dangerous Drugs Act shall apply to the drugs mentioned in the Schedule to this Order (being drugs included in the respective Schedules to the Single Convention on Narcotic Drugs, 1961 and the Psychotropic Convention, 1971). Application of Part IV of Ch. 228.

SCHEDULE

LIST OF DRUGS INCLUDED IN SCHEDULE I

(Single Convention on Narcotic Drugs, 1961) ¹

S.I. 50/1996.

Acetorphine (3-*O*-acetyltetrahydro-7a-(1-hydroxy-1-methylbutyl)-6,14-endoetheno-oripavine)

Acetyl-*alpha*-methylfentanyl (*N*-[1-(*a*-methylphenethyl)-4-piperidyl]acetanilide)

Acetylmethadol (3-acetoxy-6-dimethylamino-4,4-diphenylheptane)

Alfentanil (*N*-[1-[2-(4-ethyl-4,5-dihydro-5-oxo-1*H*-tetrazol-1-yl)ethyl]-4-(methoxymethyl)-4-piperidyl]-*N*-phenylpropanamide)

Allyprodine (3-allyl-1-methyl-4-phenyl-4-propionoxypiperidine)

Alphacetylmethadol (*alpha*-3-acetoxy-6-dimethylamino-4,4-diphenylheptane)

Alphameprodine (*alpha*-3-ethyl-1-methyl-4-phenyl-4-propionoxypiperidine)

Alphamethadol (*alpha*-6-dimethylamino-4,4-diphenyl-3-heptanol)

***Alpha*-methylfentanyl** (*N*-[1(*α*-methylphenethyl)-4-piperidyl]propionanilide)

¹ For the calculation of *estimates and statistics* in accordance with the terms of the 1961 Convention, coca leaf preparations containing more than 0.1 per cent of cocaine and made direct from coca leaf should be considered to be *coca leaf* (preparations).

Dextromethorphan ((+)-3-methoxy-*N*-methylmorphinan) and **dextrorphan** ((+)-3-hydroxy-*N*-methylmorphinan) are isomers specifically excluded from this Schedule.

For the calculation of *estimates and statistics* in accordance with the terms of the 1961 Convention, all preparations made direct from opium are considered to be *opium* (preparations). If the preparations are not made direct from opium itself but are obtained by a mixture of opium alkaloids (as is the case, for example, with pantopon, omnopon and papaveretum) they should be considered as *morphine* (preparations).

- Alpha-methylthiofentanyl** (*N*-[1-[1-methyl-2-(2-thienyl)ethyl]-4-piperidyl]-propionanilide)
- Alphaprodine** (*alpha*-1,3-dimethyl-4-phenyl-4-propionoxypiperidine)
- Anileridine** (1-*para*-aminophenethyl-4-phenylpiperidine-4-carboxylic acid ethyl ester)
- Benzethidine** (1-(2-benzyloxyethyl)-4-phenylpiperidine-4-carboxylic acid ethyl ester)
- Betacetylmethadol** (*beta*-3-acetoxy-6-dimethylamino-4,4-diphenylheptane)
- Beta-hydroxyfentanyl** (*N*-[1-(*beta*-hydroxyphenethyl)-4-piperidyl]-propionanilide)
- Beta-hydroxy-3-methylfentanyl** (*N*-[1-(*beta*-hydroxyphenethyl)-3-methyl-4-piperidyl]propionanilide)
- Betameprodine** (*beta*-3-ethyl-1-methyl-4-phenyl-4-propionoxypiperidine)
- Betamethadol** (*beta*-6-dimethylamino-4,4-diphenyl-3-heptanol)
- Betaprodine** (*beta*-1,3-dimethyl-4-phenyl-4-propionoxypiperidine)
- Bezitramide** (1-(3-cyano-3,3-diphenylpropyl)-4-(2-oxo-3-propionyl-1-benzimidazolyl)-piperidine)
- Clonitazene** (2-*para*-chlorbenzyl-1-diethylaminoethyl-5-nitrobenzimidazole)
- Codoxime** (dihydrocodeinone-6-carboxymethyloxime)
Concentrate of poppy straw (the material arising when poppy straw has entered into a process for the concentration of its alkaloids when such material is made available in trade)
- Desomorphine** (dihydrodeoxymorphine)
- Dextromoramide** ((+)-4-[2-methyl-4-oxo-3,3-diphenyl-4-(1-pyrrolidinyl)-butyl]-morpholine)
- Diampromide** (*N*-[2-(methylphenethylamino)-propyl]propionanilide)
- Difenoxin** (1-(3-cyano-3,3-diphenylpropyl)-4-phenylisonipecotinic acid)
- Dimenoxadol** (2-dimethylaminoethyl-1-ethoxy-1,1-diphenylacetate)
- Dimepheptanol** (6-dimethylamino-4,4-diphenyl-3-heptanol)
- Dioxaphetyl butyrate** (ethyl-4-morpholino-2,2-diphenylbutyrate)
- Diphenoxylate** (1-(3-cyano-3,3-diphenylpropyl)-4-phenylpiperidine-4-carboxylic acid ethyl ester)
- Dipipanone** (4,4-diphenyl-6-piperidine-3-heptanone)
- Drotebanol** (3,4-dimethoxy-17-methylmorphinan-6 β ,14-diol)
- Ethylmethylthiambutene** (3-ethylmethylamino-1,1-di-(2-thienyl)-1-butene)
- Etonitazene** (1-diethylaminoethyl-2-*para*-ethoxybenzyl-5-nitrobenzimidazole)
- Etorphine** (tetrahydro-7 α -(1-hydroxy-1-methylbutyl)-6,14-*endo*etheno-orphavine)
- Etoxidine** (1-[2-(2-hydroxyethoxy)-ethyl]-4-phenylpiperidine-4-carboxylic acid ethyl ester)
- Fentanyl** (1-phenethyl-4-*N*-propionylanilinopiperidine)
- Furethidine** (1-(2-tetrahydrofurfuryloxyethyl)-4-phenylpiperidine-4-carboxylic acid ethyl ester)
- Hydromorphanol** (14-hydroxydihydromorphine)
- Hydroxypethidine** (4-*meta*-hydroxyphenyl-1-methylpiperidine-4-carboxylic acid ethyl ester)
- Isomethadone** (6-dimethylamino-5-methyl-4,4-diphenyl-3-hexanone)

Ketobemidone (4-*meta*-hydroxyphenyl-1-methyl-4-propionylpiperidine)
Levomethorphan² ((-)-3-methoxy-*N*-methyldorphinan)
Levomoramide ((-)-4-[2-methyl-4-oxo-3,3-diphenyl-4-(1-pyrrolidinyl)-butyl]morpholine)
Levophenacymorphan ((-)-3-hydroxy-*N*-phenacymorphinan)
Levorphanol* ((-)-3-hydroxy-*N*-methyldorphinan)
Metazocine (2'-hydroxy-2,5,9-trimethyl-6,7-benzomorphan)
Methadone (6-dimethylamino-4,4-diphenyl-3-heptanone)
Methadone intermediate (4-cyano-2-dimethylamino-4,4-diphenylbutane)
Methyldesorphine (6-methyl-*delta*-6-deoxymorphine)
Methyldihydromorphine (6-methyldihydromorphine)
3-methylfentanyl (*N*-(3-methyl-1-phenethyl-4-piperidyl)propionanilide)
3-methylthiofentanyl (*N*-[3-methyl-1-[2-(2-thienyl)ethyl]-4-piperidyl]propionanilide)
Metopon (5-methyldihydromorphinone)
Moramide intermediate (2-methyl-3-morpholino-1,1-diphenylpropane carboxylic acid)
Morpheridine (1-(2-morpholinoethyl)-4-phenylpiperidine-4-carboxylic acid ethyl ester)
Morphine methobromide and other pentavalent nitrogen morphine derivatives, including in particular the morphine-*N*-oxide derivatives, one of which is Codeine-*N*-oxide
MPPP (1-methyl-4-phenyl-4-piperidinol propionate (ester))
Myrophine (myristylbenzylmorphine)
Nicomorphine (3,6-dinicotinylmorphine)
Noracymethadol ((±)-*alpha*-3-acetoxy-6-methylamino-4,4-diphenylheptane)
Norlevorphenol ((-)-3-hydroxymorphinan)
Normorphine (demethylmorphine) or (*N*-demethylated morphine)
Norpipanone (4,4-diphenyl-6-piperidino-3-hexanone)
Oxymorphone (14-hydroxydihydromorphinone)
Para-fluorofentanyl (4'-fluoro-*N*-(1-phenethyl-4-piperidyl)propionanilide)
PEPAP (1-phenethyl-4-phenyl-4-piperidinol acetate (ester))
Pethidine intermediate A (4-cyano-1-methyl-4-phenylpiperidine)
Pethidine intermediate B (4-phenylpiperidine-4-carboxylic acid ethyl ester)
Pethidine intermediate C (1-methyl-4-phenylpiperidine-4-carboxylic acid)
Phenadoxone (6-morpholino-4,4-diphenyl-3-heptanone)
Phenamproside (*N*-(1-methyl-2-piperidinoethyl)-propionanilide)
Phenazocine (2'-hydroxy-5,9-dimethyl-2-phenethyl-6,7-benzomorphan)
Phenomorphin (3-hydroxy-*N*-phenethylmorphinan)
Phenoperidine (1-(3-hydroxy-3-phenylpropyl)-4-phenylpiperidine-4-carboxylic acid ethyl ester)

² For the calculation of *estimates and statistics* in accordance with the terms of the 1961 Convention, all preparations made direct from opium are considered to be *opium* (preparations). If the preparations are not made direct from opium itself but are obtained by a mixture of opium alkaloids (as is the case, for example, with pantopon, omnopon and papaveretum) they should be considered as *morphine* (preparations).

- Piminodine** (4-phenyl-1-(3-phenylaminopropyl)-piperidine-4-carboxylic acid ethyl ester)
- Piritramide** (1-(3-cyano-3,3-diphenylpropyl)-4-(1-piperidino)-piperidine-4-carboxylic acid amide)
- Proheptazine** (1,3-dimethyl-4-phenyl-4-propionoxyazacycloheptane)
- Properidine** (1-methyl-4-phenylpiperidine-4-carboxylic acid isopropyl ester)
- Racemethorphan** ((±)-3-methoxy-*N*-methylmorphinan)
- Racemoramide** ((±)-4-[2-methyl-4-oxo-3,3-diphenyl-4-(1-pyrrolidinyl)-butyl]-morpholine)
- Racemorphan** ((±)-3-hydroxy-*N*-methylmorphinan)
- Sufentanil** (*N*-[4-(methoxymethyl)-1-[2-(2-thienyl)-ethyl]-4-piperidyl]propionanilide)
- Thiofentanyl** (*N*-(1-[2-(2-thienyl)ethyl]-4-piperidyl)propionanilide)
- Tilidine** ((±)-ethyl-*trans*-2-(dimethylamino)-1-phenyl-3-cyclohexene-1-carboxylate)
- Trimeperidine** (1,2,5-trimethyl-4-phenyl-4-propionoxypiperidine); and
- The isomers, unless specifically excepted, of the drugs in this Schedule whenever the existence of such isomers is possible within the specific chemical designation;
- The esters and ethers, unless appearing in another Schedule, of the drugs in this Schedule whenever the existence of such esters or ethers is possible;
- The salts of the drugs listed in this Schedule, including the salts of esters, ethers and isomers as provided above whenever the existence of such salts is possible.

LIST OF DRUGS INCLUDED IN SCHEDULE II

Acetyldihydrocodeine

Codeine (3-methylmorphine)

Dextropropoxyphene (α -(+)-4-dimethylamino-1,2-diphenyl-3-methyl-2-butanol propionate)

Dihydrocodeine

Ethylmorphine (3-ethylmorphine)

Nicocodeine (6-nicotinylcodeine)

Nicodicodine (6-nicotinyldihydrocodeine)

Norcodeine (*N*-demethylcodeine)

Propiram (*N*-(1-methyl-2-piperidinoethyl)-*N*-2-pyridylpropionamide)

The isomers, unless specifically excepted, of the drugs in this Schedule whenever the existence of such isomers is possible within the specific chemical designation;

The salts of the drugs listed in this Schedule, including the salts of the isomers as provided above whenever the existence of such salts is possible.

LIST OF PREPARATIONS INCLUDED IN SCHEDULE III

1. Preparations of:

Acetyldihydrocodeine,
Codeine,
Dihydrocodeine,
Ethylmorphine,
Nicocodeine,
Nicodicodine, and
Norcodeine,

when compounded with one or more other ingredients and containing not more than 100 milligrams of the drug per dosage unit with a concentration of not more than 2.5 per cent in undivided preparations.

2. Preparations of propiram containing not more than 100 milligrams of propiram per dosage unit and compounded with at least the same amount of methylcellulose.

3. Preparations for oral use containing not more than 135 milligrams of dextropropoxyphene base per dosage unit or with a concentration of not more than 2.5 per cent in undivided preparations, provided that such preparations do not contain any substance controlled under the 1971 Convention on Psychotropic Substances.

4. Preparations of cocaine containing not more than 0.1 per cent of cocaine calculated as cocaine base and preparations of opium or morphine containing not more than 0.2 per cent of morphine calculated as anhydrous morphine base and compounded with one or more other ingredients and in such a way that the drug cannot be recovered by readily applicable means or in a yield which would constitute a risk to public health.

5. Preparations of difenoxin containing, per dosage unit, not more than 0.5 milligram of difenoxin and a quantity of atropine sulfate equivalent to of least 5 per cent of the dose of difenoxin.

6. Preparations of diphenoxylate containing, per dosage unit, not more than 2.5 milligrams of diphenoxylate calculated as base and a quantity of atropine sulfate equivalent to at least 1 per cent of the dose of diphenoxylate.

7. Pulvis ipecacuanhae et opii compositus

10 per cent opium in powder

10 per cent ipecacuanha root, in powder well mixed with

80 per cent of any other powdered ingredient containing no drug.

Preparations conforming to any of the formulae listed in this Schedule and mixtures of such preparations with any material which contains no drug.

LIST OF DRUGS INCLUDED IN SCHEDULE IV

Acetorphine
Acetyl-alpha-methylfentanyl
Alphacetylmethadol
Alpha-methylfentanyl
Alpha-methylthiofentanyl
Beta-hydroxyfentanyl
Beta-hydroxy-3-methylfentanyl
Desomorphine
Etorphine
Ketobemidone
3-methylfentanyl
3-methylthiofentanyl
MPPP
Para-fluorofentanyl
PEPAP
Thiofentanyl

S.I. 50/1996.

SUBSTANCES IN SCHEDULE I (Psychotropic Convention, 1971)

| ³ INN | Other non-proprietary or trivial names | Chemical name |
|------------------|--|--|
| BROLAMFETAMINE | DOB | (+)-4-bromo-2,5-dimethoxy- α methylphenethylamine |
| CATHINONE | DET | (-)-(<i>S</i>)-2-aminopropiophenone |
| | DMA | 3-[2-(diethylamino)ethyl]indole |
| | DMHP | (+)-2,5-dimethoxy- α -methylphenethylamine |
| | | 3-(1,2-dimethylheptyl)-7,8,9,10-tetrahydro-6,6,9-trimethyl-6 <i>H</i> -dibenzo[<i>b,d</i>]pyran-1-ol |
| ETICYCLIDINE | DMT | 3-[2-(dimethylamino)ethyl]indole |
| | DOET | (+)-4-ethyl-2,5-dimethoxy- α -phenethylamine |
| | PCE | <i>N</i> -ethyl-1-phenylcyclohexylamine |
| | MDMA | (+)- <i>N</i> , α -dimethyl-3,4-(methylene-dioxy)phenethylamine |
| | mescaline | 3,4,5-trimethoxyphenethylamine |
| | 4-methylaminorex ⁴ | (+)- <i>cis</i> -2-amino-4-methyl-5-phenyl-2-oxazoline |
| | MMDA | 2-methoxy- α -methyl-4,5-(methylenedioxy)phenethylamine |

³ International Non-proprietary Names (INN)

⁴ Included by decision of the Commission on Narcotic Drugs on 29 January 1990, notified by the Secretary-General on 5 March 1990, and becoming fully effective on 2 September 1990.

| | | |
|---------------|--|--|
| | <i>N</i> -ethyl MDA ⁵ | (+)- <i>N</i> ethyl- α -methyl-3,4-(methylenedioxy)phenethylamine |
| | <i>N</i> -hydroxy MDA ⁶ | (+)- <i>N</i> -[α -methyl-3,4-(methylenedioxy)phenethyl]-hydroxylamine |
| | parahexyl | 3-hexyl-7,8,9,10-tetrahydro-6,6,9-trimethyl-6 <i>H</i> -dibenzo [<i>b,d</i>]pyran-1-ol |
| | PMA | <i>p</i> -methoxy- α -methylphenethylamine |
| | psilocine, psilocin | 3-[2-(dimethylamino)ethyl]indol-4-ol |
| ETRYPTAMINE | tryptamine | 3-(2-aminobutyl)indole |
| METHCATHINONE | ephedrone | 2-Methylamino) -1 |
| | methylcathinone | -phenylpropan-1-one |
| PSILOCYBINE | | 3-[2-(dimethylamino)ethyl]indol-4-yl dihydrogen phosphate |
| ROLICYCLIDINE | PHP, PCPY | 1-(1-phenylcyclohexyl)pyrrolidine |
| | STP, DOM | 2,5-dimethoxy- α ,4-dimethylphenethylamine |
| TENAMFETAMINE | MDA | α -methyl-3,4-(methylenedioxy)phenethylamine |
| TENOCYCLIDINE | TCP | 1-[1-(2-thienyl)cyclohexyl]piperidine |
| | tetrahydrocannabinol, the following isomers and their stereochemical variants: | |
| | 7,8,9,10-tetrahydro-6,6,9-trimethyl-3-pentyl-6 <i>H</i> -dibenzo[<i>b,d</i>]pyran-1-ol | |
| | (9 <i>R</i> ,10 <i>aR</i>)-8,9,10,10a-tetrahydro-6,6,9-trimethyl-3-pentyl-6 <i>H</i> -dibenzo[<i>b,d</i>]pyran-1-ol | |
| | (6 <i>aR</i> ,9 <i>R</i> ,10 <i>aR</i>)-6a,9,10,10a-tetrahydro-6,6,9-trimethyl-3-pentyl-6 <i>H</i> -dibenzo[<i>b,d</i>]pyran-1-ol | |
| | (6 <i>aR</i> ,10 <i>aR</i>)-6a,7,10,10a-tetrahydro-6,6,9-trimethyl-3-pentyl-6 <i>H</i> -dibenzo[<i>b,d</i>]pyran-1-ol | |
| | 6a,7,8,9-tetrahydro-6,6,9-trimethyl-3-pentyl-6 <i>H</i> -dibenzo[<i>b,d</i>]pyran-1-ol | |
| | (6 <i>aR</i> ,10 <i>aR</i>)-6a,7,8,9,10,10a-hexahydro-6,6-dimethyl-9-methylene 3-pentyl-6 <i>H</i> -dibenzo[<i>b,d</i>]pyran-1-ol | |
| TMA | (+)-3,4,5-trimethoxy- α -methylphenethylamine | |

SUBSTANCES IN SCHEDULE II

| ⁷ INN | Other non-proprietary or trivial name | Chemical name |
|------------------|---------------------------------------|---|
| AMFETAMINE | amphetamine | (+)- α -methylphenethylamine |
| DEXAMFETAMINE | dexamphetamine | (+)- α -methylphenethylamine |
| FENETHYLLINE | | 7-[2-[(α -methylphenethyl)amino] ethyl]theophylline |

⁵ Included by decision of the Commission on Narcotic Drugs on 29 January 1990, notified by the Secretary-General on 5 March 1990, and becoming fully effective on 2 September 1990.

⁶ Included by decision of the Commission on Narcotic Drugs on 29 January 1990, notified by the Secretary-General on 5 March 1990, and becoming fully effective on 2 September 1990.

⁷ International Non-proprietary Names (INN)

| | | |
|---------------------------|---|---|
| LEVAMFETAMINE | levamphetamine levomethamphetamine | (-)-(R)- α -methylphenethylamine (-)-N, α -dimethylphenethylamine |
| MECLOQUALONE | | 3-(o-chlorophenyl)-2-methyl-4(3H)-quinazolinone |
| METAMFETAMINE | methamphetamine | (+)-(S)-N, α -dimethylphenethylamine |
| METAMFETAMINE RACEMATE | methamphetamine racemate | (+)-N, α -dimethylphenethylamine |
| METHAQUALONE | | 2-methyl-3- <i>o</i> -tolyl-4(3H)-quinazolinone |
| METHYLPHENIDATE | | Methyl α -phenyl-2-piperidineacetate |
| PHENCYCLIDINE | PCP | 1-(1-phenylcyclohexyl)piperidine |
| PHENMETRAZINE | | 3-methyl-2-phenylmorpholine |
| SECOBARBITAL | | 5-allyl-5-(1-methylbutyl)barbituric acid |
| | delta-9-tetrahydro- cannabinol and its stereochemical variants ⁸ | (6aR,10aR)-6a,7,8,10a-tetrahydro-6,6,9-trimethyl-3- pentyl-6H- dibenzo[b,d]pyran-1-ol |
| ZIPEROL | Antituxil-z Tussiflex | a-(a-methoxybenyl)-4- (b-methoxyphenethyl)-1- piperazine-ethano |

SUBSTANCES IN SCHEDULE III

| ⁹ INN | Other non-proprietary or trivial name | Chemical name |
|-----------------------------|---|---|
| AMOBARBITAL | | 5-ethyl-5-isopentylbarbituric acid |
| BUPRENORPHINE ¹⁰ | | 21-cyclopropyl-7- α [(S)-1-hydroxy-1,2,2-trimethyl- propyl]-6,14- <i>endo</i> -ethano-6,7,8,14-tetrahydrooripavine |
| BUTALBITAL | | 5-allyl-5-isobutylbarbituric acid |
| CATHINE | (+)-norpseudo- ephedrine | (+)-(R)- α -[(R)-1-aminoethyl]benzyl alcohol |
| CYCLOBARBITAL | | 5-(1-cyclohexen-1-yl)-5-ethylbarbituric acid |
| FLUNITRAZEPAM | | 5-(<i>o</i> -fluorophenyl)-1,3-dihydro-1-methyl-7-nitro-2H- 1,4-benzodiazepin-2-one |
| GLUTETHIMIDE | | 2-ethyl-2-phenylglutarimide |
| PENTAZOCINE | | (2R ¹¹ ,6R ¹² ,11R ¹³)-1,2,3,4,5,6-hexahydro-6,11- dimethyl-3- (3-methyl-2-butenyl)-2,6-methano-3-ben- zazocin-8-ol |
| PENTOBARBITAL | | 5-ethyl-5-(1-methylbutyl)barbituric acid |

⁸ Transferred from Schedule I by decision of the Commission on Narcotic Drugs on 29 April 1991, notified by the Secretary-General on 10 June 1991, and becoming fully effective on 7 December 1991.

⁹ International Non-proprietary Names (INN)

¹⁰ Included by decision of the Commission on Narcotic Drugs on 17 February 1989, notified by the Secretary-General on 22 March 1989, and becoming fully effective on 18 September 1989.

¹¹ Included by decision of the Commission on Narcotic Drugs on 17 February 1989, notified by the Secretary-General on 22 March 1989, and becoming fully effective on 18 September 1989.

¹² Included by decision of the Commission on Narcotic Drugs on 17 February 1989, notified by the Secretary-General on 22 March 1989, and becoming fully effective on 18 September 1989.

¹³ Included by decision of the Commission on Narcotic Drugs on 17 February 1989, notified by the Secretary-General on 22 March 1989, and becoming fully effective on 18 September 1989.

| SUBSTANCES IN SCHEDULE IV | | |
|----------------------------------|--|--|
| ¹⁴ INN | Other non-proprietary or trivial name | Chemical name |
| ALLOBARBITAL | | 5,5-diallylbarbituric acid |
| ALPRAZOLAM | | 8-chloro-1-methyl-6-phenyl-4 <i>H</i> -s-triazolo[4,3- α][1,4]benzodiazepine |
| AMFERPRAMONE | | 2-(diethylamino)propiophenone 2-amino-5-phenyl-2-oxazoline |
| AMINOREX | aminoxaphen aminoxafen | |
| BARBITAL | | 5,5-diethylbarbituric acid |
| BENZFETAMINE | benzphetamine | <i>N</i> -benzyl- <i>N</i> , α -dimethylphenethylamine |
| BROMAZEPAM | | 7-bromo-1,3-dihydro-5-(2-pyridyl)-2 <i>H</i> -1,4-benzodiazepin-2-one |
| | butobarbital Ladormin | 5-butyl-5-ethylbarbituric acid |
| BROTIZOLAM | Lendorm | -bromo-4-(<i>o</i> -chlorophenyl)-9-methyl-6 <i>H</i> -thieno (3,2- <i>f</i>)-s-triazolo [4,3- <i>a</i>][1,4] diazepine |
| CAMAZEPAM | | 7-chloro-1,3-dihydro-3-hydroxy-1-methyl-5-phenyl-2 <i>H</i> -1,4-benzodiazepin-2-one dimethylcarbamate (ester) |
| CHLORDIAZEPOXIDE | | 7-chloro-2-(methylamino)-5-phenyl-3 <i>H</i> -1,4-benzodiazepine-4-oxide |
| CLOBAZAM | | 7-chloro-1-methyl-5-phenyl-1 <i>H</i> -1,5-benzodiazepine-2,4(3 <i>H</i> ,5 <i>H</i>)-dione |
| CLONAZEPAM | | 5-(<i>o</i> -chlorophenyl)-1,3-dihydro-7-nitro-2 <i>H</i> -1,4-benzodiazepin-2-one |
| CLORAZEPATE | | 7-chloro-2,3-dihydro-2-oxo-5-phenyl-1 <i>H</i> -1,4-benzodiazepine-3-carboxylic acid |
| CLOTIAZEPAM | | 5-(<i>o</i> -chlorophenyl)-7-ethyl-1,3-dihydro-1-methyl-2 <i>H</i> -thieno [2,3- <i>e</i>]-1,4-diazepin-2-one |
| CLOXAZOLAM | | 10-chloro-11b-(<i>o</i> -chlorophenyl)-2,3,7,11b-tetrahydrooxazolo-[3,2- <i>d</i>][1,4]benzodiazepin-6(5 <i>H</i>)-one |
| DELORAZEPAM | | 7-chloro-5-(<i>o</i> -chlorophenyl)-1,3-dihydro-2 <i>H</i> -1,4-benzodiazepin-2-one |
| DIAZEPAM | | 7-chloro-1,3-dihydro-1-methyl-5-phenyl-2 <i>H</i> -1,4-benzodiazepin-2-one |
| ESTAZOLAM | | 8-chloro-6-phenyl-4 <i>H</i> -s-triazolo[4,3- α][1,4]benzodiazepine |
| ETHCHLORVYNOL | | 1-chloro-3-ethyl-1-penten-4-yn-3-ol |
| ETHINAMATE | | 1-ethynylcyclohexanol carbamate |
| ETHYL LOFLAZEPATE | | ethyl 7-chloro-5-(<i>o</i> -fluorophenyl)-2,3-dihydro-2-oxo-1 <i>H</i> -1,4-benzodiazepine-3-carboxylate |
| ETILAMFETAMINE | <i>N</i> -ethylamphetamine | <i>N</i> -ethyl- α -methylphenethylamine |

¹⁴ International Non-proprietary Names (INN)

| | | | |
|-------------------------|---------------------------|---|----|
| FENCAMFAMIN | | N-ethyl-3-phenyl-2-norbornanamine | |
| FENPROPorex | | (+)-3-[(a-methylphenethyl)amino]propionitrile | |
| FLUDIAZEPAM | | 7-chloro-5-(o-fluorophenyl)-1,3-dihydro-1-methyl-2H-1,4-benzodiazepin-2-one | |
| FLURAZEPAM | | 7-chloro-1-[2-(diethylamino)ethyl]-5-(o-fluorophenyl)-1,3-dihydro-2H-1,4-benzodiazepin-2-one | |
| HALAZEPAM | | 7-chloro-1,3-dihydro-5-phenyl-1-(2,2,2-trifluoroethyl)-2H-1,4-benzodiazepin-2-one | |
| HALOXAZOLAM | | 10-bromo-11b-(o-fluorophenyl)-2,3,7,11b-tetrahydrooxazolo[3,2-d][1,4]benzodiazepin-6(5H)-one | |
| KETAZOLAM | | 11-chloro-8,12b-dihydro-2,8-dimethyl-12b-phenyl-4H-[1,3]oxazino[3,2-d][1,4]benzodiazepine-4,7(6H)-dione | |
| LEFETAMINESPA | | (-)-N,N-dimethyl-1,2-diphenylethylamine | |
| LOPRAZOLAM | | 6-(o-chlorophenyl)-2,4-dihydro-2-[(4-methyl-1-piperazinyl)methylene]-8-nitro-1H-imidazo[1,2- α][1,4]benzodiazepin-1-one | |
| LORAZEPAM | | 7-chloro-5-(o-chlorophenyl)-1,3-dihydro-3-hydroxy-2H-1,4-benzodiazepin-2-one | |
| LORMETAZEPAM | | 7-chloro-5-(o-chlorophenyl)-1,3-dihydro-3-hydroxy-1-methyl-2H-1,4-benzodiazepin-2-one | |
| MAZINDOL | | 5-(p-chlorophenyl)-2,5-dihydro-3H-imidazo[2,1- α]isoindol-5-ol | 1- |
| MEDAZEPAM | | 7-chloro-2,3-dihydro-1-methyl-5-phenyl-1H-1,4-benzodiazepine | |
| MEFENOREX | | N-(3-chloropropyl)- α -methylphenethylamine | |
| MEPROBAMATE | | 2-methyl-2-propyl-1,3-propanediol, dicarbamate | |
| MESOCARB | Pharmanocarb Sydnocarb | 3-(a-Methylphenethyl)-N-(phenylcarbamoil)sydnone imine | |
| METHYLPHENOBARBITAL | | 5-ethyl-1-methyl-5-phenylbarbituric acid | |
| METHYPRYLON | | 3,3-diethyl-5-methyl-2,4-piperidine-dione | |
| MIDAZOLAM ¹⁵ | | 8-chloro-6-(o-fluorophenyl)-1-methyl-4H-imidazo[1,5- α][1,4]benzodiazepine | |
| NIMETAZEPAM | | 1,3-dihydro-1-methyl-7-nitro-5-phenyl-2H-1,4-benzodiazepin-2-one | |
| NITRAZEPAM | | 1,3-dihydro-7-nitro-5-phenyl-2H-1,4-benzodiazepin-2-one | |
| NORDAZEPAM | | 7-chloro-1,3-dihydro-5-phenyl-2H-1,4-benzodiazepin-2-one | |
| OXAZEPAM | | 7-chloro-1,3-dihydro-3-hydroxy-5-phenyl-2H-1,4-benzodiazepin-2-one | |

¹⁵ Included by decision of the Commission on Narcotic Drugs on 29 January 1990, notified by the Secretary-General on 5 March 1990, and becoming fully effective on 2 September 1990.

| | |
|------------------------|--|
| OXAZOLAM | 10-chloro-2,3,7,11b-tetrahydro-2-methyl-11b-phenyloxazolo |
| PEMOLINE ¹⁶ | [3,2-d][1,4]benzodiazepin-6(5H)-one 2-amino-5-phenyl-2-oxazolin-4-one(= 2-imino-5-phenyl-4-oxazolidinone) |
| PHENDIMETRAZINE | (+)-(2S,3S)-3,4-dimethyl-2-phenylmorpholine |
| PHENOBARBITAL | 5-ethyl-5-phenylbarbituric acid |
| PHENTERMINE | α,α -dimethylphenethylamine |
| PINAZEPAM | 7-chloro-1,3-dihydro-5-phenyl-1-(2-propynyl)-2H-1,4-benzodiazepin-2-one |
| PIPRADOL | α,α -diphenyl-2-piperidinemethanol |
| PRAZEPAM | 7-chloro-1-(cyclopylmethyl)-1,3-dihydro-5-phenyl-2H-1,4-benzodiazepin-2-one |
| PYROVALERONE | 4'-methyl-2-(1-pyrrolidinyl)valerophenone |
| SECBUTABARBITAL | 5-sec-butyl-5-ethylbarbituric acid |
| TEMAZEPAM | 7-chloro-1,3-dihydro-3-hydroxy-1-methyl-5-phenyl-2H-1,4-benzodiazepin-2-one |
| TETRAZEPAM | 7-chloro-5-(1-cyclohexen-1-yl)-1,3dihydro-1-methyl-2H-1,4-benzodiazepin-2-one |
| TRIAZOLAM | 8-chloro-6-(o-chlorophenyl)-1-methyl-4H-s-triazolo[4,3- α][1,4]benzodiazepine |
| VINYLBITAL | 5-(1-methylbutyl)-5-vinylbarbituric acid |

¹⁶ Included by decision of the Commission on Narcotic Drugs on 17 February 1989, notified by the Secretary-General on 22 March 1989, and becoming fully effective on 18 September 1989.