



2026/473

27.2.2026

COMMISSION IMPLEMENTING REGULATION (EU) 2026/473

of 14 October 2025

amending Implementing Regulation (EU) 2020/1187 granting a Union authorisation for the biocidal product family 'Iodine based products – CID LINES NV'

(Text with EEA relevance)

THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products ⁽¹⁾, and in particular Article 48(1), point (a), thereof,

Whereas:

- (1) On 7 August 2020, a Union authorisation was granted to CID Lines NV for the making available on the market and use of the biocidal product family 'Iodine based products – CID LINES NV' ('biocidal product family') by Commission Implementing Regulation (EU) 2020/1187 ⁽²⁾ for use of the products in product-types 3 and 4 as specified in the summary of product characteristics ('SPC') in the Annex to that Regulation.
- (2) The biocidal product family contains the active substances iodine and polyvinylpyrrolidone iodine. Both active substances were approved, among others, for product-types 3 and 4 by Commission Implementing Regulation (EU) No 94/2014 ⁽³⁾ which provided the expiry date of approval of 31 August 2025.
- (3) For iodine and polyvinylpyrrolidone iodine, for product-type 4, no applications for renewal were submitted in accordance with Article 13(1) of Regulation (EU) No 528/2012 by the deadline. Therefore, the approval of both active substances for use in products for product-type 4 will expire on 31 August 2025.
- (4) Consequently, for the uses of the biocidal product family belonging to product-type 4 the condition for authorisation of Article 19(1), point (a), of Regulation (EU) No 528/2012 requiring that the active substances are included in Annex I or approved for the relevant product-type and any conditions specified for those active substances are met, will not be fulfilled as of 1 September 2025.
- (5) All the indications of product-type 4, including the related uses and the related information should therefore be removed from the SPC in initial meta SPCs 7 and 8, and the initial meta SPC 9 should be removed completely. The Union authorisation should be amended accordingly.
- (6) On 2 April 2025, the Commission informed CID Lines NV of its intention to amend the Union authorisation for the biocidal product family and gave it the opportunity to submit comments or additional information in accordance with Article 48(2) of Regulation (EU) No 528/2012. On 16 April 2025, CID Lines NV responded that it takes note of the information and does not have comments.
- (7) It is therefore appropriate to grant a period of grace for the making available on the market and the use of the existing stocks in accordance with Article 52 of Regulation (EU) No 528/2012.

⁽¹⁾ OJ L 167, 27.6.2012, p. 1, ELI: <http://data.europa.eu/eli/reg/2012/528/oj>.

⁽²⁾ Commission Implementing Regulation (EU) 2020/1187 of 7 August 2020 granting a Union authorisation for the biocidal product family 'Iodine based products – CID LINES NV' (OJ L 268, 14.8.2020, p. 1, ELI: http://data.europa.eu/eli/reg_impl/2020/1187/oj).

⁽³⁾ Commission Implementing Regulation (EU) No 94/2014 of 31 January 2014 approving iodine, including polyvinylpyrrolidone iodine, as an existing active substance for use in biocidal products for product-types 1, 3, 4 and 22 (OJ L 32, 1.2.2014, p. 23, ELI: http://data.europa.eu/eli/reg_impl/2014/94/oj).

- (8) In order to enhance clarity and ease the access of users and interested parties to the final version of the SPC which is to be published in the register of biocidal products, the Annex to Implementing Regulation (EU) 2020/1187 should be replaced in its entirety.
- (9) Implementing Regulation (EU) 2020/1187 should therefore be amended accordingly,

HAS ADOPTED THIS REGULATION:

Article 1

The Annex to Implementing Regulation (EU) 2020/1187 is replaced by the text set out in the Annex to this Regulation.

Article 2

Biocidal products of the biocidal product family 'Iodine based products – CID LINES NV' may be made available on the market for uses belonging to product-type 4 until 27 February 2026 and such biocidal products may be used until 26 August 2026.

Article 3

This Regulation shall enter into force on the twentieth day following that of its publication in the *Official Journal of the European Union*.

It shall apply from 1 September 2025.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 14 October 2025.

For the Commission
The President
Ursula VON DER LEYEN

ANNEX

SUMMARY OF PRODUCT CHARACTERISTICS FOR A BIOCIDAL PRODUCT FAMILY

Iodine based products – CID LINES NV

Product type(s)

PT03: Veterinary hygiene

Authorisation number: EU-0022265-0000**R4BP asset number:** EU-0022265-0000

PART I

FIRST INFORMATION LEVEL

1. ADMINISTRATIVE INFORMATION

1.1. **Family name**

Name	Iodine based products – CID LINES NV
------	--------------------------------------

1.2. **Product type(s)**

Product type(s)	PT03: Veterinary hygiene
-----------------	--------------------------

1.3. **Authorisation holder**

Name and address of the authorisation holder	Name	CID LINES NV
	Address	Waterpoortstraat 2 8900 Ieper Belgium
Authorisation number	EU-0022265-0000	
R4BP asset number	EU-0022265-0000	
Date of the authorisation	3 September 2020	
Expiry date of the authorisation	31 August 2030	

1.4. **Manufacturer(s) of the product**

Name of manufacturer	CID LINES NV
Address of manufacturer	Waterpoortstraat 2 8900 Ieper Belgium
Location of manufacturing sites	CID LINES NV site 1 Waterpoortstraat 2 8900 Ieper Belgium

1.5. **Manufacturer(s) of the active substance(s)**

Active substance	Iodine
Name of manufacturer	SQM S.A.
Address of manufacturer	Los Militares, Piso 4 4290 Santiago Chile

Location of manufacturing sites	SQM S.A. site 1 Nueva Victoria plant 00 Pedro de Valdivia Chile
Active substance	Iodine
Name of manufacturer	Cosayach Nitratos S.A.
Address of manufacturer	Amunategui 178 00 Santiago Chile
Location of manufacturing sites	Cosayach Nitratos S.A. site 1 Cala Cala 00 Pozo Almonte Chile
Active substance	Iodine
Name of manufacturer	ACF Minera S.A.
Address of manufacturer	San Martin No 499 00 Iquique Chile
Location of manufacturing sites	ACF Minera S.A. site 1 Lagunas mine 00 Pozo Almonte Chile
Active substance	Iodine
Name of manufacturer	ISE Chemicals Corporation
Address of manufacturer	3-1, Kyobashi 1-Chome 104-0031 Tokyo Japan
Location of manufacturing sites	ISE Chemicals Corporation site 1 3695 Kitaimaizumi 299-3201 Oamishirasato city Japan
Active substance	Polyvinylpyrrolidone iodine
Name of manufacturer	ISP Chemicals LLC, Afiliate of Ashland Inc
Address of manufacturer	455 N. main st (HWY 95) KY 42029 Calvert City United States (the)
Location of manufacturing sites	ISP Chemicals LLC, Afiliate of Ashland Inc site 1 455 N. main st (HWY 95) KY 42029 Calvert City United States (the)
Active substance	Polyvinylpyrrolidone iodine
Name of manufacturer	Pantheon FZE (DMCC branch)
Address of manufacturer	403, Reef Tower, Jumeira Lake Tower Shaikh Zayed Road 00 Dubai United Arab Emirates (the)
Location of manufacturing sites	Pantheon FZE (DMCC branch) site 1 Cala Cala 00 Pozo Almonte Chile

2. PRODUCT FAMILY COMPOSITION AND FORMULATION

2.1. Qualitative and quantitative information on the composition of the family

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Iodine		Active substance	7553-56-2	231-442-4	0-3 % (w/w)
Polyvinylpyrrolidone iodine		Active substance	25655-41-8		0-10 % (w/w)
Alcohols, C12-15, ethoxylated	Alcohols, C12-15, ethoxylated láite	Non-active substance	68131-39-5	500-195-7	0-21 % (w/w)
Phosphoric acid	Phosphoric acid	Non-active substance	7664-38-2	231-633-2	0-30 % (w/w)
Alcohol C9-11 + 6 EO	Alcohol C9-11 + 6 EO	Non-active substance	68439-46-3		0-12,5 % (w/w)

2.2. Type(s) of formulation

Formulation type(s)	AL Any other liquid SL Soluble concentrate
---------------------	---

PART II

SECOND INFORMATION LEVEL META SPC(S)

1. META SPC 1 ADMINISTRATIVE INFORMATION

1.1. Meta SPC 1 identifier

Identifier	Meta SPC: metaSPC 1: PT3 – Concentrated teat disinfectants Iodine
------------	---

1.2. Suffix to the authorisation number

Number	1-1
--------	-----

1.3. Product type(s)

Product type(s)	PT03: Veterinary hygiene
-----------------	--------------------------

2. META SPC 1 COMPOSITION

2.1. Qualitative and quantitative information on the composition of the meta SPC 1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Iodine		Active substance	7553-56-2	231-442-4	1,5-1,5 % (w/w)
Alcohols, C12-15, ethoxylated	Alcohols, C12-15, ethoxylated	Non-active substance	68131-39-5	500-195-7	12,05-12,05 % (w/w)

2.2. Type(s) of formulation of the meta SPC 1

Formulation type(s)	SL Soluble concentrate
---------------------	------------------------

3. HAZARD AND PRECAUTIONARY STATEMENTS OF THE META SPC 1

Hazard statements	H318: Causes serious eye damage. H412: Harmful to aquatic life with long lasting effects. H373: May cause damage to organs (thyroid) through prolonged or repeated exposure (oral).
Precautionary statements	P280: Wear eye protection. P280: Wear protective clothing. P280: Wear protective gloves. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a doctor, a poison center. P273: Avoid release to the environment. P501: Dispose of contents to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. P501: Dispose of container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

4. AUTHORISED USE(S) OF THE META SPC

4.1. Use description

Table 1

PT3 – Concentrated Teat disinfectant, post-milking, Iodine

Product type	PT03: Veterinary hygiene
Where relevant, an exact description of the authorised use	–

Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data Scientific name: no data Common name: Viruses Development stage: no data
Field(s) of use	Indoor use Post-milking teat disinfection of milk producing animals
Application method(s)	Method: Manual or automatic spraying on teats Detailed description: –
Application rate(s) and frequency	Application Rate: Dilute the product to a final concentration of 0,3% (w/w) available iodine. Number and timing of application: Apply 2 times per day with manual sprayer and 3 times per day with a robot.
Category(ies) of users	Professional
Pack sizes and packaging material	1 l, 5 l, 10 l, 20 l, 25 l, 30 l, 60 l, 200 l, 600 l, 1 000 l HDPE (High Density Polyethylene)

4.1.1. Use-specific instructions for use

See general directions for use.

4.1.2. Use-specific risk mitigation measures

See general directions for use.

4.1.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use.

4.1.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use.

4.1.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use.

5. GENERAL DIRECTIONS FOR USE OF THE META SPC 1

5.1. Instructions for use

The product must be diluted before use with clean potable water to allow a final concentration of iodine of 0,3 % (200 ml product, add water up to 1 l).

The diluted product must be brought to a temperature above 20 °C before use.

Assume 5 ml diluted product per cow per treatment. The use of a dosing pump for filling the product into the application equipment is recommended. Use gloves and eye protection during the dilution step. The diluted product can be kept and used during 1 week but do not prepare more fluid than necessary.

Apply the diluted product on the teats with a manual sprayer or with an automatic sprayer.

The product should be used directly after milking 2 times per day by using a manual sprayer and 3 times per day when using a robot (automatic sprayer).

Ensure that the teat is completely covered to three quarters of its length. Let the product dry on teats. To ensure sufficient contact time, care should be taken that the product is not removed after application (e.g. keep the animal standing for at least 5 minutes).

Do not mix with other chemicals.

5.2. Risk mitigation measures

- For mixing and loading of the product: Wear chemical resistant gloves (glove material to be specified by the authorisation holder within the product information) and eye/face protection.
- For manual spraying application: Wear chemical resistant gloves (glove material to be specified by the authorisation holder within the product information).
- If a combination of pre- and post-milking disinfection is necessary, using another product not containing iodine has to be considered for pre-milking disinfection.
- Keep out of reach of children.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

After eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain emergency medical attention if pain, blinking, tears or redness persist.

If medical advice is needed, have product container or label at hand.

After ingestion: Rinse mouth. Spit. Do NOT induce vomiting and immediately get medical advice.

Have product container or label at hand.

5.4. Instructions for safe disposal of the product and its packaging

At the end of the treatment, dispose unused product and the packaging in accordance with local requirements. Used product can be flushed to the municipal sewer or disposed to the manure deposit depending on local requirements. Avoid release to an individual waste water treatment plant.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.

Protect from frost. Do not expose to temperatures > 40 °C.

The shelf-life of the products is 2 years.

6. OTHER INFORMATION

7. THIRD INFORMATION LEVEL: INDIVIDUAL PRODUCTS IN THE META SPC 1

7.1. Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)		Kenodin SD 400	Market area: EU		
		IodoSD 400	Market area: EU		
		Velvet Concentrate	Market area: EU		
		Wynnsan Iodine 3 - 1 conc	Market area: EU		
		Iodin Teat Spray 400	Market area: EU		
Authorisation number		EU-0022265-0001 1-1			
Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Iodine		Active substance	7553-56-2	231-442-4	1,5 % (w/w)
Alcohols, C12-15, ethoxylated	Alcohols, C12-15, ethoxylated	Non-active substance	68131-39-5	500-195-7	12,05 % (w/w)

1. META SPC 2 ADMINISTRATIVE INFORMATION

1.1. Meta SPC 2 identifier

Identifier	Meta SPC: metaSPC 2: PT3 – Ready to Use (RTU) Teat disinfectants Iodine
------------	---

1.2. Suffix to the authorisation number

Number	1-2
--------	-----

1.3. Product type(s)

Product type(s)	PT03: Veterinary hygiene
-----------------	--------------------------

2. META SPC 2 COMPOSITION

2.1. Qualitative and quantitative information on the composition of the meta SPC 2

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Iodine		Active substance	7553-56-2	231-442-4	0,3-0,3 % (w/w)
Alcohols, C12-15, ethoxylated	Alcohols, C12-15, ethoxylated	Non-active substance	68131-39-5	500-195-7	2,1-2,9 % (w/w)

2.2. Type(s) of formulation of the meta SPC 2

Formulation type(s)	AL Any other liquid
---------------------	---------------------

3. HAZARD AND PRECAUTIONARY STATEMENTS OF THE META SPC 2

Hazard statements	H412: Harmful to aquatic life with long lasting effects.
Precautionary statements	P273: Avoid release to the environment. P501: Dispose of contents to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. P501: Dispose of container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

4. AUTHORISED USE(S) OF THE META SPC

4.1. Use description

Table 1

PT3– RTU Teat disinfectant, post-milking, Iodine

Product type	PT03: Veterinary hygiene
Where relevant, an exact description of the authorised use	–
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data Scientific name: no data Common name: Viruses Development stage: no data

Field(s) of use	Indoor use Post-milking teat disinfection of milk producing animals
Application method(s)	Method: By dipping or spraying on teats Detailed description: –
Application rate(s) and frequency	Application Rate: The product is ready to use. Number and timing of application: Apply 2 times per day for manual spraying and 3 times per day for manual dipping and spraying with robot
Category(ies) of users	Professional
Pack sizes and packaging material	1 l, 5 l, 10 l, 20 l, 25 l, 30 l, 60 l, 200 l, 600 l, 1 000 l HDPE

4.1.1. Use-specific instructions for use

See general directions for use.

4.1.2. Use-specific risk mitigation measures

See general directions for use.

4.1.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use.

4.1.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use.

4.1.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use.

5. GENERAL DIRECTIONS FOR USE OF THE META SPC 2

5.1. Instructions for use

The product must be brought to a temperature above 20 °C before use.

Apply the product by dipping or by spraying:

- *By dipping*: Apply the product with a dip cup. Wash the dip cup with water after use.
- *By spraying*: Apply the product with a manual sprayer or with an automatic sprayer.

Do not prepare more fluid than necessary; assume 5 ml solution per cow per treatment. The use of a dosing pump for filling the product into the application equipment is recommended.

The product should be used immediately after each milking: 2 times per day for manual spraying and 3 times per day for manual dipping and spraying with robot. Ensure that the teat is completely covered to three quarters of its length. Let the product dry on teats. To ensure sufficient contact time, care should be taken that the product is not removed after application (e.g. keep the animal standing for at least 5 minutes).

Do not mix with other chemicals.

5.2. Risk mitigation measures

- For manual dipping application: No special protection equipment is recommended under normal conditions of use.
- For manual spraying application: Wear chemical resistant gloves (glove material to be specified by the authorisation holder within the product information).
- If a combination of pre- and post-milking disinfection is necessary, using another biocidal product not containing iodine has to be considered for pre-milking disinfection.
- Keep out of reach of children.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

After eye contact: Rinse immediately with water.

After ingestion: Rinse mouth. Spit.

5.4. Instructions for safe disposal of the product and its packaging

At the end of the treatment, dispose unused product and the packaging in accordance with local requirements. Used product can be flushed to the municipal sewer or disposed to the manure deposit depending on local requirements. Avoid release to an individual waste water treatment plant.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Keep only in the original container in a cool, well-ventilated place. Keep container closed when not in use.

Protect from frost. Do not expose to temperatures > 40 °C.

The shelf-life of the products is 2 years.

6. OTHER INFORMATION

/

7. THIRD INFORMATION LEVEL: INDIVIDUAL PRODUCTS IN THE META SPC 2

7.1. Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	IodoDip 3000	Market area: EU
	Bio Tec Jodip 3000	Market area: EU
	Recoïode	Market area: EU
	Stalosan Io Dip	Market area: EU
	Stalosan Super Dip	Market area: EU
	Velvet High Visco	Market area: EU
	Bühning Joddip 3000	Market area: EU
	Kenodin	Market area: EU

Wynnsan trikill RTU	Market area: EU
Wynnsan Iodine RTU teat dip	Market area: EU
Wynnsan Iodine dip RTU	Market area: EU
Iocid	Market area: EU
Iodip+	Market area: EU
Wynngold Iodine Dip	Market area: EU
Pezerk iv plus	Market area: EU
Iod protect 3000 Film	Market area: EU
Seivit® Iode 3000	Market area: EU
Kenostart	Market area: EU
GAHERYOD	Market area: EU
Kenodin 3000	Market area: EU
Iodin Teat Dip 3000	Market area: EU
Iod 3000 dip	Market area: EU
Iodoschutz dip	Market area: EU
Ioschutz dip	Market area: EU
Iodocoop dip	Market area: EU
Iodotech dip	Market area: EU
Iodactiv' dip	Market area: EU
Iododip	Market area: EU
MIROX Dip Jod	Market area: EU
HCP Iodine Dip	Market area: EU
Agib Jodium Dip	Market area: EU
Jod 3000	Market area: EU
Iod dip	Market area: EU
Iode 3000	Market area: EU

	Iodoschutz	Market area: EU			
	Coopjod	Market area: EU			
	Coopiode	Market area: EU			
	Coopiode épais	Market area: EU			
	Semex jod	Market area: EU			
	Iodotech	Market area: EU			
	Iododip green	Market area: EU			
	Iodip bio	Market area: EU			
	Iododip bio	Market area: EU			
	Iodactive épais	Market area: EU			
	Iodactiv	Market area: EU			
	Iodoactiv'	Market area: EU			
	Bayley's Premier Iodine Teat Dip	Market area: EU			
	Pearce Premier Iodine Teat Dip	Market area: EU			
	Diamond 1:3 Concentrate Iodine Post Dip Spray	Market area: EU			
	JODOCARE	Market area: EU			
	KENOSTART DYP	Market area: EU			
	STREPTOFIT	Market area: EU			
	Iodall Film	Market area: EU			
Authorisation number		EU-0022265-0002 1-2			
Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Iodine		Active substance	7553-56-2	231-442-4	0,3 % (w/w)
Alcohols, C12-15, ethoxylated	Alcohols, C12-15, ethoxylated	Non-active substance	68131-39-5	500-195-7	2,17 % (w/w)

7.2. Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	Kenodin Film	Market area: EU
	IodoFilm	Market area: EU
	Wynnsan Iofilm teat dip	Market area: EU
	Kenodin Film Extra	Market area: EU
	Wynngold Film	Market area: EU
	Wynnsan trikill film teat dip	Market area: EU
	Kenodin Film Soft	Market area: EU
	Iocid Film	Market area: EU
	TOP Film	Market area: EU
	Seivit® Iode Gel	Market area: EU
	IOD protect 3000 Film	Market area: EU
	Iodin Film Teat Dip 3000	Market area: EU
	Iodin Barrier Teat Dip 3000	Market area: EU
	Iodin Film Teat Dip	Market area: EU
	Iodin Barrier Teat Dip	Market area: EU
	Iod 3000 film	Market area: EU
	Iodoschutz film	Market area: EU
	Ioschutz film	Market area: EU
	Iodocoop film	Market area: EU
	Iodotech film	Market area: EU
	Iodactiv' film	Market area: EU
	Iodofilm	Market area: EU
	HCP Iodine Film	Market area: EU

	Iod 3000 film	Market area: EU			
	Coopjod film	Market area: EU			
	Coopiode film	Market area: EU			
	Iodocoop film	Market area: EU			
	Semex jod film	Market area: EU			
	Iodofilm	Market area: EU			
	Iodofilm bio	Market area: EU			
	Iofilm bio	Market area: EU			
	Iodactive film	Market area: EU			
	Iodactiv film	Market area: EU			
	Iodactiv' film	Market area: EU			
	SCUDO 3000	Market area: EU			
Authorisation number	EU-0022265-0003 1-2				
Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Iodine		Active substance	7553-56-2	231-442-4	0,3 % (w/w)
Alcohols, C12-15, ethoxylated	Alcohols, C12-15, ethoxylated	Non-active substance	68131-39-5	500-195-7	2,9 % (w/w)

1. META SPC 3 ADMINISTRATIVE INFORMATION

1.1. **Meta SPC 3 identifier**

Identifier	Meta SPC: metaSPC 3: PT3 – RTU Udder disinfectant Iodine
------------	--

1.2. **Suffix to the authorisation number**

Number	1-3
--------	-----

1.3. **Product type(s)**

Product type(s)	PT03: Veterinary hygiene
-----------------	--------------------------

2. META SPC 3 COMPOSITION

2.1. Qualitative and quantitative information on the composition of the meta SPC 3

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Iodine		Active substance	7553-56-2	231-442-4	0,3-0,99 % (w/w)
Alcohols, C12-15, ethoxylated	Alcohols, C12-15, ethoxylated	Non-active substance	68131-39-5	500-195-7	2,17-2,95 % (w/w)

2.2. Type(s) of formulation of the meta SPC 3

Formulation type(s)	AL Any other liquid
---------------------	---------------------

3. HAZARD AND PRECAUTIONARY STATEMENTS OF THE META SPC 3

Hazard statements	H412: Harmful to aquatic life with long lasting effects.
Precautionary statements	P273: Avoid release to the environment. P501: Dispose of contents to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. P501: Dispose of container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

4. AUTHORISED USE(S) OF THE META SPC

4.1. Use description

Table 1

PT3 – RTU Udder disinfectants, Iodine

Product type	PT03: Veterinary hygiene
Where relevant, an exact description of the authorised use	–
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data
Field(s) of use	Indoor use Skin disinfection only for use on intact skin of: — the udder of dairy and beef cattle before calving — the udder of sows before farrowing

Application method(s)	Method: spraying Detailed description: –
Application rate(s) and frequency	Application Rate: The product is ready to use. Number and timing of application: Apply to: — the udder of dairy and beef cattle: 1 spray on each teat (equivalent to 4,8 ml per application) — the udder of sows: 15 to 20 ml per animal
Category(ies) of users	Professional
Pack sizes and packaging material	1 l, 5 l, 10 l, 20 l, 25 l, 30 l, 60 l, 200 l, 600 l, 1 000 l HDPE

4.1.1. Use-specific instructions for use

See general directions for use.

4.1.2. Use-specific risk mitigation measures

See general directions for use.

4.1.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use.

4.1.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use.

4.1.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use.

5. GENERAL DIRECTIONS FOR USE OF THE META SPC 3

5.1. Instructions for use

For disinfection of the skin:

The product must be brought to a temperature above 20 °C before use. The use of a dosing pump for filling the product into the application equipment is recommended.

Apply by spraying on the animals' intact skin for a topical disinfection:

- on the udder of dairy and beef cattle before calving: 1 spray on each teat (equivalent to 4,8 ml per application). Disinfection takes place once, one day before calving and once, one day after calving. To ensure sufficient contact time, care should be taken that the product is not removed after application (e.g. keep the animal standing at least 5 minutes);
- on the udder of sows before farrowing: Assume 15 to 20 ml per animal, once one day before farrowing and once every day during 4 days after farrowing. To ensure sufficient contact time, care should be taken that the product is not removed after application (e.g. keep the animal standing for at least 5 minutes).

Only for use on intact skin.

Do not mix with other chemicals.

5.2. Risk mitigation measures

For manual spraying application on cows and sows: Wear chemical resistant gloves (glove material to be specified by the authorisation holder within the product information).

In case a combination of post-milking disinfection of cows and skin disinfection of cows is necessary, an iodine based product shall not be used by the same person to perform both disinfections.

Keep out of reach of children.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

After eye contact: Rinse immediately with water.

After ingestion: Rinse mouth. Spit

5.4. Instructions for safe disposal of the product and its packaging

At the end of the treatment, dispose unused product and the packaging in accordance with local requirements. Used product can be flushed to the municipal sewer or disposed to the manure deposit depending on local requirements. Avoid release to an individual waste water treatment plant.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Keep only in the original container in a cool, well-ventilated place. Keep container closed when not in use.

Protect from frost. Do not expose to temperatures > 40 °C.

The shelf-life of the products is 2 years.

6. OTHER INFORMATION

/

7. THIRD INFORMATION LEVEL: INDIVIDUAL PRODUCTS IN THE META SPC 3

7.1. Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)		Animal Skin Disinfectant	Market area: EU		
		Dermades 3000	Market area: EU		
		Iodin Skin Disinfectant	Market area: EU		
Authorisation number		EU-0022265-0004 1-3			
Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Iodine		Active substance	7553-56-2	231-442-4	0,3 % (w/w)
Alcohols, C12-15, ethoxylated	Alcohols, C12-15, ethoxylated	Non-active substance	68131-39-5	500-195-7	2,17 % (w/w)

7.2. Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)		Dermades	Market area: EU			
		Animal skin disinfectant 1 %	Market area: EU			
		Dermades Strong	Market area: EU			
		Iodin Skin Disinfectant Strong	Market area: EU			
Authorisation number		EU-0022265-0005 1-3				
Common name	IUPAC name	Function	CAS number	EC number	Content (%)	
Iodine		Active substance	7553-56-2	231-442-4	0,99 % (w/w)	
Alcohols, C12-15, ethoxylated	Alcohols, C12-15, ethoxylated	Non-active substance	68131-39-5	500-195-7	2,95 % (w/w)	

1. META SPC 4 ADMINISTRATIVE INFORMATION

1.1. Meta SPC 4 identifier

Identifier	Meta SPC: metaSPC 4: PT3 – RTU Udder and Teat disinfectants Iodine
------------	--

1.2. Suffix to the authorisation number

Number	1-4
--------	-----

1.3. Product type(s)

Product type(s)	PT03: Veterinary hygiene
-----------------	--------------------------

2. META SPC 4 COMPOSITION

2.1. Qualitative and quantitative information on the composition of the meta SPC 4

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Iodine		Active substance	7553-56-2	231-442-4	0,3-0,3 % (w/w)
Alcohols, C12-15, ethoxylated	Alcohols, C12-15, ethoxylated	Non-active substance	68131-39-5	500-195-7	2,17-2,17 % (w/w)

2.2. **Type(s) of formulation of the meta SPC 4**

Formulation type(s)	AL Any other liquid
---------------------	---------------------

3. HAZARD AND PRECAUTIONARY STATEMENTS OF THE META SPC 4

Hazard statements	H412: Harmful to aquatic life with long lasting effects.
Precautionary statements	P273: Avoid release to the environment. P501: Dispose of contents to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. P501: Dispose of container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

4. AUTHORISED USE(S) OF THE META SPC

4.1. **Use description**

Table 1

PT3 – RTU Teat disinfectant, Post-milking, Iodine

Product type	PT03: Veterinary hygiene
Where relevant, an exact description of the authorised use	–
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data Scientific name: no data Common name: Viruses Development stage: no data
Field(s) of use	Indoor use Ready to use teat disinfectant to be used post milking on milk producing animals.
Application method(s)	Method: Dipping or Spraying Detailed description: –
Application rate(s) and frequency	Application Rate: The product is ready to use. Number and timing of application: Apply 2 times per day for manual spraying and 3 times per day for manual dipping and spraying with robot.
Category(ies) of users	Professional
Pack sizes and packaging material	1 l, 5 l, 10 l, 20 l, 25 l, 30 l, 60 l, 200 l, 600 l, 1 000 l HDPE

4.1.1. *Use-specific instructions for use*

For disinfection of the teats:

The product must be brought to a temperature above 20 °C before use.

- By dipping: Apply the product on the teats with a dip cup. Wash the dip cup with water after use.
- By spraying: Apply the product on the teats with a manual sprayer or with an automatic sprayer.

Do not prepare more fluid than necessary. Assume 5 ml solution per cow per treatment. The use of a dosing pump for filling the product into the application equipment is recommended.

The product should be used directly after milking by using a dipping cup or a manual or automatic sprayer. Ensure that the teat is completely covered to three quarters of its length.

The product is applied after milking: 2 times per day for manual spraying and 3 times per day for manual dipping and spraying with robot.

Let the product dry on the teats. To ensure sufficient contact time, care should be taken that the product is not removed after application (e.g. keep the animal standing for at least 5 minutes).

Do not mix with other chemicals.

4.1.2. *Use-specific risk mitigation measures*

- For manual spraying application: Wear chemical resistant gloves (glove material to be specified by the authorisation holder within the product information).
- For manual dipping application: no Personal Protection Equipment (PPE) is necessary for safe use.
- If a combination of pre- and post-milking disinfection is necessary, using another product not containing iodine has to be considered for pre-milking disinfection.
- Keep out of reach of children.

4.1.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.1.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.1.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

4.2. **Use description**

Table 2

PT3 – RTU Udder disinfectant, Iodine

Product type	PT03: Veterinary hygiene
Where relevant, an exact description of the authorised use	–

Target organism(s) (including development stage)	Scientific name: no data Common name: Yeasts Development stage: no data Scientific name: no data Common name: Bacteria Development stage: no data
Field(s) of use	Indoor use Ready to use skin disinfectant, only for use on intact skin of: — the udder of dairy and beef cattle before calving — the udder of sows before farrowing
Application method(s)	Method: Application on animal skin: by spraying Detailed description: —
Application rate(s) and frequency	Application Rate: The product is ready to use. Number and timing of application: Apply to: — the udder of dairy and beef cattle: 1 spray on each teat (equivalent to 4,8 ml per application) — the udder of sows: 15 to 20 ml per animal
Category(ies) of users	Professional
Pack sizes and packaging material	1 l, 5 l, 10 l, 20 l, 25 l, 30 l, 60 l, 200 l, 600 l, 1 000 l HDPE

4.2.1. Use-specific instructions for use

For disinfection of the skin:

The product must be brought to a temperature above 20 °C before use. The use of a dosing pump for filling the product into the application equipment is recommended.

Apply by spraying on the animals' intact skin for a topical disinfection:

- on the udder of dairy and beef cattle before calving: 1 spray on each teat (equivalent to 4,8 ml per application). Disinfection takes place once, one day before calving and once, one day after calving. To ensure sufficient contact time, care should be taken that the product is not removed after application (e.g. keep the animal standing for at least 5 minutes);
- on the udder of sows before farrowing: Assume 15 to 20 ml per animal, once one day before farrowing and once every day during 4 days after farrowing. To ensure sufficient contact time, care should be taken that the product is not removed after application (e.g. keep the animal standing for at least 5 minutes).

Let the product dry on skin.

Only for use on intact skin.

Do not mix with other chemicals.

4.2.2. Use-specific risk mitigation measures

- For manual spraying application on cows and sows: no PPE is necessary for safe use.
- Keep out of reach of children.

4.2.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use.

4.2.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.2.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

5. GENERAL DIRECTIONS FOR USE OF THE META SPC 4

5.1. **Instructions for use**

See use-specific instructions for use.

5.2. **Risk mitigation measures**

See use-specific risk mitigation measures

5.3. **Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

After eye contact: Rinse immediately with water.

After ingestion: Rinse mouth. Spit.

5.4. **Instructions for safe disposal of the product and its packaging**

At the end of the treatment, dispose unused product and the packaging in accordance with local requirements. Used product can be flushed to the municipal sewer or disposed to the manure deposit depending on local requirements. Avoid release to an individual waste water treatment plant.

5.5. **Conditions of storage and shelf-life of the product under normal conditions of storage**

Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.

Protect from frost. Do not expose to temperatures > 40 °C.

The shelf-life of the products is 2 years.

6. OTHER INFORMATION

/

7. THIRD INFORMATION LEVEL: INDIVIDUAL PRODUCTS IN THE META SPC 4

7.1. **Trade name(s), authorisation number and specific composition of each individual product**

Trade name(s)	Kenodin SD	Market area: EU
	IodoSD 3000	Market area: EU
	Bio Tec Jodspray 3000	Market area: EU
	Q Farm Iodine Des	Market area: EU
	ANRO - Euterpflege Dip	Market area: EU

Stalosan Io Spray	Market area: EU
Stalosan Super Spray	Market area: EU
IDip+	Market area: EU
Bühning Jodspray 3000	Market area: EU
Velvet RTU	Market area: EU
Wynnsan trikill spray	Market area: EU
Wynnsan Iodine spray RTU	Market area: EU
Wynngold Iodine Dip and spray	Market area: EU
Pezerk IL	Market area: EU
Iod protect 3000 Sprüh	Market area: EU
Seivit® Iode Spray	Market area: EU
IOD protect 3000 Sprüh	Market area: EU
Kenodin SprayFilm	Market area: EU
Iodo SP	Market area: EU
Kenostart SD	Market area: EU
GAHERYOD SPRAY	Market area: EU
Iodin Teat & Skin 3000	Market area: EU
Iod 3000 sprüh	Market area: EU
Iodoschutz sprüh	Market area: EU
Ioschutz sprüh	Market area: EU

	Iodocoop sprüh	Market area: EU
	Iodotech sprüh	Market area: EU
	Iodactiv' sprüh	Market area: EU
	Iodosprüh	Market area: EU
	MIROX Spray Jod	Market area: EU
	HCP Iodine SD	Market area: EU
	Agib Jodium Spray	Market area: EU
	Jod 3000 spray	Market area: EU
	Iod sprüh	Market area: EU
	Coopjod	Market area: EU
	Coopiode spray	Market area: EU
	Iodocoop spray	Market area: EU
	Semex jod spray	Market area: EU
	Iododip spray	Market area: EU
	Iododip spray green	Market area: EU
	Iodospray Bio	Market area: EU
	Iospray bio	Market area: EU
	Iodactive spray	Market area: EU
	Iodactiv spray	Market area: EU
	Iodactiv' spray	Market area: EU
	Ark Iodine S+D	Market area: EU

		Agrihealth Iodine SD	Market area: EU		
		AGRO LOGIC JODOCARE SPRAY	Market area: EU		
		IODACTIVE	Market area: EU		
Authorisation number		EU-0022265-0006 1-4			
Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Iodine		Active substance	7553-56-2	231-442-4	0,3 % (w/w)
Alcohols, C12-15, ethoxylated	Alcohols, C12-15, ethoxylated	Non-active substance	68131-39-5	500-195-7	2,17 % (w/w)

1. META SPC 5 ADMINISTRATIVE INFORMATION

1.1. Meta SPC 5 identifier

Identifier	Meta SPC: metaSPC 5: PT3 – RTU Teat disinfectants PVP-Iodine
------------	---

1.2. Suffix to the authorisation number

Number	1-5
--------	-----

1.3. Product type(s)

Product type(s)	PT03: Veterinary hygiene
-----------------	--------------------------

2. META SPC 5 COMPOSITION

2.1. Qualitative and quantitative information on the composition of the meta SPC 5

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Polyvinylpyrrolidone iodine		Active substance	25655-41-8		3-3 % (w/w)
Alcohols, C12-15, ethoxylated	Alcohols, C12-15, ethoxylated	Non-active substance	68131-39-5	500-195-7	1,5-2,9 % (w/w)

2.2. Type(s) of formulation of the meta SPC 5

Formulation type(s)	AL Any other liquid
---------------------	---------------------

3. HAZARD AND PRECAUTIONARY STATEMENTS OF THE META SPC 5

Hazard statements	H412: Harmful to aquatic life with long lasting effects.
Precautionary statements	P273: Avoid release to the environment. P501: Dispose of contents to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. P501: Dispose of container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

4. AUTHORISED USE(S) OF THE META SPC

4.1. Use description

Table 1

PT3 – RTU Teat disinfectant, post milking, PVP-Iodine

Product type	PT03: Veterinary hygiene
Where relevant, an exact description of the authorised use	–
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data Scientific name: no data Common name: Viruses Development stage: no data
Field(s) of use	Indoor use Post-milking disinfection on teats of milk producing animals
Application method(s)	Method: Dipping or spraying Detailed description: –
Application rate(s) and frequency	Application Rate: The product is ready to use. Number and timing of application: Apply 2 times per day for manual spraying and 3 times per day for manual dipping and spraying with robot.
Category(ies) of users	Professional
Pack sizes and packaging material	1 l, 5 l, 10 l, 20 l, 25 l, 30 l, 60 l, 200 l, 600 l, 1 000 l HDPE

4.1.1. *Use-specific instructions for use*

See general directions for use.

4.1.2. *Use-specific risk mitigation measures*

See general directions for use.

4.1.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.1.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.1.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

5. GENERAL DIRECTIONS FOR USE OF THE META SPC 5

5.1. **Instructions for use**

The product must be brought to a temperature above 20 °C before use. The use of a dosing pump for filling the product into the application equipment is recommended.

Apply the product by dipping or by spraying:

- *By dipping:* Apply the product with a dip cup. Wash the dip cup with water after use.
- *By spraying:* Apply the product with a manual sprayer or with an automatic sprayer.

Do not prepare more fluid than necessary. Assume 5 ml solution per cow per treatment.

The product should be used immediately after each milking, two times per day for manual spraying and 3 times per day for manual dipping and spraying with robot. Ensure that the teat is completely covered to three quarters of its length. Let the product dry on teats. To ensure sufficient contact time, care should be taken that the product is not removed after application (e.g. keep the animal standing for at least 5 minutes).

Do not mix with other chemicals.

5.2. **Risk mitigation measures**

- For manual spraying application: Wear chemical resistant gloves (glove material to be specified by the authorisation holder within the product information).
- For manual dipping application: no PPE is necessary for safe use.
- If a combination of pre- and post-milking disinfection is necessary, using another biocidal product not containing iodine has to be considered for pre-milking disinfection.
- Keep out of reach of children.

5.3. **Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

After eye contact: Rinse immediately with water.

After ingestion: Rinse mouth. Spit.

5.4. Instructions for safe disposal of the product and its packaging

At the end of the treatment, dispose unused product and the packaging in accordance with local requirements. Used product can be flushed to the municipal sewer or disposed to the manure deposit depending on local requirements. Avoid release to an individual waste water treatment plant.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Keep only in the original container in a cool, well-ventilated place. Keep container closed when not in use.

Protect from frost. Do not expose to temperatures > 40 °C.

The shelf-life of the products is 18 months.

6. OTHER INFORMATION

/

7. THIRD INFORMATION LEVEL: INDIVIDUAL PRODUCTS IN THE META SPC 5

7.1. Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)		Iodo PVP	Market area: EU		
		Iodin Teat Dip 3000 PVP	Market area: EU		
Authorisation number		EU-0022265-0007 1-5			
Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Polyvinylpyrrolidone iodine		Active substance	25655-41-8		3 % (w/w)
Alcohols, C12-15, ethoxylated	Alcohols, C12-15, ethoxylated	Non-active substance	68131-39-5	500-195-7	2,5 % (w/w)

7.2. Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)		Iodo SD PVP	Market area: EU		
		Iodin Teat Spray & Dip 3000 PVP	Market area: EU		
Authorisation number		EU-0022265-0008 1-5			
Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Polyvinylpyrrolidone iodine		Active substance	25655-41-8		3 % (w/w)
Alcohols, C12-15, ethoxylated	Alcohols, C12-15, ethoxylated	Non-active substance	68131-39-5	500-195-7	2,5 % (w/w)

1. META SPC 6 ADMINISTRATIVE INFORMATION

1.1. Meta SPC 6 identifier

Identifier	Meta SPC: metaSPC 6: PT3 – RTU Udder disinfectants PVP-Iodine
------------	---

1.2. Suffix to the authorisation number

Number	1-6
--------	-----

1.3. Product type(s)

Product type(s)	PT03: Veterinary hygiene
-----------------	--------------------------

2. META SPC 6 COMPOSITION

2.1. Qualitative and quantitative information on the composition of the meta SPC 6

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Polyvinylpyrrolidone iodine		Active substance	25655-41-8		10-10 % (w/w)
Alcohols, C12-15, ethoxylated	Alcohols, C12-15, ethoxylated	Non-active substance	68131-39-5	500-195-7	2-2 % (w/w)

2.2. Type(s) of formulation of the meta SPC 6

Formulation type(s)	AL Any other liquid
---------------------	---------------------

3. HAZARD AND PRECAUTIONARY STATEMENTS OF THE META SPC 6

Hazard statements	H412: Harmful to aquatic life with long lasting effects. H373: May cause damage to organs (thyroid) through prolonged or repeated exposure (oral).
Precautionary statements	P273: Avoid release to the environment. P501: Dispose of contents to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. P501: Dispose of container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. P260: Do not breathe spray.

4. AUTHORISED USE(S) OF THE META SPC

4.1. Use description

Table 1

PT3 – RTU Udder disinfectant PVP-Iodine

Product type	PT03: Veterinary hygiene
Where relevant, an exact description of the authorised use	–
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data
Field(s) of use	Indoor use Ready to use skin disinfectant, only for use on intact skin of: — the udder of dairy and beef cattle: before calving — the udder of sows: before farrowing
Application method(s)	Method: spraying Detailed description: –
Application rate(s) and frequency	Application Rate: The product is ready to use. Number and timing of application: Apply to: — The udder of dairy and beef cattle: 1 spray on each teat (equivalent to 4,8 ml per application) — The udder of sows: 15 to 20 ml per animal
Category(ies) of users	Professional
Pack sizes and packaging material	1 l, 5 l, 10 l, 20 l, 25 l, 30 l, 60 l, 200 l, 600 l, 1 000 l HDPE

4.1.1. Use-specific instructions for use

The product must be brought to a temperature above 20 °C before use. The use of a dosing pump for filling the product into the application equipment is recommended.

- Dairy and beef cattle: Apply the product by spraying on the udder before calving (1 spray/teat equivalent to 4,8 ml per application). Disinfection takes place once, one day before calving and once, one day after calving. To ensure sufficient contact time, care should be taken that the product is not removed after application (e.g. keep the animal standing for at least 5 minutes).
- Sows, on the udder before farrowing: Assume 15 to 20 ml per animal. Disinfection takes place once, one day before farrowing and once every day during 4 days after farrowing. To ensure sufficient contact time, care should be taken that the product is not removed after application (e.g. keep the animal standing for at least 5 minutes).

Only for use on intact skin.

Do not mix with other chemicals.

4.1.2. Use-specific risk mitigation measures

- For manual spraying application on cows and sows: Wear chemical resistant gloves (glove material to be specified by the authorisation holder within the product information).
- In case a combination of post-milking disinfection of cows and skin disinfection of cows is necessary, an iodine based product shall not be used by the same person to perform both disinfections.
- Keep out of reach of children.

4.1.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use.

4.1.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use.

4.1.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use.

5. GENERAL DIRECTIONS FOR USE OF THE META SPC 6

5.1. **Instructions for use**

See use-specific instructions for use.

5.2. **Risk mitigation measures**

See use-specific risk mitigation measures.

5.3. **Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

After eye contact: Rinse immediately with water.

After ingestion: Rinse mouth. Spit. Do NOT induce vomiting and immediately get medical advice.

Have product container or label at hand.

5.4. **Instructions for safe disposal of the product and its packaging**

At the end of the treatment, dispose unused product and the packaging in accordance with local requirements. Used product can be flushed to the municipal sewer or disposed to the manure deposit depending on local requirements. Avoid release to an individual waste water treatment plant.

5.5. **Conditions of storage and shelf-life of the product under normal conditions of storage**

Keep only in the original container in a cool, well-ventilated place. Keep container closed when not in use.

Protect from frost. Do not expose to temperatures > 40 °C.

The shelf-life of the products is 2 years.

6. OTHER INFORMATION

/

7. THIRD INFORMATION LEVEL: INDIVIDUAL PRODUCTS IN THE META SPC 6

7.1. Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)		DermaDes PVP	Market area: EU			
		Wynngold 10 % Iodine Solution	Market area: EU			
		Iodin Skin Disinfectant PVP	Market area: EU			
Authorisation number		EU-0022265-0009 1-6				
Common name	IUPAC name	Function	CAS number	EC number	Content (%)	
Polyvinylpyrrolidone iodine		Active substance	25655-41-8		10 % (w/w)	
Alcohols, C12-15, ethoxylated	Alcohols, C12-15, ethoxylated	Non-active substance	68131-39-5	500-195-7	2 % (w/w)	

1. META SPC 7 ADMINISTRATIVE INFORMATION

1.1. Meta SPC 7 identifier

Identifier	Meta SPC: metaSPC 7: PT3 – Concentrated Surface disinfectants Iodine
------------	--

1.2. Suffix to the authorisation number

Number	1-7
--------	-----

1.3. Product type(s)

Product type(s)	PT03: Veterinary hygiene
-----------------	--------------------------

2. META SPC 7 COMPOSITION

2.1. Qualitative and quantitative information on the composition of the meta SPC 7

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Iodine		Active substance	7553-56-2	231-442-4	1,8-2,49 % (w/w)

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Alcohols, C12-15, ethoxylated	Alcohols, C12-15, ethoxylated	Non-active substance	68131-39-5	500-195-7	3,15-9,45 % (w/w)
Alcohol C9-11 + 6 EO	Alcohol C9-11 + 6 EO	Non-active substance	68439-46-3		2,5-12,5 % (w/w)

2.2. Type(s) of formulation of the meta SPC 7

Formulation type(s)	SL Soluble concentrate
---------------------	------------------------

3. HAZARD AND PRECAUTIONARY STATEMENTS OF THE META SPC 7

Hazard statements	<p>H318: Causes serious eye damage.</p> <p>H373: May cause damage to organs (thyroid) through prolonged or repeated exposure (oral).</p> <p>H290: May be corrosive to metals.</p> <p>H411: Toxic to aquatic life with long lasting effects.</p>
Precautionary statements	<p>P280: Wear protective gloves.</p> <p>P280: Wear protective clothing.</p> <p>P280: Wear eye protection.</p> <p>P280: Wear face protection.</p> <p>P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P310: Immediately call a doctor or a POISON CENTER.</p> <p>P501: Dispose of contents to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.</p> <p>P501: Dispose of container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.</p> <p>P391: Collect spillage.</p> <p>P273: Avoid release to the environment.</p>

4. AUTHORISED USE(S) OF THE META SPC

4.1. Use description

Table 1

PT3 – Concentrated Surface disinfectant for veterinary use, Iodine

Product type	PT03: Veterinary hygiene
Where relevant, an exact description of the authorised use	–
Target organism(s) (including development stage)	<p>Scientific name: no data Common name: Bacteria Development stage: no data</p> <p>Scientific name: no data Common name: Yeasts Development stage: no data</p> <p>Scientific name: no data Common name: Viruses Development stage: no data</p>
Field(s) of use	<p>Indoor use</p> <p>Non-porous surface disinfection in veterinary field</p>
Application method(s)	<p>Method: By spraying with a manual or an automatic sprayer</p> <p>Detailed description: /</p>
Application rate(s) and frequency	<p>Application Rate: Assume 0,04 l solution for every square meter that has to be disinfected. Bactericidal and yeasticidal activity: 0,025 % in-use iodine Virucidal activity: 0,035 % in-use iodine</p> <p>Number and timing of application: See use-specific risk mitigation measures</p>
Category(ies) of users	Professional
Pack sizes and packaging material	1 l, 5 l, 10 l, 20 l, 25 l, 30 l, 60 l, 200 l, 600 l, 1 000 l HDPE

4.1.1. Use-specific instructions for use

Use in veterinary field (PT3), surface disinfection:

Product should be diluted with water before use (according to table below).

Clean the surfaces thoroughly with a detergent before disinfection. Rinse with clean water and remove surplus water.

The product is used to disinfect animal housings of pigs, cows and poultry.

Apply the product by spraying with a manual or an automatic sprayer. Make sure to wet the surface completely. Allow to take effect for at least 30 minutes. Animal housing must be empty of animals during application and animals can re-enter 24h after the end of the application.

Example for a product containing 2,49 % iodine (*)	Dilution of the product	Contact time
Bactericidal and yeasticidal activity	1 % (10ml product, add water up to 1 l)	30 min
Virucidal activity	1,4 % (14ml product, add water up to 1 l)	30 min

(*) Each product label should give information on how the dilution should be made. Since the concentration iodine in products within this meta SPC can range from 1,8 to 2,49 % it is not possible to indicate all product dilutions here.

Do not mix with other chemicals.

Do not prepare more fluid than necessary.

4.1.2. Use-specific risk mitigation measures

- During pouring and pumping of the concentrated product: Wear chemical resistant gloves, coated coverall (material to be specified by the authorisation holder within the product information) and eye/face protection.
- During spraying of the product: Wear chemical resistant gloves and protective coverall (at least type X, EN XXXXX) which is impermeable for the biocidal product (glove and coverall material to be specified by the authorisation holder within the product information).
- Only use one kind of Iodine-containing product per day.
- Due to potential concern for human health, the same professional user shall not carry out animal house disinfection more than 3 times per month and shall not use Iodine products for other purposes during that period.
- Due to potential concern for animal health, disinfection of stables should not be carried out more than once per year or once per lifetime for calves and pigs. Feeding troughs must be covered during application.
- Keep out of reach of children.
- The general public and animals should be kept away from treated areas until surfaces are dry.

4.1.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use.

4.1.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use.

4.1.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use.

5. GENERAL DIRECTIONS FOR USE OF THE META SPC 7

5.1. Instructions for use

See use-specific instructions for use.

5.2. Risk mitigation measures

See use-specific risk mitigation measures.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

After eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain emergency medical attention if pain, blinking, tears or redness persist.

If medical advice is needed, have product container or label at hand.

After ingestion: Rinse mouth. Spit. Do NOT induce vomiting and immediately get medical advice.

Have product container or label at hand.

5.4. Instructions for safe disposal of the product and its packaging

At the end of the treatment, dispose unused product and the packaging in accordance with local requirements. Used product can be flushed to the municipal sewer or disposed to the manure deposit depending on local requirements. Avoid release to an individual waste water treatment plant.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Keep only in the original container in a cool, well-ventilated place. Keep container closed when not in use.

Protect from frost. Do not expose to temperatures > 40 °C.

The shelf-life of the products is 2 years.

6. OTHER INFORMATION

/

7. THIRD INFORMATION LEVEL: INDIVIDUAL PRODUCTS IN THE META SPC 7

7.1. Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	Dodin 20	Market area: EU
	Iodo 20	Market area: EU
	Bio Tec Joddesinfek- tion	Market area: EU
	Dufa dine 1,8 %	Market area: EU
	Alfasan super disinfectant	Market area: EU
	Iodes	Market area: EU
	Streptoclean	Market area: EU
	Iodin Surface Disinfectant 1,8 %	Market area: EU
	IODINE	Market area: EU
Authorisation number	EU-0022265-0010 1-7	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Iodine		Active substance	7553-56-2	231-442-4	1,8 % (w/w)
Alcohols, C12-15, ethoxylated	Alcohols, C12-15, ethoxylated	Non-active substance	68131-39-5	500-195-7	5,29 % (w/w)
Alcohol C9-11 + 6 EO	Alcohol C9-11 + 6 EO	Non-active substance	68439-46-3		5 % (w/w)

1. META SPC 8 ADMINISTRATIVE INFORMATION

1.1. Meta SPC 8 identifier

Identifier	Meta SPC: metaSPC 8: PT3 – Concentrated Surface disinfectants Iodine
------------	--

1.2. Suffix to the authorisation number

Number	1-8
--------	-----

1.3. Product type(s)

Product type(s)	PT03: Veterinary hygiene
-----------------	--------------------------

2. META SPC 8 COMPOSITION

2.1. Qualitative and quantitative information on the composition of the meta SPC 8

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Iodine		Active substance	7553-56-2	231-442-4	2,5-3 % (w/w)
Alcohols, C12-15, ethoxylated	Alcohols, C12-15, ethoxylated	Non-active substance	68131-39-5	500-195-7	3,15-9,45 % (w/w)
Phosphoric acid	Phosphoric acid	Non-active substance	7664-38-2	231-633-2	5-12 % (w/w)
Alcohol C9-11 + 6 EO	Alcohol C9-11 + 6 EO	Non-active substance	68439-46-3		2,5-12,5 % (w/w)

2.2. Type(s) of formulation of the meta SPC 8

Formulation type(s)	SL Soluble concentrate
---------------------	------------------------

3. HAZARD AND PRECAUTIONARY STATEMENTS OF THE META SPC 8

Hazard statements	<p>H290: May be corrosive to metals.</p> <p>H315: Causes skin irritation.</p> <p>H318: Causes serious eye damage.</p> <p>H373: May cause damage to organs (thyroid) through prolonged or repeated exposure (oral).</p> <p>H411: Toxic to aquatic life with long lasting effects.</p>
Precautionary statements	<p>P280: Wear protective gloves.</p> <p>P280: Wear protective clothing.</p> <p>P280: Wear eye protection.</p> <p>P280: Wear face protection.</p> <p>P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].</p> <p>P310: Immediately call a POISON CENTER or doctor/physician.</p> <p>P342+P311: If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.</p> <p>P273: Avoid release to the environment.</p> <p>P391: Collect spillage.</p> <p>P501: Dispose of contents to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.</p> <p>P501: Dispose of container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.</p>

4. AUTHORISED USE(S) OF THE META SPC

4.1. Use description

Table 1

PT3 – Concentrated Surface disinfectant for veterinary use, Iodine

Product type	PT03: Veterinary hygiene
Where relevant, an exact description of the authorised use	–

Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data Scientific name: no data Common name: Viruses Development stage: no data
Field(s) of use	Indoor use Non-porous surface disinfection in veterinary field
Application method(s)	Method: By spraying with a manual or an automatic sprayer Detailed description: /
Application rate(s) and frequency	Application Rate: Assume 0,04 l solution for every square meter that has to be disinfected. Bactericidal and yeasticidal activity: 0,025 % in-use iodine Virucidal activity: 0,035 % in-use iodine Number and timing of application: See use-specific risk mitigation measures.
Category(ies) of users	Professional
Pack sizes and packaging material	1 l, 5 l, 10 l, 20 l, 25 l, 30 l, 60 l, 200 l, 600 l, 1 000 l HDPE

4.1.1. Use-specific instructions for use

Use in veterinary field (PT3), surface disinfection:

Product must be diluted with water before use (according to table below).

Clean the surfaces thoroughly with a detergent before disinfection. Rinse with clean water and remove surplus water.

The product is used to disinfect animal housings of pigs, cows and poultry.

Apply the product by spraying with a manual or an automatic sprayer. Make sure to wet the surface completely. Allow to take effect for at least 30 minutes. Animal housing must be empty of animals during application and re-entry of animals can be done 24h after the end of the application.

Example for a product containing 2,5% iodine (*)	Dilution of the product	Contact time
Bactericidal and yeasticidal activity	1 % (10ml product, add water up to 1 l)	30 min
Virucidal activity	1,4% (14 ml product, add water up to 1L)	30 min

(*) Each product label should give information on how the dilution should be made. Since the concentration iodine in products within this meta SPC can range from 1,8 to 2,49 % it is not possible to indicate all product dilutions here.

Do not mix with other chemicals.

Do not prepare more fluid than necessary.

4.1.2. *Use-specific risk mitigation measures*

- During pouring and pumping of the concentrated product: Wear chemical resistant gloves, coverall (material to be specified by the authorisation holder within the product information) and eye/face protection.
- During spraying of the product: Wear chemical resistant gloves and protective coverall (at least type X, EN XXXXX) which is impermeable for the biocidal product (glove and coverall material to be specified by the authorisation holder within the product information).
- Only use one kind of Iodine-containing product per day.
- Due to potential concern for human health the same professional user shall not carry out animal house disinfection more than 3 times per month and shall not use Iodine products for other purposes during that period.
- Due to potential concern for animal health, disinfection of stables should not be carried out more than once per year or once per lifetime for calves and pigs. Feeding troughs must be covered during application.
- Keep out of reach of children.
- The general public and animals should be kept away from treated areas until surfaces are dry.

4.1.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.1.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.1.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

5. GENERAL DIRECTIONS FOR USE OF THE META SPC 8

5.1. **Instructions for use**

See use-specific instructions for use

5.2. **Risk mitigation measures**

See use-specific risk mitigation measures.

5.3. **Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

After eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain emergency medical attention if pain, blinking, tears or redness persist.

If medical advice is needed, have product container or label at hand.

After skin (or hair) contact: Remove contaminated clothing and shoes. Wash the affected area thoroughly with plenty of soap and water. Get medical attention if symptoms occur.

After ingestion: Rinse mouth. Spit. Do NOT induce vomiting and immediately get medical advice.

Have product container or label at hand.

5.4. Instructions for safe disposal of the product and its packaging

At the end of the treatment, dispose unused product and the packaging in accordance with local requirements. Used product can be flushed to the municipal sewer or disposed to the manure deposit depending on local requirements. Avoid release to an individual waste water treatment plant.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.

Protect from frost. Do not expose to temperatures > 40 °C.

The shelf-life of the products is 2 years.

6. OTHER INFORMATION

/

7. THIRD INFORMATION LEVEL: INDIVIDUAL PRODUCTS IN THE META SPC 8

7.1. Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)		Iocid 30	Market area: EU		
		Iodo 30	Market area: EU		
		Dufa dine	Market area: EU		
		Iodin Surface Disinfectant 2,8 %	Market area: EU		
Authorisation number		EU-0022265-0011 1-8			
Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Iodine		Active substance	7553-56-2	231-442-4	2,8 % (w/w)
Alcohols, C12-15, ethoxylated	Alcohols, C12-15, ethoxylated	Non-active substance	68131-39-5	500-195-7	7,93 % (w/w)
Phosphoric acid	Phosphoric acid	Non-active substance	7664-38-2	231-633-2	11,25 % (w/w)
Alcohol C9-11 + 6 EO	Alcohol C9-11 + 6 EO	Non-active substance	68439-46-3		12,5 % (w/w)

1. META SPC 9 ADMINISTRATIVE INFORMATION

1.1. Meta SPC 9 identifier

Identifier	Meta SPC: metaSPC 10: PT3 – Concentrated teat disinfectants Iodine
------------	--

1.2. Suffix to the authorisation number

Number	1-10
--------	------

1.3. Product type(s)

Product type(s)	PT03: Veterinary hygien ve
-----------------	----------------------------

2. META SPC 9 COMPOSITION

2.1. Qualitative and quantitative information on the composition of the meta SPC 9

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Iodine		Active substance	7553-56-2	231-442-4	2,8-2,8 % (w/w)
Alcohols, C12-15, ethoxylated	Alcohols, C12-15, ethoxylated	Non-active substance	68131-39-5	500-195-7	21-21 % (w/w)

2.2. Type(s) of formulation of the meta SPC 9

Formulation type(s)	SL Soluble concentrate
---------------------	------------------------

3. HAZARD AND PRECAUTIONARY STATEMENTS OF THE META SPC 9

Hazard statements	H318: Causes serious eye damage. H411: Toxic to aquatic life with long lasting effects. H373: May cause damage to organs (thyroid) through prolonged or repeated exposure (oral route).
Precautionary statements	P280: Wear protective gloves. P280: Wear protective clothing. P280: Wear eye protection. P280: Wear face protection. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a doctor or a poison center. P273: Avoid release to the environment. P501: Dispose of contents to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

	P501: Dispose of container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. P391: Collect spillage.
--	---

4. AUTHORISED USE(S) OF THE META SPC

4.1. Use description

Table 1

PT3 – Concentrated teat disinfectant, Post-milking, Iodine

Product type	PT03: Veterinary hygiene
Where relevant, an exact description of the authorised use	–
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data Scientific name: no data Common name: Viruses Development stage: no data
Field(s) of use	Indoor use Post-milking teat disinfection of milk producing animals
Application method(s)	Method: By spraying with a manual sprayer or with an automatic sprayer on teats. Detailed description: /
Application rate(s) and frequency	Application Rate: The product must be diluted before use in order to allow a final concentration of iodine of 0,3 % Number and timing of application: Apply 2 times per day by using a manual sprayer and 3 times per day when using a robot (or automatic sprayer).
Category(ies) of users	Professional
Pack sizes and packaging material	1 l, 5 l, 10 l, 20 l, 25 l, 30 l, 60 l, 200 l, 600 l, 1 000 l HDPE

4.1.1. Use-specific instructions for use

See general directions for use.

4.1.2. Use-specific risk mitigation measures

See general directions for use.

4.1.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.1.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.1.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

5. GENERAL DIRECTIONS FOR USE OF THE META SPC 9

5.1. **Instructions for use**

The product must be diluted before use in order to allow a final concentration of iodine of 0,3 %. The product should be diluted to 11 % (110 ml product, add water up to 1 l).

Do not prepare more fluid than necessary. Assume 5 ml solution per cow per treatment. The use of a dosing pump for filling the product into the application equipment is recommended.

Use gloves and eye protection during the dilution step. The diluted product can be kept and used for 1 week.

The product must be brought to a temperature above 20 °C before use.

Apply the diluted product on the teats with a manual sprayer or with an automatic sprayer.

The product should be used directly after milking 2 times per day by using a manual sprayer and 3 times per day by using a robot (automatic sprayer). Ensure that the teat is completely covered to three quarters of its length. Let the product dry on teats. To ensure sufficient contact time, care should be taken that the product is not removed after application (e.g. keep the animal standing for at least 5 minutes).

Do not mix with other chemicals.

5.2. **Risk mitigation measures**

— For mixing and loading of the product: Wear chemical resistant gloves (glove material to be specified by the authorisation holder within the product information) and eye/face protection.

— For manual spraying application: Wear chemical resistant gloves (glove material to be specified by the authorisation holder within the product information) and eye/face protection.

— If a combination of pre- and post-milking disinfection is necessary, using another product not containing iodine has to be considered for pre-milking disinfection.

— Keep out of reach of children.

5.3. **Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

After eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain emergency medical attention if pain, blinking, tears or redness persist.

If medical advice is needed, have product container or label at hand.

After ingestion: Rinse mouth. Spit. Do NOT induce vomiting and immediately get medical advice.

Have product container or label at hand.

5.4. Instructions for safe disposal of the product and its packaging

At the end of the treatment, dispose unused product and the packaging in accordance with local requirements. Used product can be flushed to the municipal sewer or disposed to the manure deposit depending on local requirements. Avoid release to an individual waste water treatment plant.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Keep only in the original container in a cool, well-ventilated place. Keep container closed when not in use.

Protect from frost. Do not expose to temperatures > 40 °C.

The shelf-life of the products is 2 years.

6. OTHER INFORMATION

Dilutions of the product(s) are stable for 1 week.

7. THIRD INFORMATION LEVEL: INDIVIDUAL PRODUCTS IN THE META SPC 9**7.1. Trade name(s), authorisation number and specific composition of each individual product**

Trade name(s)	Kenodin SD 900	Market area: EU
	IodoSD 900	Market area: EU
	IDip+ concentrate	Market area: EU
	Jodkonzentrat 1:9	Market area: EU
	Bühning Jodkonzentrat 1:9	Market area: EU
	Wynnsan Iodine Concentrip 9-1	Market area: EU
	Kenodin 900	Market area: EU
	Dufa Dip	Market area: EU
	Kenostart 900	Market area: EU
	Iodin Teat Spray 900	Market area: EU
	HCP Iodine Concentrate	Market area: EU
	Maxi Subliem CP	Market area: EU
	Subliem Konzentrat Plus	Market area: EU
Authorisation number	EU-0022265-0013 1-10	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Iodine		Active substance	7553-56-2	231-442-4	2,8 % (w/w)
Alcohols, C12-15, ethoxylated	Alcohols, C12-15, ethoxylated	Non-active substance	68131-39-5	500-195-7	21 % (w/w)

1. META SPC 10 ADMINISTRATIVE INFORMATION

1.1. Meta SPC 10 identifier

Identifier	Meta SPC: metaSPC 11: PT3 – RTU Teat disinfectants Iodine
------------	---

1.2. Suffix to the authorisation number

Number	1-11
--------	------

1.3. Product type(s)

Product type(s)	PT03: Veterinary hygiene
-----------------	--------------------------

2. META SPC 10 COMPOSITION

2.1. Qualitative and quantitative information on the composition of the meta SPC 10

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Iodine		Active substance	7553-56-2	231-442-4	0,25-0,25 % (w/w)
Alcohols, C12-15, ethoxylated	Alcohols, C12-15, ethoxylated	Non-active substance	68131-39-5	500-195-7	2,1-2,1 % (w/w)

2.2. Type(s) of formulation of the meta SPC 10

Formulation type(s)	AL Any other liquid
---------------------	---------------------

3. HAZARD AND PRECAUTIONARY STATEMENTS OF THE META SPC 10

Hazard statements	H412: Harmful to aquatic life with long lasting effects.
Precautionary statements	P273: Avoid release to the environment. P501: Dispose of contents to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. P501: Dispose of container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

4. AUTHORISED USE(S) OF THE META SPC

4.1. Use description

Table 1

PT3 – RTU teats disinfectant, Post-milking, Iodine

Product type	PT03: Veterinary hygiene
Where relevant, an exact description of the authorised use	–
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data
Field(s) of use	Indoor use Post-milking teat disinfection of milk producing animals
Application method(s)	Method: By dipping or spraying on teats Detailed description: /
Application rate(s) and frequency	Application Rate: The product is ready to use. Number and timing of application: Apply 2 times per day when using a manual sprayer and 3 times per day when using a dip cup or a robot (automatic sprayer).
Category(ies) of users	Professional
Pack sizes and packaging material	1 l, 5 l, 10 l, 20 l, 25 l, 30 l, 60 l, 200 l, 600 l, 1 000 l HDPE

4.1.1. Use-specific instructions for use

See general directions for use.

4.1.2. Use-specific risk mitigation measures

See general directions for use.

4.1.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use.

4.1.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use.

4.1.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use.

5. GENERAL DIRECTIONS FOR USE OF THE META SPC 10

5.1. **Instructions for use**

Apply the product by dipping or by spraying:

- By dipping: Apply the product with a dip cup. Wash the dip cup with water after use.
- By spraying: Apply the product with a manual sprayer or with an automatic sprayer.

Do not prepare more fluid than necessary; assume 5 ml solution per cow per treatment. The product must be brought to a temperature above 20 °C before use. The use of a dosing pump for filling the product into the application equipment is recommended.

The product should be used immediately after each milking, two times per day when using a manual sprayer or three times per day when using a dip cup or a robot (automatic sprayer). Ensure that the teat is completely covered to three quarters of its length. Let the product dry on teats. To ensure sufficient contact time, care should be taken that the product is not removed after application (e.g. keep the animal standing for at least 5 minutes).

Do not mix with other chemicals.

5.2. **Risk mitigation measures**

- For manual spraying application: Wear chemical resistant gloves (glove material to be specified by the authorisation holder within the product information).
- For manual dipping application: no PPE is necessary for safe use.
- If a combination of pre- and post-milking disinfection is necessary, using another product not containing iodine has to be considered for pre-milking disinfection.
- Keep out of reach of children.

5.3. **Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

After eye contact: Rinse immediately with water.

After ingestion: Rinse mouth. Spit.

5.4. **Instructions for safe disposal of the product and its packaging**

At the end of the treatment, dispose unused product and the packaging in accordance with local requirements. Used product can be flushed to the municipal sewer or disposed to the manure deposit depending on local requirements. Avoid release to an individual waste water treatment plant.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.

Protect from frost. Do not expose to temperatures > 40 °C.

The shelf-life of the products is 2 years.

6. OTHER INFORMATION

/

7. THIRD INFORMATION LEVEL: INDIVIDUAL PRODUCTS IN THE META SPC 10

7.1. Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)		Kenodin 2500	Market area: EU		
		Iodin Teat Dip 2500	Market area: EU		
		Jod 2500	Market area: EU		
Authorisation number		EU-0022265-0014 1-11			
Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Iodine		Active substance	7553-56-2	231-442-4	0,25 % (w/w)
Alcohols, C12-15, ethoxylated	Alcohols, C12-15, ethoxylated	Non-active substance	68131-39-5	500-195-7	2,1 % (w/w)

1. META SPC 11 ADMINISTRATIVE INFORMATION

1.1. Meta SPC 11 identifier

Identifier	Meta SPC: meta SPC 12: PT3 – RTU Teat disinfectants Iodine
------------	---

1.2. Suffix to the authorisation number

Number	1-12
--------	------

1.3. Product type(s)

Product type(s)	PT03: Veterinary hygiene
-----------------	--------------------------

2. META SPC 11 COMPOSITION

2.1. Qualitative and quantitative information on the composition of the meta SPC 11

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Iodine		Active substance	7553-56-2	231-442-4	0,3-0,5 % (w/w)
Alcohols, C12-15, ethoxylated	Alcohols, C12-15, ethoxylated	Non-active substance	68131-39-5	500-195-7	2,1-2,9 % (w/w)

2.2. Type(s) of formulation of the meta SPC 11

Formulation type(s)	AL Any other liquid
---------------------	---------------------

3. HAZARD AND PRECAUTIONARY STATEMENTS OF THE META SPC 11

Hazard statements	H412: Harmful to aquatic life with long lasting effects.
Precautionary statements	P273: Avoid release to the environment. P501: Dispose of contents to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. P501: Dispose of container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

4. AUTHORISED USE(S) OF THE META SPC

4.1. Use description

Table 1

PT3 – RTU Teat disinfectant, Post-milking, Iodine

Product type	PT03: Veterinary hygiene
Where relevant, an exact description of the authorised use	–
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data Scientific name: no data Common name: Viruses Development stage: no data

Field(s) of use	Indoor use Post-milking teat disinfection of milk producing animals
Application method(s)	Method: By dipping or spraying on teats Detailed description: /
Application rate(s) and frequency	Application Rate: The product is ready to use. Number and timing of application: Apply 2 times per day for manual spraying and 3 times per day for manual dipping and spraying with robot.
Category(ies) of users	Professional
Pack sizes and packaging material	1 l, 5 l, 10 l, 20 l, 25 l, 30 l, 60 l, 200 l, 600 l, 1 000 l HDPE

4.1.1. Use-specific instructions for use

See general directions for use.

4.1.2. Use-specific risk mitigation measures

See general directions for use.

4.1.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use.

4.1.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use.

4.1.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use.

5. GENERAL DIRECTIONS FOR USE OF THE META SPC 11

5.1. Instructions for use

The product must be brought to a temperature above 20 °C before use.

Apply the product by dipping or by spraying:

- By dipping: Apply the product with a dip cup. Wash the dip cup with water after use
- By spraying: Apply the product with a manual sprayer or with an automatic sprayer.

Do not prepare more fluid than necessary; assume 5 ml solution per cow per treatment.

The product should be used immediately after each milking: 2 times per day for manual spraying and 3 times per day for manual dipping and spraying with robot. Ensure that the teat is completely covered to three quarters of its length. Let the product dry on teats. To ensure sufficient contact time, care should be taken that the product is not removed after application (e.g. keep the animal standing for at least 5 minutes).

Do not mix with other chemicals.

5.2. Risk mitigation measures

- For manual spraying application: Wear chemical resistant gloves (glove material to be specified by the authorisation holder within the product information).
- For manual dipping application: no PPE is necessary for safe use.
- If a combination of pre- and post-milking disinfection is necessary, using another product not containing iodine has to be considered for pre-milking disinfection.
- Keep out of reach of children.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

After eye contact: Rinse immediately with water.

After ingestion: Rinse mouth. Spit.

5.4. Instructions for safe disposal of the product and its packaging

At the end of the treatment, dispose unused product and the packaging in accordance with local requirements. Used product can be flushed to the municipal sewer or disposed to the manure deposit depending on local requirements. Avoid release to an individual waste water treatment plant.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Keep only in the original container in a cool, well-ventilated place. Keep container closed when not in use.

Protect from frost. Do not expose to temperatures > 40 °C.

The shelf-life of the products is 2 years.

6. OTHER INFORMATION

/

7. THIRD INFORMATION LEVEL: INDIVIDUAL PRODUCTS IN THE META SPC 11

7.1. Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	Kenodin 5000	Market area: EU
	IodoDip 5000	Market area: EU
	JOD 5000	Market area: EU
	Bio Tec Jodip 5000	Market area: EU
	Bühning Jodfilmdip- Super	Market area: EU
	Iocid 5000	Market area: EU
	Iod protect 5000 Film	Market area: EU

		IOD protect 5000 Film	Market area: EU			
		Iocid	Market area: EU			
		Iodip+	Market area: EU			
		Protetos cua	Market area: EU			
		Iodin Teat Dip 5000	Market area: EU			
Authorisation number			EU-0022265-0015 1-12			
Common name	IUPAC name	Function	CAS number	EC number	Content (%)	
Iodine		Active substance	7553-56-2	231-442-4	0,5 % (w/w)	
Alcohols, C12-15, ethoxylated	Alcohols, C12-15, ethoxylated	Non-active substance	68131-39-5	500-195-7	2,9 % (w/w)	

7.2. Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	Kenodin SD 5000	Market area: EU
	IodoSD 5000	Market area: EU
	IODOS-PRAY 5000	Market area: EU
	Bio Tec Jodspray 5000	Market area: EU
	IDip + 5000	Market area: EU
	Bühning Jodspray 5000	Market area: EU
	Iod protect 5000 Sprüh	Market area: EU
	Kenodin Film Spray	Market area: EU
	IOD protect 5000 Sprüh	Market area: EU

			Iodin Spray & Dip 5000	Market area: EU	
Authorisation number			EU-0022265-0016 1-12		
Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Iodine		Active substance	7553-56-2	231-442-4	0,5 % (w/w)
Alcohols, C12-15, ethoxylated	Alcohols, C12-15, ethoxylated	Non-active substance	68131-39-5	500-195-7	2,9 % (w/w)