

Agents Classified by the IARC Monographs, Volumes 1–139

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
	Automotive gasoline (see also Gasoline engine exhaust, and Aviation gasoline)	1	45, 138	In prep.	2025	
	Hepatitis D virus (HDV)	1	59, 139	In prep.	2025	
	Human cytomegalovirus (HCMV)	2B	139	In prep.	2025	
	Merkel cell polyomavirus (MCPyV)	1	104, 139	In prep.	2025	
108-20-3	Diisopropyl ether	3	138	In prep.	2025	
1634-04-4	Methyl tert-butyl ether	2B	73, 138	In prep.	2025	
637-92-3	Ethyl tert-butyl ether	2B	138	In prep.	2025	
75-65-0	tert-Butyl alcohol	3	138	In prep.	2025	
994-05-8	tert-Amyl methyl ether	3	138	In prep.	2025	
104987-11-3	Tacrolimus	1	137	In prep.	2024	
107-13-1	Acrylonitrile	1	19, Sup 7, 71, 136	In prep.	2024	
137234-62-9	Voriconazole	1	137	In prep.	2024	
14807-96-6	Talc	2A	42, Sup 7, 93, 136	2025 online	2024	The term "Talc" includes "Talc containing asbestiform fibres other than asbestos" and "Talc not containing asbestiform fibres", which were evaluated separately in Volume 93. For "Talc containing asbestos", see "Asbestos".
58-93-5	Hydrochlorothiazide	1	50, 108, 137	In prep.	2024	
120-12-7	Anthracene	2B	92, Sup 7, 133	2024 online	2023	
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	2B	135	2025 online	2023	
22839-47-0	Aspartame	2B	134	2024 online	2023	
335-67-1	Perfluorooctanoic acid (PFOA)	1	110, 135	2025 online	2023	
75-26-3	2-Bromopropane	2A	133	2024 online	2023	
868-85-9	Dimethyl hydrogen phosphite	2B	48, 71, 133	2024 online	2023	
93-15-2	Methyleugenol	2A	101, 134	2024 online	2023	
97-54-1	Isoeugenol	2B	134	2024 online	2023	
97-88-1	Butyl methacrylate	2B	133	2024 online	2023	
	Firefighter (occupational exposure as	1	98, 132	2023 online	2022	

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
a)						
	Other cobalt(II) compounds (not including Soluble cobalt(II) salts, Cobalt(II) oxide, Cobalt(II,III) oxide, and Cobalt(II) sulfide)	3	52, 86, 131	2023 online	2022	
	Pentavalent antimony	3	131	2023 online	2022	
	Soluble cobalt(II) salts	2A	52, 86, 131	2023 online	2022	
	Trivalent antimony	2A	47, 131	2023 online	2022	
	Weapons-grade tungsten (with nickel and cobalt) alloy	2B	131	2023 online	2022	
1307-96-6	Cobalt(II) oxide	2B	52, 131	2023 online	2022	
1308-06-1	Cobalt(II,III) oxide	3	52, 131	2023 online	2022	
1317-42-6	Cobalt(II) sulfide	3	52, 131	2023 online	2022	
7440-48-4	Cobalt metal (without tungsten carbide or other metal alloys)	2A	52, 86, 131	2023 online	2022	
122-39-4	Diphenylamine	2B	130	2022 online	2021	
122-66-7	1,2-Diphenylhydrazine	2B	130	2022 online	2021	
129-73-7	Leucomalachite green (see also Malachite green)	2B	129	2022 online	2021	
28407-37-6	CI Direct Blue 218	2B	129	2022 online	2021	
548-62-9	Gentian violet (see also Leucogentian violet)	2B	129	2022 online	2021	
569-64-2, 14426-28-9, 2437-29-8	Malachite green (see also Leucomalachite green)	3	129	2022 online	2021	
603-48-5	Leucogentian violet (see also Gentian violet)	3	129	2022 online	2021	
71-55-6	1,1,1-Trichloroethane	2A	20, Sup 7, 71, 130	2022 online	2021	
78-59-1	Isophorone	2B	130	2022 online	2021	
924-42-5	N-Methylolacrylamide	2B	60, 130	2022 online	2021	
	Arecoline	2B	128	2021 online	2020	
	Opium consumption	1	126	2021 online	2020	
107-02-8	Acrolein	2A	63, Sup 7, 128	2021 online	2020	
134-29-2	ortho-Anisidine hydrochloride (see also ortho-Anisidine)	2A	127	2021 online	2020	
135-20-6	Cupferron	2B	127	2021 online	2020	
142-04-1	Aniline hydrochloride (see also Aniline)	2A	127	2021 online	2020	
4170-30-3	Crotonaldehyde	2B	63, 128	2021 online	2020	
62-53-3	Aniline (see also Aniline hydrochloride)	2A	27, Sup 7, 127	2021 online	2020	
90-04-0	ortho-Anisidine (see also ortho-Anisidine hydrochloride)	2A	Sup 7, 73, 127	2021 online	2020	
91-23-6	ortho-Nitroanisole	2A	65, 127	2021 online	2020	NB Originally evaluated as 2-Nitroanisole

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
	Night shift work	2A	98, 124	2020 online	2019	NB Volume 98 evaluated shiftwork that involves circadian disruption
106-91-2	Glycidyl methacrylate	2A	125	2020 online	2019	
107-05-1	Allyl chloride	3	36, Sup 7, 71, 125	2020 online	2019	
109-70-6	1-Bromo-3-chloropropane	2B	125	2020 online	2019	
2426-08-6	1-Butyl glycidyl ether	2B	125	2020 online	2019	
98-56-6	4-Chlorobenzotrifluoride	2B	125	2020 online	2019	
100-00-5	4-Chloronitrobenzene	2B	65, 123	2020 online	2018	
100-17-4	para-Nitroanisole	2B	123	2020 online	2018	
100-42-5	Styrene	2A	60, 82, 121	2019	2018	
103-11-7	2-Ethylhexyl acrylate	2B	60, 122	2019	2018	
108-99-6	β-Picoline	3	122	2019	2018	
127-19-5	N,N-Dimethylacetamide	2B	123	2020 online	2018	
140-88-5	Ethyl acrylate	2B	39, Sup 7, 71, 122	2019	2018	
15625-89-5	Trimethylolpropane triacrylate, technical grade	2B	122	2019	2018	
542-56-3	Isobutyl nitrite	2B	122	2019	2018	
611-06-3	2,4-Dichloro-1-nitrobenzene	2B	123	2020 online	2018	
615-28-1	ortho-Phenylenediamine dihydrochloride	2B	123	2020 online	2018	
88-73-3	2-Chloronitrobenzene	2B	65, 123	2020 online	2018	
89-61-2	1,4-Dichloro-2-nitrobenzene	2B	65, 123	2020 online	2018	
91-22-5	Quinoline	2B	121	2019	2018	
95-54-5	ortho-Phenylenediamine	2B	123	2020 online	2018	
95-85-2	2-Amino-4-chlorophenol	2B	123	2020 online	2018	
96-09-3	Styrene-7,8-oxide	2A	Sup 7, 60, 121	2019	2018	NB Overall evaluation upgraded to Group 2A with supporting evidence from other relevant data
96-33-3	Methyl acrylate	2B	39, Sup 7, 71, 122	2019	2018	
	Ultraviolet radiation from welding (see Ultraviolet radiation (wavelengths 100–400 nm, encompassing UVA, UVB, and UVC); Ultraviolet-emitting tanning devices; and Solar radiation)	1	100D*, 118**	2018 online	2017	*Volume 100D concluded that there is sufficient evidence for ocular melanoma in

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
						welders; **Volume 118 concluded that ultraviolet emissions from welding are carcinogenic to humans (Group 1; there is sufficient evidence in humans for the carcinogenicity of ultraviolet radiation from welding)
	Ultraviolet radiation (wavelengths 100–400 nm, encompassing UVA, UVB, and UVC) (see Ultraviolet radiation from welding; Ultraviolet-emitting tanning devices; and Solar radiation)	1	55, 100D	2012	2017	NB Overall evaluation upgraded to Group 1 based on mechanistic and other relevant data
	Welding fumes	1	49, 118	2018 online	2017	
108-78-1	Melamine	2B	Sup 7, 73, 119	2019	2017	
109-99-9	Tetrahydrofuran	2B	119	2019	2017	
110-86-1	Pyridine	2B	77, 119	2019	2017	
123-35-3	β-Myrcene	2B	119	2019	2017	
1313-27-5	Molybdenum trioxide	2B	118	2018 online	2017	
50926-11-9	Indium tin oxide	2B	118	2018 online	2017	
57018-52-7	1-tert-Butoxypropan-2-ol	2B	88, 119	2019	2017	
71-43-2	Benzene	1	29, Sup 7, 100F, 120	2018	2017	
75-35-4	Vinylidene chloride	2B	39, Sup 7, 71, 119	2019	2017	
98-00-0	Furfuryl alcohol	2B	119	2019	2017	
	Coffee, drinking	3	51, 116	2018 online	2016	NB There is "evidence suggesting lack of carcinogenicity" in humans of coffee drinking for cancers of the pancreas, liver, female breast, uterine endometrium, and prostate. Inverse associations with coffee drinking have

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
						been observed with cancers of the liver and uterine endometrium.
	Mate, not very hot (drinking)	3	51, 116	2018 online	2016	
	Very hot beverages at above 65 °C (drinking)	2A	116	2018 online	2016	
106-94-5	1-Bromopropane	2B	115	2018	2016	
14047-09-7	3,3',4,4'-Tetrachloroazobenzene	2A	117	2019	2016	NB Overall evaluation upgraded to Group 2A
149-30-4	2-Mercaptobenzothiazole	2A	115	2018	2016	
302-01-2	Hydrazine	2A	4, Sup 7, 71, 115	2018	2016	
563-47-3	3-Chloro-2-methylpropene, technical grade	2B	63, 115	2018	2016	
60-57-1, 309-00-2	Dieldrin, and aldrin metabolized to dieldrin	2A	5, Sup 7, 117	2019	2016	
68-12-2	N,N-Dimethylformamide	2A	47, 71, 115	2018	2016	
79-94-7	Tetrabromobisphenol A	2A	115	2018	2016	NB Overall evaluation upgraded to Group 2A with supporting evidence from mechanistic data
87-86-5	Pentachlorophenol (see also Polychlorophenols)	1	53, 71, 117	2019	2016	
88-06-2	2,4,6-Trichlorophenol (see also Polychlorophenols)	2B	117	2019	2016	
99-97-8	N,N-Dimethyl-p-toluidine	2B	115	2018	2016	
	Processed meat (consumption of)	1	114	2018	2015	
	Red meat (consumption of)	2A	114	2018	2015	
1071-83-6	Glyphosate	2A	112	2017	2015	
121-75-5	Malathion	2A	30, Sup 7, 112	2017	2015	
22248-79-9	Tetrachlorvinphos	2B	30, Sup 7, 112	2017	2015	
333-41-5	Diazinon	2A	112	2017	2015	NB Overall evaluation upgraded to Group 2A based on mechanistic evidence
50-29-3	DDT (4,4'-dichlorodiphenyltrichloroethane)	2A	Sup 7, 53, 113	2018	2015	
56-38-2	Parathion	2B	30, Sup 7, 112	2017	2015	

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
58-89-9	Lindane (see also Hexachlorocyclohexanes)	1	113	2018	2015	
94-75-7	2,4-D (2,4-dichlorophenoxyacetic acid) (See also Chlorophenoxy herbicides)	2B	113	2018	2015	
	Acheson process, occupational exposure associated with	1	111	2017	2014	
	Fluoro-edenite fibrous amphibole	1	111	2017	2014	
1120-71-4	1,3-Propane sultone	2A	4, Sup 7, 71, 110	2017	2014	NB Overall evaluation upgraded to Group 2A with supporting evidence from other relevant data
116-14-3	Tetrafluoroethylene	2A	19, Sup 7, 71, 110	2017	2014	NB Overall evaluation upgraded to Group 2A on the basis of sufficient evidence in experimental animals with a striking and atypical pattern of tumours
308068-56-6	Carbon nanotubes, multiwalled MWCNT-7	2B	111	2017	2014	
308068-56-6	Carbon nanotubes, multiwalled, other than MWCNT-7	3	111	2017	2014	
308068-56-6	Carbon nanotubes, single-walled	3	111	2017	2014	
308076-74-6	Silicon carbide, fibrous	2B	111	2017	2014	
409-21-2	Silicon carbide whiskers	2A	111	2017	2014	
75-09-2	Dichloromethane (Methylene chloride)	2A	Sup 7, 71, 110	2017	2014	
78-87-5	1,2-Dichloropropane	1	41, Sup 7, 71, 110	2017	2014	
	Aloe vera, whole leaf extract	2B	108	2016	2013	
	Goldenseal root powder	2B	108	2016	2013	
	Outdoor air pollution	1	109	2016	2013	
	Outdoor air pollution, particulate matter in	1	109	2016	2013	
	Polychlorinated biphenyls, dioxin-like, with a Toxicity Equivalency Factor (TEF) according to WHO (PCBs 77, 81, 105, 114, 118, 123, 126, 156, 157, 167, 169, 189)	1	107	2016	2013	NB Overall evaluation upgraded to Group 1 with strong supporting evidence from other relevant data

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
111025-46-8	Pioglitazone	2A	108	2016	2013	
122320-73-4	Rosiglitazone	3	108	2016	2013	
125-33-7	Primidone	2B	108	2016	2013	
1336-36-3	Polychlorinated biphenyls	1	18, Sup 7, 107	2016	2013	
20830-75-5	Digoxin	2B	108	2016	2013	
37319-17-8	Pentosan polysulfate sodium	2B	108	2016	2013	
396-01-0	Triamterene	2B	108	2016	2013	
59536-65-1	Polybrominated biphenyls	2A	41, Sup 7, 107	2016	2013	NB Overall evaluation upgraded to Group 2A with supporting evidence from other relevant data, namely mechanistic similarity with polychlorinated biphenyls classified in Group 1
599-79-1	Sulfasalazine	2B	108	2016	2013	
7220-79-3	Methylene blue	3	108	2016	2013	
89-82-7	Pulegone	2B	108	2016	2013	
9000-38-8	Kava extract	2B	108	2016	2013	
90045-36-6	Ginkgo biloba extract	2B	108	2016	2013	
	BK polyomavirus (BKV)	2B	104	2014	2012	
	Engine exhaust, diesel	1	46, 105	2014	2012	
	Engine exhaust, gasoline	2B	46, 105	2014	2012	
	JC polyomavirus (JCV)	2B	104	2014	2012	
	Malaria (caused by infection with Plasmodium falciparum in holoendemic areas)	2A	104	2014	2012	
	SV40 polyomavirus	3	104	2014	2012	
105735-71-5	3,7-Dinitrofluoranthene	2B	46, 65, 105	2014	2012	
127-18-4	Tetrachloroethylene (Perchloroethylene)	2A	Sup 7, 63, 106	2014	2012	
17117-34-9	3-Nitrobenzanthrone	2B	105	2014	2012	NB Overall evaluation upgraded to Group 2B with supporting evidence from other relevant data
22506-53-2	3,9-Dinitrofluoranthene	2B	46, 65, 105	2014	2012	
302-17-0	Chloral hydrate	2A	63, 84, 106	2014	2012	
42397-64-8	1,6-Dinitropyrene	2B	46, 105	2014	2012	

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
42397-65-9	1,8-Dinitropyrene	2B	Sup 7, 46, 105	2014	2012	
5522-43-0	1-Nitropyrene	2A	Sup 7, 46, 105	2014	2012	NB Overall evaluation upgraded to Group 2A with supporting evidence from other relevant data
57835-92-4	4-Nitropyrene	2B	46, 105	2014	2012	
607-57-8	2-Nitrofluorene	2B	46, 105	2014	2012	
630-20-6	1,1,1,2-Tetrachloroethane	2B	41, Sup 7, 71, 106	2014	2012	
7496-02-8	6-Nitrochrysene	2A	Sup 7, 46, 105	2014	2012	NB Overall evaluation upgraded to Group 2A with supporting evidence from other relevant data
75-87-6	Chloral	2A	63, 84, 106	2014	2012	
75321-20-9	1,3-Dinitropyrene	2B	46, 105	2014	2012	
76-03-9	Trichloroacetic acid	2B	63, 84, 106	2014	2012	
79-01-6	Trichloroethylene	1	Sup 7, 63, 106	2014	2012	
79-34-5	1,1,2,2-Tetrachloroethane	2B	20, Sup 7, 71, 106	2014	2012	
79-43-6	Dichloroacetic acid	2B	63, 84, 106	2014	2012	
	Bitumens, occupational exposure to hard bitumens and their emissions during mastic asphalt work	2B	103	2013	2011	
	Radiofrequency electromagnetic fields	2B	102	2013	2011	
108-10-1	Methyl isobutyl ketone	2B	101	2013	2011	
111-42-2	Diethanolamine	2B	77, 101	2013	2011	
117-81-7	Di(2-ethylhexyl)phthalate	2B	Sup 7, 77, 101	2013	2011	
119-61-9	Benzophenone	2B	101	2013	2011	
132-65-0	Dibenzothiophene	3	103	2013	2011	
142-83-6	2,4-Hexadienal	2B	101	2013	2011	
194-59-2	7H-Dibenzo[c,g]carbazole	2B	32, Sup 7, 103	2013	2011	
224-42-0	Dibenz[a,j]acridine	2A	32, Sup 7, 103	2013	2011	NB Overall evaluation upgraded to Group 2A with

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
						supporting evidence from other relevant data
224-53-3	Dibenz[c,h]acridine	2B	103	2013	2011	NB Overall evaluation upgraded to Group 2B with supporting evidence from other relevant data
225-11-6	Benz[a]acridine	3	32, Sup 7, 103	2013	2011	
225-51-4	Benz[c]acridine	3	32, Sup 7, 103	2013	2011	
226-36-8	Dibenz[a,h]acridine	2B	32, Sup 7, 103	2013	2011	
239-35-0	Benzo[b]naphtho[2,1-d]thiophene	3	103	2013	2011	
3252-43-5	Dibromoacetonitrile	2B	52, 71, 101	2013	2011	
5589-96-8	Bromochloroacetic acid	2B	101	2013	2011	
631-64-1	Dibromoacetic acid	2B	101	2013	2011	
64742-93-4	Bitumens, occupational exposure to oxidized bitumens and their emissions during roofing	2A	103	2013	2011	
68603-42-9	Coconut oil diethanolamine condensate	2B	101	2013	2011	
693-98-1	2-Methylimidazole	2B	101	2013	2011	
8052-42-4, 64741-56-6	Bitumens, occupational exposure to straight-run bitumens and their emissions during road paving	2B	103	2013	2011	
81-49-2	1-Amino-2,4-dibromoanthraquinone	2B	101	2013	2011	
822-36-6	4-Methylimidazole	2B	101	2013	2011	
84-65-1	Anthraquinone	2B	101	2013	2011	
86-74-8	Carbazole	2B	32, Sup 7, 71, 103	2013	2011	
88-72-2	2-Nitrotoluene	2A	101	2013	2011	NB Overall evaluation upgraded to Group 2A with supporting evidence from other relevant data
96-23-1	1,3-Dichloro-2-propanol	2B	101	2013	2011	
96-24-2	3-Monochloro-1,2-propanediol	2B	101	2013	2011	
98-82-8	Cumene	2B	101	2013	2011	
98-83-9	α-Methylstyrene	2B	101	2013	2011	
	Clonorchis sinensis (infection with)	1	61, 100B	2012	2009	
	Helicobacter pylori (infection with)	1	61,	2012	2009	

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
			100B			
	Opisthorchis viverrini (infection with)	1	61, 100B	2012	2009	
	Schistosoma haematobium (infection with)	1	61, 100B	2012	2009	
	Acid mists, strong inorganic	1	54, 100F	2012	2009	
	Alcoholic beverages	1	44, 96, 100E	2012	2009	
	Aluminium production	1	34, Sup 7, 92, 100F	2012	2009	
	Areca nut	1	85, 100E	2012	2009	
	Auramine production	1	Sup 7, 99, 100F	2012	2009	
	Benzidine, dyes metabolized to	1	99, 100F	2012	2009	NB Overall evaluation upgraded to Group 1 based on mechanistic and other relevant data
	Betel quid with tobacco	1	Sup 7, 85, 100E	2012	2009	
	Betel quid without tobacco	1	Sup 7, 85, 100E	2012	2009	
	Coal gasification	1	Sup 7, 92, 100F	2012	2009	
	Coal, indoor emissions from household combustion of	1	95, 100E	2012	2009	
	Coke production	1	Sup 7, 92, 100F	2012	2009	
	Epstein-Barr virus	1	70, 100B	2012	2009	
	Fission products, including strontium-90	1	100D	2012	2009	
	Haematite mining (underground)	1	1, Sup 7, 100D	2012	2009	
	Hepatitis B virus (chronic infection with)	1	59, 100B	2012	2009	
	Hepatitis C virus (chronic infection with)	1	59, 100B	2012	2009	
	Human T-cell lymphotropic virus type I	1	67, 100B	2012	2009	
	Human immunodeficiency virus type 1 (infection with)	1	67, 100B	2012	2009	
	Human papillomavirus (HPV) genus	3	90,	2012	2009	

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
	beta (except types 5 and 8) and genus gamma		100B			
	Human papillomavirus (HPV) type 16	1	64, 90, 100B	2012	2009	NB The HPV types that have been classified as carcinogenic to humans can differ by an order of magnitude in risk for cervical cancer
	Human papillomavirus (HPV) type 18	1	64, 90, 100B	2012	2009	NB The HPV types that have been classified as carcinogenic to humans can differ by an order of magnitude in risk for cervical cancer
	Human papillomavirus (HPV) type 33	1	64, 90, 100B	2012	2009	NB The HPV types that have been classified as carcinogenic to humans can differ by an order of magnitude in risk for cervical cancer
	Human papillomavirus (HPV) type 68	2A	100B	2012	2009	
	Human papillomavirus (HPV) types 31, 35, 39, 45, 51, 52, 56, 58, 59	1	64, 90, 100B	2012	2009	NB The HPV types that have been classified as carcinogenic to humans can differ by an order of magnitude in risk for cervical cancer
	Human papillomavirus (HPV) types 26, 53, 66, 67, 70, 73, 82	2B	100B	2012	2009	
	Human papillomavirus (HPV) types 30, 34, 69, 85, 97	2B	100B	2012	2009	NB Classified by phylogenetic analogy to the HPV genus alpha types classified in Group 1
	Human papillomavirus (HPV) types 5 and 8 (in patients with epidermodysplasia verruciformis)	2B	100B	2012	2009	
	Human papillomavirus (HPV) types 6 and 11	3	90, 100B	2012	2009	

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
	Ionizing radiation (all types)	1	100D	2012	2009	
	Iron and steel founding (occupational exposure during)	1	34, Sup 7, 100F	2012	2009	
	Isopropyl alcohol manufacture using strong acids	1	Sup 7, 100F	2012	2009	
	Kaposi sarcoma herpesvirus	1	70, 100B	2012	2009	
	Leather dust	1	100C	2012	2009	
	Magenta production	1	Sup 7, 57, 99, 100F	2012	2009	
	Mineral oils, highly-refined	3	33, Sup 7	1987	2009	
	Mineral oils, untreated or mildly treated	1	33, Sup 7, 100F	2012	2009	
	Neutron radiation	1	75, 100D	2012	2009	NB Overall evaluation upgraded to Group 1 with supporting evidence from other relevant data
	Nickel compounds	1	Sup 7, 49, 100C	2012	2009	
	Paint manufacture (occupational exposure in)	3	47	1989	2009	
	Painter (occupational exposure as a)	1	47, 98, 100F	2012	2009	
	Radioiodines, including iodine-131	1	78, 100D	2012	2009	
	Radionuclides, alpha-particle-emitting, internally deposited	1	78, 100D	2012	2009	NB Specific radionuclides for which there is sufficient or limited evidence in humans are also listed individually as Group 1 agents
	Radionuclides, beta-particle-emitting, internally deposited	1	78, 100D	2012	2009	NB Specific radionuclides for which there is sufficient evidence in humans are also listed individually as Group 1 agents
	Rubber manufacturing industry	1	28, Sup 7, 100F	2012	2009	
	Salted fish, Chinese-style	1	56, 100E	2012	2009	

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
	Solar radiation (see Ultraviolet radiation (wavelengths 100–400 nm, encompassing UVA, UVB, and UVC); Ultraviolet radiation from welding; and Ultraviolet-emitting tanning devices)	1	55, 100D	2012	2009	
	Soot (as found in occupational exposure of chimney sweeps)	1	35, Sup 7, 92, 100F	2012	2009	
	Tobacco smoke, secondhand	1	83, 100E	2012	2009	
	Tobacco smoking	1	83, 100E	2012	2009	
	Tobacco, smokeless	1	Sup 7, 89, 100E	2012	2009	
	Ultraviolet-emitting tanning devices (see Ultraviolet radiation (wavelengths 100–400 nm, encompassing UVA, UVB, and UVC); Ultraviolet radiation from welding; and Solar radiation)	1	100D	2012	2009	
	Wood dust	1	62, 100C	2012	2009	
	X- and Gamma-Radiation	1	75, 100D	2012	2009	
10043-92-2	Radon-222 and its decay products	1	43, 78, 100D	2012	2009	
101-14-4	4,4'-Methylenebis(2-chloroaniline) (MOCA)	1	Sup 7, 57, 99, 100F	2012	2009	NB Overall evaluation upgraded to Group 1 based on mechanistic and other relevant data
106-99-0	1,3-Butadiene	1	Sup 7, 54, 71, 97, 100F	2012	2009	
124-58-3	Methylarsonic acid	2B	100C	2012	2009	
1303-00-0	Gallium arsenide (see Arsenic and inorganic arsenic compounds)		86, 100C	2012	2009	
13233-32-4	Radium-224 and its decay products	1	78, 100D	2012	2009	
1332-21-4, 12172-73-5, 12001-29-5, 12001-28-4	Asbestos (all forms, including actinolite, amosite, anthophyllite, chrysotile, crocidolite, tremolite)	1	14, Sup 7, 100C	2012	2009	NB Mineral substances (e.g. talc or vermiculite) that contain asbestos should also be regarded as carcinogenic to humans NB2 These CAS Nos are for

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
						substances that CAS does not treat in its regular CA index
13982-63-3	Radium-226 and its decay products	1	78, 100D	2012	2009	
1402-68-2	Aflatoxins	1	Sup 7, 56, 82, 100F	2012	2009	
14596-37-3	Phosphorus-32, as phosphate	1	78, 100D	2012	2009	
14807-96-6	Talc containing asbestos (see Asbestos)		93, Sup 7, 100C	2012	2009	
14808-60-7	Silica dust, crystalline, in the form of quartz or cristobalite	1	Sup 7, 68, 100C	2012	2009	
15262-20-1	Radium-228 and its decay products	1	78, 100D	2012	2009	
16543-55-8, 64091-91-4	N'-Nitrosornicotine (NNN) and 4-(N-Nitrosomethylamino)-1-(3-pyridyl)-1-butanone (NNK)	1	Sup 7, 89, 100E	2012	2009	NB Overall evaluation upgraded to Group 1 based on mechanistic and other relevant data
1746-01-6	2,3,7,8-Tetrachlorodibenzo-para-dioxin	1	Sup 7, 69, 100F	2012	2009	
18540-29-9	Chromium (VI) compounds	1	Sup 7, 49, 100C	2012	2009	
492-80-8	Auramine	2B	1, Sup 7, 99, 100F	2012	2009	
50-00-0	Formaldehyde	1	Sup 7, 62, 88, 100F	2012	2009	
50-32-8	Benzo[a]pyrene	1	Sup 7, 92, 100F	2012	2009	NB Overall evaluation upgraded to Group 1 based on mechanistic and other relevant data
505-60-2	Sulfur mustard	1	9, Sup 7, 100F	2012	2009	
542-88-1, 107-30-2	Bis(chloromethyl)ether; chloromethyl methyl ether (technical-grade)	1	4, Sup 7, 100F	2012	2009	
57117-31-4	2,3,4,7,8-Pentachlorodibenzofuran	1	100F	2012	2009	NB Overall evaluation upgraded to Group 1 based on mechanistic and other

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
						relevant data
57465-28-8	3,3',4,4',5-Pentachlorobiphenyl (PCB-126)	1	100F	2012	2009	See Polychlorinated biphenyls, dioxin-like, with a TEF according to WHO
632-99-5	Magenta	2B	Sup 7, 57, 99, 100F	2012	2009	
64-17-5	Ethanol in alcoholic beverages	1	96, 100E	2012	2009	
64436-13-1	Arsenobetaine and other organic arsenic compounds that are not metabolized in humans	3	100C	2012	2009	
65996-93-2	Coal-tar pitch	1	35, Sup 7, 100F	2012	2009	
66733-21-9	Erionite	1	42, Sup 7, 100C	2012	2009	
68308-34-9	Shale oils	1	35, Sup 7, 100F	2012	2009	
7440-07-5	Plutonium	1	78, 100D	2012	2009	
7440-29-1	Thorium-232 and its decay products	1	78, 100D	2012	2009	
7440-38-2	Arsenic and inorganic arsenic compounds	1	23, Sup 7, 100C	2012	2009	
7440-41-7	Beryllium and beryllium compounds	1	Sup 7, 58, 100C	2012	2009	
7440-43-9	Cadmium and cadmium compounds	1	58, 100C	2012	2009	
7440-61-1	Uranium, mixture of isotopes (see Radionuclides, alpha-particle-emitting, internally deposited)	1	78, 100D	2012	2009	NB Uranium was listed as a Group 1 agent as a member of the family, Radionuclides, alpha-particle-emitting, internally deposited. There was limited evidence for the carcinogenicity of mixtures of uranium isotopes, with positive associations for lung cancer
75-01-4	Vinyl chloride	1	Sup 7, 97,	2012	2009	

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
			100F			
75-07-0	Acetaldehyde associated with consumption of alcoholic beverages	1	100E	2012	2009	
75-21-8	Ethylene oxide	1	Sup 7, 60, 97, 100F	2012	2009	NB Overall evaluation upgraded to Group 1 based on mechanistic and other relevant data
75-60-5	Dimethylarsinic acid	2B	100C	2012	2009	
8007-45-2	Coal-tar distillation	1	92, 100F	2012	2009	
91-59-8	2-Naphthylamine	1	4, Sup 7, 99, 100F	2012	2009	
92-67-1	4-Aminobiphenyl	1	1, Sup 7, 99, 100F	2012	2009	
92-87-5	Benzidine	1	29, Sup 7, 99, 100F	2012	2009	
95-53-4	ortho-Toluidine	1	Sup 7, 77, 99, 100F	2012	2009	
	Estrogen therapy, postmenopausal	1	72, 100A	2012	2008	NB There is "evidence suggesting lack of carcinogenicity" for estrogen-only menopausal therapy in humans and cancer of the colorectum. An inverse association has been observed between estrogen-only menopausal therapy and cancer of the colorectum.
	Estrogen-progestogen menopausal therapy (combined)	1	72, 91, 100A	2012	2008	
	Estrogen-progestogen oral contraceptives (combined)	1	72, 91, 100A	2012	2008	NB There is "evidence suggesting lack of carcinogenicity" for combined estrogen-progestogen oral

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
						contraceptives in humans and cancers of the endometrium, ovary, and colorectum. An inverse association has been observed between combined estrogen-progestogen oral contraceptives and cancers of the endometrium, ovary, and colorectum.
	Hair colouring products (personal use of)	3	57, 99	2010	2008	
	Hairdresser or barber (occupational exposure as a)	2A	57, 99	2010	2008	
	MOPP and other combined chemotherapy including alkylating agents	1	Sup 7, 100A	2012	2008	
	Phenacetin, analgesic mixtures containing	1	Sup 7, 100A	2012	2008	
101-61-1	Michler's base [4,4'-methylenebis(N,N-dimethyl)benzenamine]	2B	27, Sup 7, 99	2010	2008	
10540-29-1	Tamoxifen	1	66, 100A	2012	2008	NB There is "evidence suggesting lack of carcinogenicity" for tamoxifen in humans and cancer of the female breast. An inverse association has been observed between tamoxifen and cancer of the female breast.
13909-09-6	1-(2-Chloroethyl)-3-(4-methylcyclohexyl)-1-nitrosourea (Methyl-CCNU) (Semustine)	1	Sup 7, 100A	2012	2008	
148-82-3	Melphalan	1	9, Sup 7, 100A	2012	2008	
298-81-7	Methoxsalen (8-methoxypsoralen) plus ultraviolet A radiation	1	24, Sup 7, 100A	2012	2008	
299-75-2	Treosulfan	1	26, Sup 7, 100A	2012	2008	

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
305-03-3	Chlorambucil	1	26, Sup 7, 100A	2012	2008	
313-67-7	Aristolochic acid	1	82, 100A	2012	2008	NB Overall evaluation upgraded to Group 1 based on mechanistic and other relevant data
313-67-7	Aristolochic acid, plants containing	1	82, 100A	2012	2008	
33419-42-0	Etoposide	1	76, 100A	2012	2008	NB Overall evaluation upgraded to Group 1 based on mechanistic and other relevant data
33419-42-0, 15663-27-1, 11056-06-7	Etoposide in combination with cisplatin and bleomycin	1	76, 100A	2012	2008	
446-86-6	Azathioprine	1	26, Sup 7, 100A	2012	2008	
494-03-1	Chlornaphazine	1	4, Sup 7, 100A	2012	2008	
50-18-0, 6055-19-2	Cyclophosphamide	1	26, Sup 7, 100A	2012	2008	
52-24-4	Thiotepa	1	Sup 7, 50, 100A	2012	2008	
55-98-1	Busulfan	1	4, Sup 7, 100A	2012	2008	
56-53-1	Diethylstilbestrol	1	21, Sup 7, 100A	2012	2008	
569-61-9	CI Basic Red 9	2B	57, 99	2010	2008	
59865-13-3, 79217-60-0	Ciclosporin	1	50, 100A	2012	2008	
62-44-2	Phenacetin	1	24, Sup 7, 100A	2012	2008	NB Overall evaluation upgraded to Group 1 with supporting evidence from other relevant data
90-94-8	Michler's ketone [4,4'-Bis(dimethylamino)benzophenone]	2B	99	2010	2008	
95-69-2	4-Chloro-ortho-toluidine	2A	77, 99	2010	2008	
51-79-6	Ethyl carbamate (Urethane)	2A	7, Sup 7, 96	2010	2007	
593-60-2	Vinyl bromide	2A	39, Sup 7, 71, 97	2008	2007	NB (1) Overall evaluation upgraded to Group 2A based on

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
						mechanistic and other relevant data; (2) For practical purposes, vinyl bromide should be considered to act similarly to the human carcinogen vinyl chloride
75-02-5	Vinyl fluoride	2A	Sup 7, 63, 97	2008	2007	NB (1) Overall evaluation upgraded to Group 2A based on mechanistic and other relevant data; (2) For practical purposes, vinyl fluoride should be considered to act similarly to the human carcinogen vinyl chloride
	Microcystis extracts	3	94	2010	2006	
	Biomass fuel (primarily wood), indoor emissions from household combustion of	2A	95	2010	2006	
	Frying, emissions from high-temperature	2A	95	2010	2006	
	Nitrate or nitrite (ingested) under conditions that result in endogenous nitrosation	2A	94	2010	2006	
101043-37-2	Microcystin-LR	2B	94	2010	2006	
118399-22-7	Nodularins	3	94	2010	2006	
1333-86-4	Carbon black	2B	Sup 7, 65, 93	2010	2006	
13463-67-7	Titanium dioxide	2B	47, 93	2010	2006	
14807-96-6	Talc-based body powder (perineal use of) (see Talc)		93	2010	2006	
	Calcium carbide production	3	92	2010	2005	
	Carbon electrode manufacture	2A	92	2010	2005	
	Chimney sweeping (see Soot)		92	2010	2005	
111189-32-3	Naphtho[1,2-b]fluoranthene	3	92	2010	2005	
129-00-0	Pyrene	3	Sup 7, 92	2010	2005	
1705-85-7	6-Methylchrysene	3	Sup 7, 92	2010	2005	
1706-01-0	3-Methylfluoranthene	3	Sup 7, 92	2010	2005	
189-55-9	Dibenzo[a,i]pyrene	2B	92	2010	2005	

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
189-64-0	Dibenzo[a,h]pyrene	2B	Sup 7, 92	2010	2005	
191-07-1	Coronene	3	32, Sup 7, 92	2010	2005	
191-24-2	Benzo[ghi]perylene	3	92, Sup 7	2010	2005	
191-26-4	Anthanthrene	3	92, Sup 7	2010	2005	
191-30-0	Dibenzo[a,l]pyrene	2A	Sup 7, 92	2010	2005	NB Overall evaluation upgraded to Group 2A with supporting evidence from other relevant data
192-47-2	Dibenzo[h,rst]pentaphene	3	Sup 7, 92	2010	2005	
192-51-8	Dibenzo[e,l]pyrene	3	92	2010	2005	
192-65-4	Dibenzo[a,e]pyrene	3	Sup 7, 92	2010	2005	
192-97-2	Benzo[e]pyrene	3	92, Sup 7	2010	2005	
193-09-9	Naphtho[2,3-e]pyrene	3	92	2010	2005	
193-39-5	Indeno[1,2,3-cd]pyrene	2B	Sup 7, 92	2010	2005	
195-19-7	Benzo[c]phenanthrene	2B	92, Sup 7	2010	2005	NB Overall evaluation upgraded to Group 2B with supporting evidence from other relevant data
196-78-1	Benzo[g]chrysene	3	92	2010	2005	
198-55-0	Perylene	3	Sup 7, 92	2010	2005	
202-33-5	Benz[j]aceanthrylene	2B	92	2010	2005	NB Overall evaluation upgraded to Group 2B with supporting mechanistic and other relevant data
202-94-8	11H-Benz[bc]aceanthrylene	3	92	2010	2005	
202-98-2	4H-Cyclopenta[def]chrysene	3	92	2010	2005	
203-12-3	Benzo[ghi]fluoranthene	3	92, Sup 7	2010	2005	
203-20-3	Naphtho[2,1-a]fluoranthene	3	92	2010	2005	
203-33-8	Benzo[a]fluoranthene	3	Sup 7, 92	2010	2005	
205-12-9	Benzo[c]fluorene	3	92, Sup 7	2010	2005	

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
205-82-3	Benzo[j]fluoranthene	2B	92	2010	2005	
205-99-2	Benzo[b]fluoranthene	2B	92	2010	2005	
206-44-0	Fluoranthene	3	Sup 7, 92	2010	2005	
207-08-9	Benzo[k]fluoranthene	2B	92	2010	2005	
207-83-0	13H-Dibenzo[a,g]fluorene	3	92	2010	2005	
211-91-6	Benz[l]aceanthrylene	3	92	2010	2005	
213-46-7	Picene	3	92	2010	2005	
214-17-5	Benzo[b]chrysene	3	92	2010	2005	
215-58-7	Dibenz[a,c]anthracene	3	Sup 7, 92	2010	2005	
217-59-4	Triphenylene	3	Sup 7, 92	2010	2005	
218-01-9	Chrysene	2B	92	2010	2005	
22349-59-3	1,4-Dimethylphenanthrene	3	Sup 7, 92	2010	2005	
224-41-9	Dibenz[a,j]anthracene	3	Sup 7, 92	2010	2005	
238-84-6	Benzo[a]fluorene	3	Sup 7, 92	2010	2005	
243-17-4	Benzo[b]fluorene	3	92, Sup 7	2010	2005	
25732-74-5	Acepyrene (3,4-dihydrocyclopenta[cd]pyrene)	3	92	2010	2005	
27208-37-3	Cyclopenta[cd]pyrene	2A	Sup 7, 92	2010	2005	NB Overall evaluation upgraded to Group 2A with supporting evidence from other relevant data
3351-28-8	1-Methylchrysene	3	Sup 7, 92	2010	2005	
3351-30-2	4-Methylchrysene	3	Sup 7, 92	2010	2005	
3351-31-3	3-Methylchrysene	3	Sup 7, 92	2010	2005	
3351-32-4	2-Methylchrysene	3	Sup 7, 92	2010	2005	
33543-31-6	2-Methylfluoranthene	3	Sup 7, 92	2010	2005	
3697-24-3	5-Methylchrysene	2B	Sup 7, 92	2010	2005	
53-70-3	Dibenz[a,h]anthracene	2A	Sup 7, 92	2010	2005	NB Overall evaluation upgraded to Group 2A with supporting evidence from other relevant data

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
5385-75-1	Dibenzo[a,e]fluoranthene	3	Sup 7, 92	2010	2005	
56-55-3	Benz[a]anthracene	2B	92, Sup 7	2010	2005	
641-48-5	1,2-Dihydroaceanthrylene	3	92	2010	2005	
7099-43-6	5,6-Cyclopenteno-1,2-benzanthracene	3	92	2010	2005	
8001-58-9	Creosotes	2A	Sup 7, 92	2010	2005	
83-32-9	Acenaphthene	3	92	2010	2005	
832-69-9	1-Methylphenanthrene	3	Sup 7, 92	2010	2005	
85-01-8	Phenanthrene	3	Sup 7, 92	2010	2005	
86-73-7	Fluorene	3	Sup 7, 92	2010	2005	
	Lead compounds, inorganic	2A	Sup 7, 87	2006	2004	
	Lead compounds, organic	3	23, Sup 7, 87	2006	2004	NB Organic lead compounds are metabolized at least in part, to ionic lead both in humans and animals. To the extent that ionic lead, generated from organic lead, is present in the body, it will be expected to exert the toxicities associated with inorganic lead
111-76-2	2-Butoxyethanol	3	88	2006	2004	
37620-20-5	N'-Nitrosoanabasine (NAB)	3	37, Sup 7, 89	2007	2004	
71267-22-6	N'-Nitrosoanatabine (NAT)	3	37, Sup 7, 89	2007	2004	
1314-62-1	Vanadium pentoxide	2B	86	2006	2003	
22398-80-7	Indium phosphide	2A	86	2006	2003	NB Overall evaluation upgraded to Group 2A
55557-01-2	N-Nitrosoguvacine	3	Sup 7, 85	2004	2003	
55557-02-3	N-Nitrosoguvacoline	3	Sup 7, 85	2004	2003	
60153-49-3	3-(N-Nitrosomethylamino)propionitrile	2B	Sup 7, 85	2004	2003	
7440-48-4, 12070-12-1	Cobalt metal with tungsten carbide	2A	86	2006	2003	

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
85502-23-4	3-(N-Nitrosomethylamino)propionaldehyde	3	Sup 7, 85	2004	2003	
	Madder root (<i>Rubia tinctorum</i>)	3	82	2002	2002	
10599-90-3	Chloramine	3	84	2004	2002	
116355-83-0	Fumonisin B1	2B	82	2002	2002	
129-43-1	1-Hydroxyanthraquinone	2B	82	2002	2002	
23246-96-0	Riddelliine	2B	10, Sup 7, 82	2002	2002	
77439-76-0	3-Chloro-4-(dichloromethyl)-5-hydroxy-2(5H)-furanone	2B	84	2004	2002	
91-20-3	Naphthalene	2B	82	2002	2002	
	Electric fields, extremely low-frequency	3	80	2002	2001	
	Electric fields, static	3	80	2002	2001	
	Glass filament, continuous	3	43, 81	2002	2001	
	Insulation glass wool	3	43, 81	2002	2001	
	Magnetic fields, extremely low-frequency	2B	80	2002	2001	
	Magnetic fields, static	3	80	2002	2001	
	Refractory ceramic fibres	2B	43, 81	2002	2001	
	Rock (stone) wool	3	43, 81	2002	2001	
	Slag wool	3	43, 81	2002	2001	
	Special-purpose fibres such as E-glass and '475' glass fibres	2B	81	2002	2001	
100-41-4	Ethylbenzene	2B	77	2000	2000	
102-71-6	Triethanolamine	3	77	2000	2000	
103-23-1	Di(2-ethylhexyl) adipate	3	Sup 7, 77	2000	2000	
105-55-5	N,N'-Diethylthiourea	3	79	2001	2000	
1116-54-7	N-Nitrosodiethanolamine	2B	17, Sup 7, 77	2000	2000	
118-74-1	Hexachlorobenzene	2B	Sup 7, 79	2001	2000	
126-07-8	Griseofulvin	2B	Sup 7, 79	2001	2000	
141-90-2	Thiouracil	2B	Sup 7, 79	2001	2000	
3296-90-0	2,2-Bis(bromomethyl)propane-1,3-diol	2B	77	2000	2000	
50-06-6	Phenobarbital	2B	Sup 7, 79	2001	2000	
501-30-4	Kojic acid	3	79	2001	2000	
51-52-5	Propylthiouracil	2B	Sup 7, 79	2001	2000	
52-01-7	Spironolactone	3	Sup 7, 79	2001	2000	
556-52-5	Glycidol	2A	77	2000	2000	NB Overall evaluation upgraded to Group 2A with supporting

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
						evidence from other relevant data
56-04-2	Methylthiouracil	2B	Sup 7, 79	2001	2000	
562-10-7	Doxylamine succinate	3	79	2001	2000	
57-68-1	Sulfamethazine	3	79	2001	2000	NB Overall evaluation downgraded to Group 3 with supporting evidence from other relevant data
57-74-9	Chlordane	2B	Sup 7, 53, 79	2001	2000	
60-56-0	Methimazole	3	79	2001	2000	
61-82-5	Amitrole	3	79, Sup 7	2001	2000	NB Overall evaluation downgraded to Group 3 with supporting evidence from other relevant data
615-05-4	2,4-Diaminoanisole	2B	Sup 7, 79	2001	2000	
62-56-6	Thiourea	3	Sup 7, 79	2001	2000	
723-46-6	Sulfamethoxazole	3	Sup 7, 79	2001	2000	
75-52-5	Nitromethane	2B	77	2000	2000	
76-44-8	Heptachlor	2B	Sup 7, 53, 79	2001	2000	
8001-35-2	Toxaphene (Polychlorinated camphenes)	2B	Sup 7, 79	2001	2000	
87-29-6	Cinnamyl anthranilate	3	Sup 7, 77	2000	2000	
91-64-5	Coumarin	3	Sup 7, 77	2000	2000	
95-79-4	5-Chloro-ortho-toluidine	3	77	2000	2000	
96-13-9	2,3-Dibromopropan-1-ol	2B	77	2000	2000	
96-45-7	Ethylenethiourea	3	Sup 7, 79	2001	2000	NB Overall evaluation downgraded to Group 3 with supporting evidence from other relevant data
	Ceramic implants	3	74	1999	1999	
	Dental materials	3	74	1999	1999	
	Implanted foreign bodies of metallic chromium or titanium and of cobalt-	3	74	1999	1999	

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
	based, chromium-based, and titanium-based alloys, and stainless steel					
	Implanted foreign bodies of metallic cobalt, metallic nickel and an alloy powder containing 66-67% nickel, 13-16% chromium, and 7% iron	2B	74	1999	1999	
	Metallic implants prepared as thin smooth films	2B	74	1999	1999	
	Organic polymeric materials	3	74	1999	1999	
	Orthopaedic implants of complex composition and cardiac pacemakers	3	74	1999	1999	
	Polymeric implant prepared as thin smooth films (with the exception of poly-glycolic acid)	2B	74	1999	1999	
	Silicone breast implants	3	74	1999	1999	
12001-79-5	Vitamin K substances	3	76	2000	1999	
127-07-1	Hydroxyurea	3	76	2000	1999	
29767-20-2	Teniposide	2A	76	2000	1999	NB Overall evaluation upgraded to Group 2A with supporting evidence from other relevant data
30516-87-1	Zidovudine (AZT)	2B	76	2000	1999	
51264-14-3	Amsacrine	2B	76	2000	1999	
59277-89-3	Aciclovir	3	76	2000	1999	
65271-80-9	Mitoxantrone	2B	76	2000	1999	
69655-05-6	Didanosine	3	76	2000	1999	
7481-89-2	Zalcitabine	2B	76	2000	1999	
77-09-8	Phenolphthalein	2B	76	2000	1999	
	Isopropyl oils	3	15, Sup 7, 71	1999	1998	
	Polychlorophenols and their sodium salts (mixed exposures) (see Pentachlorophenol; 2,4,6-Trichlorophenol)	2B	53, 71	1999	1998	
	Progestogen-only contraceptives	2B	72	1999	1998	
	Tetrakis(hydroxymethyl)phosphonium salts	3	48, 71	1999	1998	
101-68-8	4,4'-Methylenediphenyl diisocyanate	3	19, Sup 7, 71	1999	1998	
101-90-6	Diglycidyl resorcinol ether	2B	36, Sup 7, 71	1999	1998	
103-90-2	Paracetamol (Acetaminophen)	3	50, 73	1999	1998	
105-11-3	para-Benzoquinone dioxime	3	29, Sup 7, 71	1999	1998	
105-60-2	Caprolactam	3	39, Sup 7, 71	1999	1998	Moved to Group 3 following 2019

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
						update to the IARC Monographs Preamble
105-74-8	Lauroyl peroxide	3	36, Sup 7, 71	1999	1998	
106-46-7	para-Dichlorobenzene	2B	Sup 7, 73	1999	1998	
106-51-4	para-Quinone	3	15, Sup 7, 71	1999	1998	
106-88-7	1,2-Epoxybutane	2B	47, 71	1999	1998	NB Overall evaluation upgraded to Group 2B with supporting evidence from other relevant data
106-89-8	Epichlorohydrin	2A	11, Sup 7, 71	1999	1998	NB Overall evaluation upgraded to Group 2A with supporting evidence from other relevant data
106-93-4	Ethylene dibromide	2A	15, Sup 7, 71	1999	1998	NB Overall evaluation upgraded to Group 2A with supporting evidence from other relevant data
107-06-2	1,2-Dichloroethane	2B	20, Sup 7, 71	1999	1998	
107-14-2	Chloroacetonitrile	3	52, 71	1999	1998	
108-46-3	Resorcinol	3	15, Sup 7, 71	1999	1998	
108-60-1	Bis(2-chloro-1-methylethyl)ether	3	41, Sup 7, 71	1999	1998	
108-88-3	Toluene	3	47, 71	1999	1998	
108-94-1	Cyclohexanone	3	47, 71	1999	1998	
108-95-2	Phenol	3	47, 71	1999	1998	
110-57-6	trans-1,4-Dichlorobutene	3	15, Sup 7, 71	1999	1998	
110-91-8	Morpholine	3	47, 71	1999	1998	
111-44-4	Bis(2-chloroethyl)ether	3	9, Sup 7, 71	1999	1998	
115-96-8	Tris(2-chloroethyl) phosphate	3	48, 71	1999	1998	
1163-19-5	Decabromodiphenyl oxide	3	48, 71	1999	1998	
117-39-5	Quercetin	3	Sup 7, 73	1999	1998	
120-80-9	Catechol	2B	15, Sup	1999	1998	

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
			7, 71			
122-34-9	Simazine	3	53, 73	1999	1998	
122-60-1	Phenyl glycidyl ether	2B	47, 71	1999	1998	
123-31-9	Hydroquinone	3	15, Sup 7, 71	1999	1998	
123-91-1	1,4-Dioxane	2B	11, Sup 7, 71	1999	1998	
124-48-1	Chlorodibromomethane	3	52, 71	1999	1998	
126-72-7	Tris(2,3-dibromopropyl) phosphate	2A	20, Sup 7, 71	1999	1998	NB Overall evaluation upgraded to Group 2A with supporting evidence from other relevant data
126-99-8	Chloroprene	2B	Sup 7, 71	1999	1998	
132-27-4	Sodium ortho-phenylphenate	2B	Sup 7, 73	1999	1998	
1330-20-7	Xylenes	3	47, 71	1999	1998	
13483-18-6	1,2-Bis(chloromethoxy)ethane	3	15, Sup 7, 71	1999	1998	
139-05-9	Cyclamates (sodium cyclamate)	3	Sup 7, 73	1999	1998	
139-13-9	Nitrilotriacetic acid and its salts	2B	48, 73	1999	1998	NB Evaluated as a group
140-11-4	Benzyl acetate	3	40, Sup 7, 71	1999	1998	
141-32-2	n-Butyl acrylate	3	39, Sup 7, 71	1999	1998	
141-37-7	3,4-Epoxy-6-methylcyclohexylmethyl-3,4-epoxy-6-methylcyclo-hexanecarboxylate	3	11, Sup 7, 71	1999	1998	
151-56-4	Aziridine	2B	9, Sup 7, 71	1999	1998	NB Overall evaluation upgraded to Group 2B with supporting evidence from other relevant data
1615-80-1	1,2-Diethylhydrazine	2B	4, Sup 7, 71	1999	1998	
1675-54-3	Bisphenol A diglycidyl ether (Araldite)	3	47, 71	1999	1998	
1897-45-6	Chlorothalonil	2B	Sup 7, 73	1999	1998	
1912-24-9	Atrazine	3	53, 73	1999	1998	NB Overall evaluation downgraded to Group 3 with supporting evidence from other relevant

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
						data
1954-28-5	Triethylene glycol diglycidyl ether	3	11, Sup 7, 71	1999	1998	
2386-90-5	Bis(2,3-epoxycyclopentyl)ether	3	47, 71	1999	1998	
24560-98-3	cis-9,10-Epoxystearic acid	3	11, Sup 7, 71	1999	1998	
26471-62-5	Toluene diisocyanates	2B	39, Sup 7, 71	1999	1998	
2835-39-4	Allyl isovalerate	3	36, Sup 7, 71	1999	1998	
2973-10-6	Diisopropyl sulfate	2B	54, 71	1999	1998	
3018-12-0	Dichloroacetonitrile	3	52, 71	1999	1998	
3068-88-0	beta-Butyrolactone	2B	11, Sup 7, 71	1999	1998	
3173-72-6	1,5-Naphthalene diisocyanate	3	19, Sup 7, 71	1999	1998	
38571-73-2	1,2,3-Tris(chloromethoxy)propane	3	15, Sup 7, 71	1999	1998	
540-73-8	1,2-Dimethylhydrazine	2A	4, Sup 7, 71	1999	1998	NB Overall evaluation upgraded to Group 2A with supporting evidence from other relevant data
541-73-1	meta-Dichlorobenzene	3	73	1999	1998	
542-75-6	1,3-Dichloropropene (technical-grade)	2B	41, Sup 7, 71	1999	1998	
542-78-9	Malonaldehyde	3	36, Sup 7, 71	1999	1998	
545-06-2	Trichloroacetonitrile	3	52, 71	1999	1998	
56-23-5	Carbon tetrachloride	2B	20, Sup 7, 71	1999	1998	
56894-91-8	1,4-Bis(chloromethoxymethyl)benzene	3	15, Sup 7, 71	1999	1998	
57-06-7	Allyl isothiocyanate	3	73, Sup 7	1999	1998	
57-14-7	1,1-Dimethylhydrazine	2B	4, Sup 7, 71	1999	1998	
57-57-8	beta-Propiolactone	2B	4, Sup 7, 71	1999	1998	
593-70-4	Chlorofluoromethane	3	41, Sup 7, 71	1999	1998	
5989-27-5	d-Limonene	3	56, 73	1999	1998	NB Overall evaluation downgraded to Group 3 with supporting evidence from other relevant data
60-35-5	Acetamide	2B	7, Sup 7, 71	1999	1998	

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
			71			
64-67-5	Diethyl sulfate	2A	54, 71	1999	1998	NB Overall evaluation upgraded to Group 2A with supporting evidence from other relevant data
66-27-3	Methyl methanesulfonate	2A	7, Sup 7, 71	1999	1998	NB Overall evaluation upgraded to Group 2A with supporting evidence from other relevant data
67-63-0	Isopropyl alcohol	3	15, Sup 7, 71	1999	1998	
67-66-3	Chloroform	2B	Sup 7, 73	1999	1998	
67-72-1	Hexachloroethane	2B	73	1999	1998	
680-31-9	Hexamethylphosphoramide	2B	15, Sup 7, 71	1999	1998	
71-58-9	Medroxyprogesterone acetate	2B	21, Sup 7	1987	1998	
74-83-9	Methyl bromide	3	41, Sup 7, 71	1999	1998	
74-85-1	Ethylene	3	Sup 7, 60	1994	1998	
74-87-3	Methyl chloride	3	41, Sup 7, 71	1999	1998	
74-88-4	Methyl iodide	3	41, Sup 7, 71	1999	1998	
74-96-4	Bromoethane	3	52, 71	1999	1998	
75-00-3	Chloroethane	3	52, 71	1999	1998	
75-07-0	Acetaldehyde	2B	36, Sup 7, 71	1999	1998	
75-25-2	Bromoform	3	52, 71	1999	1998	
75-27-4	Bromodichloromethane	2B	52, 71	1999	1998	
75-38-7	Vinylidene fluoride	3	39, Sup 7, 71	1999	1998	
75-45-6	Chlorodifluoromethane	3	41, Sup 7, 71	1999	1998	
75-55-8	2-Methylaziridine (Propyleneimine)	2B	9, Sup 7, 71	1999	1998	
75-88-7	2-Chloro-1,1,1-trifluoroethane	3	41, Sup 7, 71	1999	1998	
7572-29-4	Dichloroacetylene	3	39, Sup 7, 71	1999	1998	
76-01-7	Pentachloroethane	3	41, Sup 7, 71	1999	1998	
765-34-4	Glycidaldehyde	2B	11, Sup	1999	1998	

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
			7, 71			
77-78-1	Dimethyl sulfate	2A	4, Sup 7, 71	1999	1998	NB Overall evaluation upgraded to Group 2A with supporting evidence from other relevant data
7722-84-1	Hydrogen peroxide	3	36, Sup 7, 71	1999	1998	
7758-01-2	Potassium bromate	2B	Sup 7, 73	1999	1998	
78-79-5	Isoprene	2B	60, 71	1999	1998	
79-00-5	1,1,2-Trichloroethane	3	52, 71	1999	1998	
79-10-7	Acrylic acid	3	19, Sup 7, 71	1999	1998	
79-44-7	Dimethylcarbamoyl chloride	2A	12, Sup 7, 71	1999	1998	NB Overall evaluation upgraded to Group 2A with supporting evidence from other relevant data
79-46-9	2-Nitropropane	2B	29, Sup 7, 71	1999	1998	
81-07-2	Saccharin and its salts	3	Sup 7, 73	1999	1998	NB Overall evaluation downgraded to Group 3 with supporting evidence from other relevant data
83463-62-1	Bromochloroacetonitrile	3	52, 71	1999	1998	
85-68-7	Butyl benzyl phthalate	3	Sup 7, 73	1999	1998	
87-68-3	Hexachlorobutadiene	3	73	1999	1998	
88-12-0	N-Vinyl-2-pyrrolidone	3	19, Sup 7, 71	1999	1998	
90-43-7	ortho-Phenylphenol	3	73	1999	1998	
9003-39-8	Polyvinyl pyrrolidone	3	19, Sup 7, 71	1999	1998	
94-36-0	Benzoyl peroxide	3	36, Sup 7, 71	1999	1998	
95-50-1	ortho-Dichlorobenzene	3	Sup 7, 73	1999	1998	
96-12-8	1,2-Dibromo-3-chloropropane	2B	20, Sup 7, 71	1999	1998	
96-48-0	gamma-Butyrolactone	3	11, Sup 7, 71	1999	1998	
98-87-3, 98-07-7,	alpha-Chlorinated toluenes (benzal chloride, benzotrichloride, benzyl	2A	29, Sup 7, 71	1999	1998	

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
100-44-7, 98-88-4	chloride) and benzoyl chloride (combined exposures)					
	Polychlorinated dibenzo-para-dioxins (other than 2,3,7,8-tetrachlorodibenzo-para-dioxin)	3	69	1997	1997	
	Polychlorinated dibenzofurans (see 2,3,4,7,8-Pentachlorodibenzofuran)	3	69	1997	1997	
262-12-4	Dibenzo-para-dioxin	3	69	1997	1997	
	Coal dust	3	68	1997	1996	
	Human T-cell lymphotropic virus type II	3	67	1996	1996	
	Human immunodeficiency virus type 2 (infection with)	2B	67	1996	1996	
12174-11-7	Palygorskite (Attapulgite) (long fibres, > 5 micrometres)	2B	68	1997	1996	
12174-11-7	Palygorskite (Attapulgite)(short fibres, < 5 micrometres)	3	68	1997	1996	
1318-02-1	Zeolites other than erionite (clinoptilolite, phillipsite,mordenite, non-fibrous Japanese zeolite, synthetic zeolites)	3	68	1997	1996	
13983-17-0	Wollastonite	3	Sup 7, 68	1997	1996	
15501-74-3	Sepiolite	3	Sup 7, 68	1997	1996	
24938-64-5	para-Aramid fibrils	3	68	1997	1996	
25812-30-0	Gemfibrozil	3	66	1996	1996	
26308-28-1	Ripazepam	3	66	1996	1996	
2955-38-6	Prazepam	3	66	1996	1996	
29975-16-4	Estazolam	3	66	1996	1996	
40762-15-0	Doxefazepam	3	66	1996	1996	
439-14-5	Diazepam	3	Sup 7, 66	1996	1996	
57-41-0	Phenytoin	2B	Sup 7, 66	1996	1996	
604-75-1	Oxazepam	2B	Sup 7, 66	1996	1996	
637-07-0	Clofibrate	3	Sup 7, 66	1996	1996	
7631-86-9	Silica, amorphous	3	Sup 7, 68	1997	1996	
82413-20-5	Droloxifene	3	66	1996	1996	
846-50-4	Temazepam	3	66	1996	1996	
89778-26-7	Toremifene	3	66	1996	1996	
	Dry cleaning (occupational exposures in)	2B	63	1995	1995	
	Printing inks	3	65	1996	1995	
	Printing processes (occupational exposures in)	2B	65	1996	1995	
108-05-4	Vinyl acetate	2B	Sup 7, 63	1995	1995	

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
110-00-9	Furan	2B	63	1995	1995	
118-96-7	2,4,6-Trinitrotoluene	3	65	1996	1995	
121-14-2	2,4-Dinitrotoluene	2B	65	1996	1995	
121-73-3	3-Chloronitrobenzene	3	65	1996	1995	
271-89-6	Benzofuran	2B	63	1995	1995	
509-14-8	Tetranitromethane	2B	65	1996	1995	
513-37-1	1-Chloro-2-methylpropene	2B	63	1995	1995	
606-20-2	2,6-Dinitrotoluene	2B	65	1996	1995	
618-85-9	3,5-Dinitrotoluene	3	65	1996	1995	
81-15-2	Musk xylene	3	65	1996	1995	
83-66-9	Musk ambrette	3	65	1996	1995	
96-18-4	1,2,3-Trichloropropane	2A	63	1995	1995	
98-01-1	Furfural	3	63	1995	1995	
98-95-3	Nitrobenzene	2B	65	1996	1995	
99-08-1, 99-99-0	Nitrotoluenes	3	65	1996	1995	
	Opisthorchis felineus (infection with)	3	61	1994	1994	
	Schistosoma japonicum (infection with)	2B	61	1994	1994	
	Schistosoma mansoni (infection with)	3	61	1994	1994	
100-40-3	4-Vinylcyclohexene	2B	Sup 7, 60	1994	1994	
106-87-6	4-Vinylcyclohexene diepoxide	2B	Sup 7, 60	1994	1994	
115-07-1	Propylene	3	Sup 7, 60	1994	1994	
25013-15-4	Vinyl toluene	3	60	1994	1994	
75-56-9	Propylene oxide	2B	Sup 7, 60	1994	1994	
79-06-1	Acrylamide	2A	60, Sup 7	1994	1994	NB Overall evaluation upgraded to Group 2A with supporting evidence from other relevant data
80-62-6	Methyl methacrylate	3	Sup 7, 60	1994	1994	
	Art glass, glass containers and pressed ware (manufacture of)	2A	58	1993	1993	
	Flat-glass and specialty glass (manufacture of)	3	58	1993	1993	
	Methylmercury compounds	2B	58	1993	1993	NB Evaluated as a group
7439-97-6	Mercury and inorganic mercury compounds	3	58	1993	1993	
	Fusarium graminearum, F. culmorum, and F. crookwellense, toxins derived from (zearalenone, deoxynivalenol,	3	Sup 7, 56	1993	1992	

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
	nivalenol, and fusarenone X)					
	Fusarium sporotrichioides, toxins derived from (T-2 toxin)	3	56	1993	1992	
	Fluorescent lighting	3	55	1992	1992	
	Pickled vegetables (traditional Asian)	2B	56	1993	1992	
105650-23-5	PhIP (2-Amino-1-methyl-6-phenylimidazo[4,5-b]pyridine)	2B	56	1993	1992	
106-47-8	para-Chloroaniline	2B	57	1993	1992	
116355-83-0	Fusarium moniliforme, toxins derived from (fumonisin B1, fumonisin B2, and fusarin C)	2B	56	1993	1992	
121-69-7	N,N-Dimethylaniline	3	57	1993	1992	
121-88-0	2-Amino-5-nitrophenol	3	57	1993	1992	
2425-85-6	CI Pigment Red 3	3	57	1993	1992	
2429-74-5	CI Direct Blue 15	2B	57	1993	1992	
2784-94-3	HC Blue No. 1	2B	57	1993	1992	
2871-01-4	HC Red No. 3	3	57	1993	1992	
303-47-9	Ochratoxin A	2B	Sup 7, 56	1993	1992	
331-39-5	Caffeic acid	2B	56	1993	1992	
33229-34-4	HC Blue No. 2	3	57	1993	1992	
5160-02-1	D & C Red No. 9	3	Sup 7, 57	1993	1992	
5307-14-2	1,4-Diamino-2-nitrobenzene	3	Sup 7, 57	1993	1992	
59820-43-8	HC Yellow No. 4	3	57	1993	1992	
6373-74-6	CI Acid Orange 3	3	57	1993	1992	
6459-94-5	CI Acid Red 114	2B	57	1993	1992	
76180-96-6	IQ (2-Amino-3-methylimidazo[4,5-f]quinoline)	2A	Sup 7, 56	1993	1992	NB Overall evaluation upgraded to Group 2A with supporting evidence from other relevant data
77094-11-2	MelQ (2-Amino-3,4-dimethylimidazo[4,5-f]quinoline)	2B	Sup 7, 56	1993	1992	
77500-04-0	MelQx (2-Amino-3,8-dimethylimidazo[4,5-f]quinoxaline)	2B	Sup 7, 56	1993	1992	
87-62-7	2,6-Dimethylaniline (2,6-Xylidine)	2B	57	1993	1992	
99-57-0	2-Amino-4-nitrophenol	3	57	1993	1992	
	Bisulfites	3	54	1992	1991	
	Metabisulfites	3	54	1992	1991	
	Sulfites	3	54	1992	1991	
7446-09-5	Sulfur dioxide	3	54	1992	1991	
7647-01-0	Hydrochloric acid	3	54	1992	1991	
	Chlorinated drinking-water	3	52	1991	1990	
	Hypochlorite salts	3	52	1991	1990	

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
	Non-arsenical insecticides (occupational exposures in spraying and application of)	2A	53	1991	1990	
	Tea	3	51	1991	1990	
116-06-3	Aldicarb	3	53	1991	1990	
137-26-8	Thiram	3	Sup 7, 53	1991	1990	
137-30-4	Ziram	3	Sup 7, 53	1991	1990	
150-68-5	Monuron	3	Sup 7, 53	1991	1990	
1582-09-8	Trifluralin	3	53	1991	1990	
1918-02-1	Picloram	3	53	1991	1990	
2425-06-1	Captafol	2A	53	1991	1990	NB Overall evaluation upgraded to Group 2A with supporting evidence from other relevant data
51630-58-1	Fenvalerate	3	53	1991	1990	
52645-53-1	Permethrin	3	53	1991	1990	
52918-63-5	Deltamethrin	3	53	1991	1990	
58-08-2	Caffeine	3	51	1991	1990	
58-55-9	Theophylline	3	51	1991	1990	
62-73-7	Dichlorvos	2B	Sup 7, 53	1991	1990	
7758-19-2	Sodium chlorite	3	52	1991	1990	
78-98-8	Methylglyoxal	3	51	1991	1990	
83-67-0	Theobromine	3	51	1991	1990	
	Chlorinated paraffins of average carbon chain length C12 and average degree of chlorination approximately 60%	2B	48	1990	1989	
	Textile manufacturing industry (work in)	2B	48	1990	1989	
115-28-6	Chlorendic acid	2B	48	1990	1989	
117-10-2	Dantron (Chrysazin; 1,8-Dihydroxyanthraquinone)	2B	50	1990	1989	
128-66-5	Vat Yellow 4	3	48	1990	1989	
16065-83-1	Chromium (III) compounds	3	49	1990	1989	
2475-45-8	Disperse Blue 1	2B	48	1990	1989	
2832-40-8	Disperse Yellow 3	3	48	1990	1989	
29069-24-7	Prednimustine	3	50	1990	1989	
320-67-2	Azacitidine	2A	50	1990	1989	NB Overall evaluation upgraded to Group 2A with supporting evidence from

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
						other relevant data
51481-61-9	Cimetidine	3	50	1990	1989	
54-31-9	Furosemide (Frusemide)	3	50	1990	1989	
54749-90-5	Chlorozotocin	2A	50	1990	1989	NB Overall evaluation upgraded to Group 2A with supporting evidence from other relevant data
56-75-7	Chloramphenicol	2A	Sup 7, 50	1990	1989	NB Overall evaluation upgraded to Group 2A with supporting evidence from other relevant data
59-87-0	Nitrofurural (Nitrofurazone)	3	50	1990	1989	
67-20-9	Nitrofurantoin	3	50	1990	1989	
69-53-4	Ampicillin	3	50	1990	1989	
7440-02-0	Nickel, metallic	2B	Sup 7, 49	1990	1989	
7440-47-3	Chromium, metallic	3	Sup 7, 49	1990	1989	
817-09-4	Trichlormethine (Trimustine hydrochloride)	2B	Sup 7, 50	1990	1989	
99-55-8	5-Nitro-ortho-toluidine	3	48	1990	1989	
	Diesel fuel, marine	2B	45	1989	1988	NB Overall evaluation upgraded to Group 2B with supporting evidence from other relevant data
	Diesel fuels, distillate (light)	3	45	1989	1988	
	Fuel oils, distillate (light)	3	45	1989	1988	
	Fuel oils, residual (heavy)	2B	45	1989	1988	
	Aviation gasoline (see also Automotive gasoline, and Gasoline engine exhaust)	2B	45	1989	1988	NB Overall evaluation upgraded to Group 2B with supporting evidence from other relevant data
	Jet fuel	3	45	1989	1988	
	Petroleum refining (occupational exposures in)	2A	45	1989	1988	
	Petroleum solvents	3	47	1989	1988	
20268-51-3	7-Nitrobenz[a]anthracene	3	46	1989	1988	

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
20589-63-3	3-Nitroperylene	3	46	1989	1988	
581-89-5	2-Nitronaphthalene	3	46	1989	1988	
63041-90-7	6-Nitrobenzo[a]pyrene	3	Sup 7, 46	1989	1988	
789-07-1	2-Nitropyrene	3	46	1989	1988	
8002-05-9	Crude oil	3	45	1989	1988	
86-57-7	1-Nitronaphthalene	3	46	1989	1988	
	Acrylic fibres	3	19, Sup 7	1987	1987	
	Acrylonitrile-butadiene-styrene copolymers	3	19, Sup 7	1987	1987	
	Anaesthetics, volatile	3	11, Sup 7	1987	1987	
	Androgenic (anabolic) steroids	2A	Sup 7	1987	1987	
	Boot and shoe manufacture and repair (see Leather dust, Benzene)		25, Sup 7	1987	1987	
	Bracken fern	2B	40, Sup 7	1987	1987	
	Carpentry and joinery	2B	25, Sup 7	1987	1987	
	Chlorophenoxy herbicides	2B	41, Sup 7	1987	1987	
	Furniture and cabinet making (see Wood dust)		25, Sup 7	1987	1987	
	Hexachlorocyclohexanes	2B	20, Sup 7	1987	1987	
	Leather goods manufacture (see also Leather dust)	3	25, Sup 7	1987	1987	
	Leather tanning and processing	3	25, Sup 7	1987	1987	
	Lumber and sawmill industries (including logging)	3	25, Sup 7	1987	1987	
	Modacrylic fibres	3	19, Sup 7	1987	1987	
	Proflavine salts	3	24, Sup 7	1987	1987	
	Progestins (see also Progestogen-only contraceptives)	2B	Sup 7	1987	1987	
	Pulp and paper manufacture	3	25, Sup 7	1987	1987	
100-75-4	N-Nitrosopiperidine	2B	17, Sup 7	1987	1987	
10048-13-2	Sterigmatocystin	2B	10, Sup 7	1987	1987	
10048-32-5	Parasorbic acid	3	10, Sup 7	1987	1987	
101-21-3	Chloropropham	3	12, Sup 7	1987	1987	
101-25-7	Dinitrosopentamethylenetetramine	3	11, Sup 7	1987	1987	
101-77-9	4,4'-Methylenedianiline	2B	39, Sup	1987	1987	

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
			7			
101-80-4	4,4'-Diaminodiphenyl ether	2B	29, Sup 7	1987	1987	
102-50-1	meta-Cresidine	3	27, Sup 7	1987	1987	
103-03-7	Phenicarbazide	3	12, Sup 7	1987	1987	
103-33-3	Azobenzene	3	8, Sup 7	1987	1987	
10380-28-6	Copper 8-hydroxyquinoline	3	15, Sup 7	1987	1987	
104-94-9	para-Anisidine	3	27, Sup 7	1987	1987	
10595-95-6	N-Nitrosomethylethylamine	2B	17, Sup 7	1987	1987	
106-50-3	para-Phenylenediamine	3	16, Sup 7	1987	1987	
1072-52-2	2-(1-Aziridinyl)ethanol	3	9, Sup 7	1987	1987	
108-30-5	Succinic anhydride	3	15, Sup 7	1987	1987	
108-45-2	meta-Phenylenediamine	3	16, Sup 7	1987	1987	
11056-06-7	Bleomycins	2B	26, Sup 7	1987	1987	NB Overall evaluation upgraded to Group 2B with supporting evidence from other relevant data
1143-38-0	Dithranol	3	13, Sup 7	1987	1987	
115-02-6	Azaserine	2B	10, Sup 7	1987	1987	
115-32-2	Dicofol	3	30, Sup 7	1987	1987	
117-79-3	2-Aminoanthraquinone	3	27, Sup 7	1987	1987	
118-92-3	Anthranilic acid	3	16, Sup 7	1987	1987	
119-34-6	4-Amino-2-nitrophenol	3	16, Sup 7	1987	1987	
119-90-4	3,3'-Dimethoxybenzidine (ortho-Dianisidine)	2B	4, Sup 7	1987	1987	
119-93-7	3,3'-Dimethylbenzidine (ortho-Tolidine)	2B	1, Sup 7	1987	1987	
120-58-1	Isosafrole	3	10, Sup 7	1987	1987	
120-71-8	para-Cresidine	2B	27, Sup 7	1987	1987	
121-66-4	2-Amino-5-nitrothiazole	3	31, Sup 7	1987	1987	
12122-67-7	Zineb	3	12, Sup	1987	1987	

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
			7			
12192-57-3	Aurothioglucose	3	13, Sup 7	1987	1987	
122-42-9	Propham	3	12, Sup 7	1987	1987	
123-33-1	Maleic hydrazide	3	4, Sup 7	1987	1987	
12427-38-2	Maneb	3	12, Sup 7	1987	1987	
126-85-2	Nitrogen mustard N-oxide	2B	9, Sup 7	1987	1987	
12663-46-6	Cyclochlorotine	3	10, Sup 7	1987	1987	
127-69-5	Sulfafurazole (Sulfisoxazole)	3	24, Sup 7	1987	1987	
128-37-0	Butylated hydroxytoluene (BHT)	3	40, Sup 7	1987	1987	
129-15-7	2-Methyl-1-nitroanthraquinone (uncertain purity)	2B	27, Sup 7	1987	1987	
129-17-9	Blue VRS	3	16, Sup 7	1987	1987	
129-20-4	Oxyphenbutazone	3	13, Sup 7	1987	1987	
13010-47-4	1-(2-Chloroethyl)-3-cyclohexyl-1-nitrosourea (CCNU) (Lomustine)	2A	26, Sup 7	1987	1987	NB Overall evaluation upgraded to Group 2A with supporting evidence from other relevant data
13045-94-8	Medphalan	3	9, Sup 7	1987	1987	
1309-37-1	Ferric oxide	3	1, Sup 7	1987	1987	
131-79-3	Yellow OB	3	8, Sup 7	1987	1987	
1317-60-8	Haematite	3	1, Sup 7	1987	1987	
13256-22-9	N-Nitrososarcosine	2B	17, Sup 7	1987	1987	
13292-46-1	Rifampicin	3	24, Sup 7	1987	1987	
133-06-2	Captan	3	30, Sup 7	1987	1987	
1338-16-5	Iron sorbitol-citric acid complex	3	2, Sup 7	1987	1987	
134-32-7	1-Naphthylamine	3	4, Sup 7	1987	1987	
135-88-6	N-Phenyl-2-naphthylamine	3	16, Sup 7	1987	1987	
136-40-3	Phenazopyridine hydrochloride	2B	24, Sup 7	1987	1987	
137-17-7	2,4,5-Trimethylaniline	3	27, Sup 7	1987	1987	
138-59-0	Shikimic acid	3	40, Sup 7	1987	1987	
139-65-1	4,4'-Thiodianiline	2B	27, Sup 7	1987	1987	

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
139-94-6	Nithiazide	3	31, Sup 7	1987	1987	
140-56-7	para-Dimethylaminoazobenzenediazo sodium sulfonate	3	8, Sup 7	1987	1987	
140-57-8	Aramite®	2B	5, Sup 7	1987	1987	
1401-55-4	Tannic acid and tannins	3	10, Sup 7	1987	1987	
143-50-0	Chlordecone (Kepone)	2B	20, Sup 7	1987	1987	
143-67-9	Vinblastine sulfate	3	26, Sup 7	1987	1987	
144-34-3	Methyl selenac	3	12, Sup 7	1987	1987	
14484-64-1	Ferbam	3	12, Sup 7	1987	1987	
148-18-5	Sodium diethyldithiocarbamate	3	12, Sup 7	1987	1987	
148-24-3	8-Hydroxyquinoline	3	13, Sup 7	1987	1987	
149-29-1	Patulin	3	40, Sup 7	1987	1987	
14901-08-7	Cycasin	2B	10, Sup 7	1987	1987	
150-13-0	para-Aminobenzoic acid	3	16, Sup 7	1987	1987	
150-69-6	Dulcin	3	12, Sup 7	1987	1987	
15086-94-9	Eosin	3	15, Sup 7	1987	1987	
154-93-8	Bischloroethyl nitrosourea (BCNU) (Carmustine)	2A	26, Sup 7	1987	1987	
15503-86-3	Isatidine	3	10, Sup 7	1987	1987	
156-10-5	para-Nitrosodiphenylamine	3	27, Sup 7	1987	1987	
156-51-4	Phenelzine sulfate	3	24, Sup 7	1987	1987	
15663-27-1	Cisplatin	2A	26, Sup 7	1987	1987	NB Overall evaluation upgraded to Group 2A with supporting evidence from other relevant data
15721-02-5	2,2',5,5'-Tetrachlorobenzidine	3	27, Sup 7	1987	1987	
16568-02-8	Gyromitrin	3	31, Sup 7	1987	1987	
1689-82-3	4-Hydroxyazobenzene	3	8, Sup 7	1987	1987	
1694-09-3	Benzyl violet 4B	2B	16, Sup 7	1987	1987	

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
16984-48-8	Fluorides (inorganic, used in drinking-water)	3	27, Sup 7	1987	1987	
1836-75-5	Nitrofen (technical-grade)	2B	30, Sup 7	1987	1987	
18883-66-4	Streptozotocin	2B	17, Sup 7	1987	1987	
1936-15-8	CI Orange G	3	8, Sup 7	1987	1987	
20073-24-9	3-Carbethoxypsoralen	3	40, Sup 7	1987	1987	
2068-78-2	Vincristine sulfate	3	26, Sup 7	1987	1987	
20830-81-3	Daunomycin (Daunorubicin)	2B	10, Sup 7	1987	1987	
20941-65-5	Ethyl tellurac	3	12, Sup 7	1987	1987	
21259-20-1	T2-Trichothecene	3	31, Sup 7	1987	1987	
2164-17-2	Fluometuron	3	30, Sup 7	1987	1987	
2168-68-5	Bis(1-aziridiny)morpholinophosphine sulfide	3	9, Sup 7	1987	1987	
21884-44-6	Luteoskyrin	3	10, Sup 7	1987	1987	
2243-62-1	1,5-Naphthalenediamine	3	27, Sup 7	1987	1987	
22571-95-5	Symphytine	3	31, Sup 7	1987	1987	
22966-79-6	Oestradiol mustard	3	9, Sup 7	1987	1987	
22975-76-4	4,4'-Dimethylangelicin plus ultraviolet A radiation	3	Sup 7	1987	1987	
2303-16-4	Diallate	3	30, Sup 7	1987	1987	
2318-18-5	Senkirkine	3	31, Sup 7	1987	1987	
23214-92-8	Adriamycin (Doxorubicin)	2A	10, Sup 7	1987	1987	NB Overall evaluation upgraded to Group 2A with supporting evidence from other relevant data
23255-93-8	Hycanthone mesylate	3	13, Sup 7	1987	1987	
2353-45-9	Fast Green FCF	3	16, Sup 7	1987	1987	
23537-16-8	Rugulosin	3	40, Sup 7	1987	1987	
23746-34-1	Potassium bis(2-hydroxyethyl)dithiocarbamate	3	12, Sup 7	1987	1987	
2385-85-5	Mirex	2B	20, Sup 7	1987	1987	

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
2432-99-7	11-Aminoundecanoic acid	3	39, Sup 7	1987	1987	
25013-16-5	Butylated hydroxyanisole (BHA)	2B	40, Sup 7	1987	1987	
25038-54-4	Nylon 6	3	19, Sup 7	1987	1987	
25962-77-0	trans-2- [[Dimethylamino)methylimino]-5-[2-(5-nitro-2-furyl)-vinyl]-1,3,4-oxadiazole	2B	7, Sup 7	1987	1987	
26148-68-5	A-alpha-C (2-Amino-9H-pyrido[2,3-b]indole)	2B	40, Sup 7	1987	1987	
2646-17-5	Oil Orange SS	2B	8, Sup 7	1987	1987	
26782-43-4	Hydroxysenkirkine	3	10, Sup 7	1987	1987	
2757-90-6	Agaritine	3	31, Sup 7	1987	1987	
2783-94-0	Sunset Yellow FCF	3	8, Sup 7	1987	1987	
28434-86-8	3,3'-Dichloro-4,4'-diaminodiphenyl ether	2B	16, Sup 7	1987	1987	
29291-35-8	N-Nitrosofolic acid	3	17, Sup 7	1987	1987	
298-00-0	Methyl parathion	3	30, Sup 7	1987	1987	
303-34-4	Lasiocarpine	2B	10, Sup 7	1987	1987	
30310-80-6	N-Nitrosohydroxyproline	3	17, Sup 7	1987	1987	
3118-97-6	Sudan II	3	8, Sup 7	1987	1987	
314-13-6	Evans blue	3	8, Sup 7	1987	1987	
315-18-4	Zectran	3	12, Sup 7	1987	1987	
315-22-0	Monocrotaline	2B	10, Sup 7	1987	1987	
334-88-3	Diazomethane	3	7, Sup 7	1987	1987	
3564-09-8	Ponceau 3R	2B	8, Sup 7	1987	1987	
3567-69-9	Carmoisine	3	8, Sup 7	1987	1987	
3570-75-0	2-(2-Formylhydrazino)-4-(5-nitro-2-furyl)thiazole	2B	7, Sup 7	1987	1987	
366-70-1	Procarbazine hydrochloride	2A	26, Sup 7	1987	1987	NB Overall evaluation upgraded to Group 2A with supporting evidence from other relevant data
3688-53-7	AF-2 [2-(2-Furyl)-3-(5-nitro-2-furyl)acrylamide]	2B	31, Sup 7	1987	1987	
3761-53-3	Ponceau MX	2B	8, Sup 7	1987	1987	
3771-19-5	Nafenopin	2B	24, Sup 7	1987	1987	
3778-73-2	Isophosphamide	3	26, Sup	1987	1987	

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
			7			
3795-88-8	5-(Morpholinomethyl)-3-[(5-nitrofurfurylidene)amino]-2-oxazolidinone	2B	7, Sup 7	1987	1987	
3844-45-9	Brilliant Blue FCF, disodium salt	3	16, Sup 7	1987	1987	
3902-71-4	4,5',8-Trimethylpsoralen	3	40, Sup 7	1987	1987	
4063-41-6	4,5'-Dimethylangelicin plus ultraviolet A radiation	3	Sup 7	1987	1987	
420-12-2	Ethylene sulfide	3	11, Sup 7	1987	1987	
4342-03-4	Dacarbazine	2B	26, Sup 7	1987	1987	
443-48-1	Metronidazole	2B	13, Sup 7	1987	1987	
4548-53-2	Ponceau SX	3	8, Sup 7	1987	1987	
4549-40-0	N-Nitrosomethylvinylamine	2B	17, Sup 7	1987	1987	
4657-93-6	5-Aminoacenaphthene	3	16, Sup 7	1987	1987	
4680-78-8	Guinea Green B	3	16, Sup 7	1987	1987	
480-54-6	Retrorsine	3	10, Sup 7	1987	1987	
480-81-9	Seneciophylline	3	10, Sup 7	1987	1987	
484-20-8	5-Methoxypsoralen	2A	40, Sup 7	1987	1987	NB Overall evaluation upgraded to Group 2A with supporting evidence from other relevant data
492-17-1	2,4'-Diphenyldiamine	3	16, Sup 7	1987	1987	
493-52-7	Methyl red	3	8, Sup 7	1987	1987	
494-38-2	Acridine orange	3	16, Sup 7	1987	1987	
50-07-7	Mitomycin C	2B	10, Sup 7	1987	1987	
50-33-9	Phenylbutazone	3	13, Sup 7	1987	1987	
50-41-9	Clomiphene citrate	3	21, Sup 7	1987	1987	
50-44-2	6-Mercaptopurine	3	26, Sup 7	1987	1987	
50-55-5	Reserpine	3	24, Sup 7	1987	1987	
50-76-0	Actinomycin D	3	10, Sup 7	1987	1987	

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
51-02-5	Pronetalol hydrochloride	3	13, Sup 7	1987	1987	
51-03-6	Piperonyl butoxide	3	30, Sup 7	1987	1987	
51-18-3	2,4,6-Tris(1-aziridiny)-s-triazine	3	9, Sup 7	1987	1987	
51-21-8	5-Fluorouracil	3	26, Sup 7	1987	1987	
51-75-2	Nitrogen mustard	2A	9, Sup 7	1987	1987	
510-15-6	Chlorobenzilate	3	30, Sup 7	1987	1987	
5131-60-2	4-Chloro-meta-phenylenediamine	3	27, Sup 7	1987	1987	
5141-20-8	Light Green SF	3	16, Sup 7	1987	1987	
518-75-2	Citrinin	3	40, Sup 7	1987	1987	
52-46-0	Apholate	3	9, Sup 7	1987	1987	
52-68-6	Trichlorfon	3	30, Sup 7	1987	1987	
520-18-3	Kaempferol	3	31, Sup 7	1987	1987	
523-44-4	CI Acid Orange 20	3	8, Sup 7	1987	1987	
523-50-2	Angelicin plus ultraviolet A radiation	3	40, Sup 7	1987	1987	
53-03-2	Prednisone	3	26, Sup 7	1987	1987	
531-76-0	Merphalan	2B	9, Sup 7	1987	1987	
531-82-8	N-[4-(5-Nitro-2-furyl)-2-thiazolyl]acetamide	2B	7, Sup 7	1987	1987	
532-82-1	Chrysoidine	3	8, Sup 7	1987	1987	
536-33-4	Ethionamide	3	13, Sup 7	1987	1987	
53973-98-1	Carrageenan, degraded (Poligeenan)	2B	31, Sup 7	1987	1987	
54-05-7	Chloroquine	3	13, Sup 7	1987	1987	
54-85-3	Isonicotinic acid hydrazide (Isoniazid)	3	4, Sup 7	1987	1987	
5431-33-4	Glycidyl oleate	3	11, Sup 7	1987	1987	
545-55-1	Tris(1-aziridinyl)phosphine oxide	3	9, Sup 7	1987	1987	
5456-28-0	Ethyl selenac	3	12, Sup 7	1987	1987	
55-18-5	N-Nitrosodiethylamine	2A	17, Sup 7	1987	1987	NB Overall evaluation upgraded to Group 2A with supporting evidence from other relevant data
551-74-6	Mannomustine dihydrochloride	3	9, Sup 7	1987	1987	

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
555-84-0	1-[(5-Nitrofurfurylidene)amino]-2-imidazolidinone	2B	7, Sup 7	1987	1987	
56-25-7	Cantharidin	3	10, Sup 7	1987	1987	
563-41-7	Semicarbazide hydrochloride	3	12, Sup 7	1987	1987	
57-39-6	Tris(2-methyl-1-aziridiny)phosphine oxide	3	9, Sup 7	1987	1987	
57-88-5	Cholesterol	3	31, Sup 7	1987	1987	
58-14-0	Pyrimethamine	3	13, Sup 7	1987	1987	
59-05-2	Methotrexate	3	26, Sup 7	1987	1987	
59-89-2	N-Nitrosomorpholine	2B	17, Sup 7	1987	1987	
592-62-1	Methylazoxymethanol acetate	2B	10, Sup 7	1987	1987	
598-55-0	Methyl carbamate	3	12, Sup 7	1987	1987	
60-09-3	para-Aminoazobenzene	2B	8, Sup 7	1987	1987	
60-11-7	para-Dimethylaminoazobenzene	2B	8, Sup 7	1987	1987	
60102-37-6	Petasitenine	3	31, Sup 7	1987	1987	
602-60-8	9-Nitroanthracene	3	33, Sup 7	1987	1987	
602-87-9	5-Nitroacenaphthene	2B	16, Sup 7	1987	1987	
609-20-1	2,6-Dichloro-para-phenylenediamine	3	39, Sup 7	1987	1987	
61-57-4	Niridazole	2B	13, Sup 7	1987	1987	
613-35-4	N,N'-Diacetylbenzidine	2B	16, Sup 7	1987	1987	
615-53-2	N-Methyl-N-nitrosourethane	2B	4, Sup 7	1987	1987	
6164-98-3	Chlordimeform	3	30, Sup 7	1987	1987	
62-50-0	Ethyl methanesulfonate	2B	7, Sup 7	1987	1987	
62-55-5	Thioacetamide	2B	7, Sup 7	1987	1987	
62-75-9	N-Nitrosodimethylamine	2A	17, Sup 7	1987	1987	NB Overall evaluation upgraded to Group 2A with supporting evidence from other relevant data
621-64-7	N-Nitrosodi-n-propylamine	2B	17, Sup 7	1987	1987	
62450-06-0	Trp-P-1 (3-Amino-1,4-dimethyl-5H-pyrido[4,3-b]indole)	2B	31, Sup 7	1987	1987	
62450-07-1	Trp-P-2 (3-Amino-1-methyl-5H-	2B	31, Sup	1987	1987	

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
	pyrido[4,3-b]indole)		7			
627-12-3	n-Propyl carbamate	3	12, Sup 7	1987	1987	
63-25-2	Carbaryl	3	12, Sup 7	1987	1987	
63-92-3	Phenoxybenzamine hydrochloride	2B	24, Sup 7	1987	1987	
6358-53-8	Citrus Red No. 2	2B	8, Sup 7	1987	1987	
6368-72-5	Sudan Red 7B	3	8, Sup 7	1987	1987	
6416-57-5	Sudan Brown RR	3	8, Sup 7	1987	1987	
66-75-1	Uracil mustard	2B	9, Sup 7	1987	1987	
67-45-8	Furazolidone	3	31, Sup 7	1987	1987	
67730-10-3	Glu-P-2 (2-Aminodipyrido[1,2-a:3',2'-d]imidazole)	2B	40, Sup 7	1987	1987	
67730-11-4	Glu-P-1 (2-Amino-6-methyldipyrido[1,2-a:3',2'-d]imidazole)	2B	40, Sup 7	1987	1987	
68-76-8	Tris(aziridiny)-para-benzoquinone (Triaziquone)	3	9, Sup 7	1987	1987	
68006-83-7	MeA-alpha-C (2-Amino-3-methyl-9H-pyrido[2,3-b]indole)	2B	40, Sup 7	1987	1987	
684-93-5	N-Methyl-N-nitrosourea	2A	17, Sup 7	1987	1987	NB Overall evaluation upgraded to Group 2A with supporting evidence from other relevant data
6870-67-3	Jacobine	3	10, Sup 7	1987	1987	
70-25-7	N-Methyl-N'-nitro-N-nitrosoguanidine (MNNG)	2A	4, Sup 7	1987	1987	NB Overall evaluation upgraded to Group 2A with supporting evidence from other relevant data
70-30-4	Hexachlorophene	3	20, Sup 7	1987	1987	
712-68-5	2-Amino-5-(5-nitro-2-furyl)-1,3,4-thiadiazole	2B	7, Sup 7	1987	1987	
72-20-8	Endrin	3	5, Sup 7	1987	1987	
72-43-5	Methoxychlor	3	20, Sup 7	1987	1987	
72-57-1	Trypan blue	2B	8, Sup 7	1987	1987	
73459-03-7	5-Methylangelicin plus ultraviolet A radiation	3	Sup 7	1987	1987	
7439-92-1	Lead	2B	23, Sup 7	1987	1987	
7460-84-6	Glycidyl stearate	3	11, Sup 7	1987	1987	

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
7519-36-0	N-Nitrosoproline	3	17, Sup 7	1987	1987	
759-73-9	N-Ethyl-N-nitrosourea	2A	17, Sup 7	1987	1987	NB Overall evaluation upgraded to Group 2A with supporting evidence from other relevant data
7782-49-2	Selenium and selenium compounds	3	9, Sup 7	1987	1987	
794-93-4	Dihydroxymethylfuratrizine (see also Panfuran S)	3	24, Sup 7	1987	1987	
794-93-4	Panfuran S (containing dihydroxymethylfuratrizine)	2B	24, Sup 7	1987	1987	
80-08-0	Dapsone	3	24, Sup 7	1987	1987	
800-24-8	Aziridyl benzoquinone	3	9, Sup 7	1987	1987	
8001-50-1	Terpene polychlorinates (Strobane®)	3	5, Sup 7	1987	1987	
8007-45-2	Coal tars (see Coal-tar distillation)		35, Sup 7	1987	1987	
8018-07-3	Acriflavinium chloride	3	13, Sup 7	1987	1987	
804-36-4	Nitrovin	3	31, Sup 7	1987	1987	
8047-67-4	Saccharated iron oxide	3	2, Sup 7	1987	1987	
81-88-9	Rhodamine B	3	16, Sup 7	1987	1987	
82-28-0	1-Amino-2-methylantraquinone	3	27, Sup 7	1987	1987	
82-68-8	Quintozene (Pentachloronitrobenzene)	3	5, Sup 7	1987	1987	
828-00-2	Dimethoxane	3	15, Sup 7	1987	1987	
83-63-6	Diacetylaminoazotoluene	3	8, Sup 7	1987	1987	
838-88-0	4,4'-Methylene bis(2-methylaniline)	2B	4, Sup 7	1987	1987	
842-07-9	Sudan I	3	8, Sup 7	1987	1987	
85-83-6	Scarlet Red	3	8, Sup 7	1987	1987	
85-84-7	Yellow AB	3	8, Sup 7	1987	1987	
85-86-9	Sudan III	3	8, Sup 7	1987	1987	
85878-62-2	Pyrido[3,4-c]psoralen	3	40, Sup 7	1987	1987	
85878-63-3	7-Methylpyrido[3,4-c]psoralen	3	40, Sup 7	1987	1987	
86-30-6	N-Nitrosodiphenylamine	3	27, Sup 7	1987	1987	
86-54-4	Hydralazine	3	24, Sup 7	1987	1987	
86-88-4	1-Naphthylthiourea (ANTU)	3	30, Sup 7	1987	1987	
87625-62-5	Ptaquiloside	3	40, Sup	1987	1987	

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
			7			
88-05-1	2,4,6-Trimethylaniline	3	27, Sup 7	1987	1987	
892-21-7	3-Nitrofluoranthene	3	33, Sup 7	1987	1987	
90-65-3	Penicillic acid	3	10, Sup 7	1987	1987	
9000-07-1	Carrageenan, native	3	31, Sup 7	1987	1987	
9002-84-0	Polytetrafluoroethylene	3	19, Sup 7	1987	1987	
9002-86-2	Polyvinyl chloride	3	19, Sup 7	1987	1987	
9002-88-4	Polyethylene	3	19, Sup 7	1987	1987	
9002-89-5	Polyvinyl alcohol	3	19, Sup 7	1987	1987	
9003-01-4	Polyacrylic acid	3	19, Sup 7	1987	1987	
9003-07-0	Polypropylene	3	19, Sup 7	1987	1987	
9003-20-7	Polyvinyl acetate	3	19, Sup 7	1987	1987	
9003-22-9	Vinyl chloride-vinyl acetate copolymers	3	19, Sup 7	1987	1987	
9003-53-6	Polystyrene	3	19, Sup 7	1987	1987	
9003-54-7	Styrene-acrylonitrile copolymers	3	19, Sup 7	1987	1987	
9003-55-8	Styrene-butadiene copolymers	3	19, Sup 7	1987	1987	
9004-51-7	Iron-dextrin complex	3	2, Sup 7	1987	1987	
9004-66-4	Iron-dextran complex	2B	2, Sup 7	1987	1987	
9009-54-5	Polyurethane foams	3	19, Sup 7	1987	1987	NB This CAS No. has been deleted.
9010-98-4	Polychloroprene	3	19, Sup 7	1987	1987	
9011-06-7	Vinylidene chloride-vinyl chloride copolymers	3	19, Sup 7	1987	1987	
9011-14-7	Polymethyl methacrylate	3	19, Sup 7	1987	1987	
9016-87-9	Polymethylene polyphenyl isocyanate	3	19, Sup 7	1987	1987	
90370-29-9	4,4',6-Trimethylangelicin plus ultraviolet A radiation	3	Sup 7	1987	1987	
91-93-0	3,3'-Dimethoxybenzidine-4,4'-diisocyanate	3	39, Sup 7	1987	1987	
91-94-1	3,3'-Dichlorobenzidine	2B	29, Sup 7	1987	1987	
915-67-3	Amaranth	3	8, Sup 7	1987	1987	

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
92-93-3	4-Nitrobiphenyl	3	4, Sup 7	1987	1987	
924-16-3	N-Nitrosodi-n-butylamine	2B	17, Sup 7	1987	1987	
930-55-2	N-Nitrosopyrrolidine	2B	17, Sup 7	1987	1987	
94-58-6	Dihydrosafrole	2B	10, Sup 7	1987	1987	
94-59-7	Safrole	2B	10, Sup 7	1987	1987	
95-06-7	Sulfallate	2B	30, Sup 7	1987	1987	
95-68-1	2,4-Xylidine	3	16, Sup 7	1987	1987	
95-70-5	2,5-Diaminotoluene	3	16, Sup 7	1987	1987	
95-78-3	2,5-Xylidine	3	16, Sup 7	1987	1987	
95-80-7	2,4-Diaminotoluene	2B	16, Sup 7	1987	1987	
95-83-0	4-Chloro-ortho-phenylenediamine	2B	27, Sup 7	1987	1987	
97-53-0	Eugenol	3	36, Sup 7	1987	1987	
97-56-3	ortho-Aminoazotoluene	2B	8, Sup 7	1987	1987	
97-77-8	Disulfiram	3	12, Sup 7	1987	1987	
989-38-8	Rhodamine 6G	3	16, Sup 7	1987	1987	
99-56-9	1,2-Diamino-4-nitrobenzene	3	16, Sup 7	1987	1987	
99-59-2	5-Nitro-ortho-anisidine	3	27, Sup 7	1987	1987	
99-80-9	N-Methyl-N,4-dinitrosoaniline	3	1, Sup 7	1987	1987	
	Nickel refining (see Nickel compounds)		11	1976	1976	
	Alpha particles (see Radionuclides)					
	Beta particles (see Radionuclides)					
	Chlorophenols (see Polychlorophenols)					
	Cobalt and cobalt compounds, see Soluble cobalt(II) salts, Cobalt metal (without tungsten carbide or other metal alloys), Cobalt(II) oxide, Cobalt(II,III) oxide, Cobalt(II) sulfide, and Other cobalt(II) compounds (not including Soluble cobalt(II) salts, Cobalt(II) oxide, Cobalt(II,III) oxide, or Cobalt(II) sulfide)					
	Cobalt metal without tungsten carbide, see Cobalt metal (without tungsten carbide or other metal alloys)					

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
	Cobalt sulfate and other soluble cobalt(II) salts, see Soluble cobalt(II) salts					
	Continuous glass filament (see Glass filament)					
	Depleted uranium (see Radionuclides, alpha-particle-emitting, internally deposited)					
	Diesel engine exhaust (see Engine exhaust, diesel)					
	Dyes metabolized to benzidine (see Benzidine, dyes metabolized to)					
	Foreign bodies (see Ceramic implants, Dental materials, Implanted foreign bodies, Metallic implants, Organic polymeric materials, Orthopaedic implants, Polymeric implants, Silicone breast implants)					
	Gamma-Radiation (see X- and Gamma-Radiation)					
	Gasoline engine exhaust (see Engine exhaust, gasoline)					
	High-temperature frying (see Frying)					
	Household combustion of biomass fuel (see Biomass fuel, indoor emissions from household combustion of)					
	Household combustion of coal (see Coal, indoor emissions from household combustion)					
	Human herpesvirus type 4 (see Epstein-Barr virus)					
	Human herpesvirus type 8 (see Kaposi sarcoma herpesvirus)					
	Involuntary smoking (see Tobacco smoke, secondhand)					
	Mate, hot (see Very hot beverages)					
	Oestrogen (see Estrogen)					
	Oral contraceptives, combined estrogen-progestogen (see Estrogen-progestogen oral contraceptives)					
	Oxymetholone (see Androgenic (anabolic) steroids)					
	Particulate matter in outdoor air pollution (see Outdoor air pollution, particulate matter in)					
	Paving and roofing with coal-tar pitch (see Coal-tar pitch)			35, Sup 7, 92, 100F		
	Sunlamps and sunbeds (see Ultraviolet-emitting tanning devices)					
	Surgical implants (see Ceramic implants, Dental materials, Implanted					

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
	foreign bodies, Metallic implants, Organic polymeric materials, Orthopaedic implants, Polymeric implants, Silicone breast implants)					
	Testosterone (see Androgenic (anabolic) steroids)					
	Toxins derived from certain Fusarium species (see Fusarium)					
	Urethane (see Ethyl carbamate)					
	Wood smoke (see Biomass fuel, indoor emissions from household combustion)					
10043-66-0	Iodine-131 (see Radioiodines)					
10098-97-2	Strontium-90 (see Fission products)					
103-90-2	Acetaminophen (see Paracetamol)					
107-30-2	Chloromethyl methyl ether (see Bis(chloromethyl)ether; chloromethyl methyl ether)					
117-81-7	Bis(2-ethylhexyl) phthalate (see Di(2-ethylhexyl) phthalate)					
12070-12-1, 7440-48-4	Tungsten carbide with cobalt metal (see Cobalt metal with tungsten carbide)					
12174-11-7	Attapulgit (see Palygorskite)					
124-58-3	Monomethylarsonic acid (see Methylarsonic acid)					
1309-64-4	Antimony trioxide, see Trivalent antimony					
1345-04-6	Antimony trisulfide, see Trivalent antimony					
1464-53-5	1,2:3,4-Diepoxybutane (see 1,3-Butadiene)			11, Sup 7		
16071-86-6	CI Direct Brown 95 (see Benzidine, dyes metabolized to)					
1936-15-8	Orange G (see CI Orange G)					
1937-37-7	CI Direct Black 38 (see Benzidine, dyes metabolized to)					
2602-46-2	CI Direct Blue 6 (see Benzidine, dyes metabolized to)					
308068-56-6	Multiwalled carbon nanotubes MWCNT-7 (see Carbon nanotubes, multiwalled MWCNT-7)					
308068-56-6	Multiwalled carbon nanotubes other than MWCNT-7 (see Carbon nanotubes, multiwalled, other than MWCNT-7)					
308068-56-6	Single-walled carbon nanotubes (see Carbon nanotubes, single-walled)					
309-00-2	Aldrin (see Dieldrin, and aldrin metabolized to dieldrin)					
494-03-1	N,N-Bis(2-chloroethyl)-2-naphthylamine (see Chlornaphazine)					

CAS No.	Agent	Group	Volume	Volume publication year	Evaluation year	Additional information
505-60-2	Mustard gas (see Sulfur mustard)					
523-44-4	Orange I (see Cl Acid Orange 20)					
53973-98-1	Poligeenan (see Carrageenan, degraded)					
55-98-1	1,4-Butanediol dimethanesulfonate (see Busulfan)					
55-98-1	Myleran (see Busulfan)					
60-57-1	Dieldrin (see Dieldrin, and aldrin metabolized to dieldrin)					
7664-93-9	Strong-inorganic-acid mists containing sulfuric acid (see Acid mists)					
8052-42-4	Bitumens, extracts of steam-refined and air-refined; steam-refined, cracking-residue and air-refined bitumens (see Bitumens, occupational exposures)					
88-73-3, 121-73-3, 100-00-5	Chloronitrobenzenes (see 2-Chloronitrobenzene, 3-Chloronitrobenzene, 4-Chloronitrobenzene)					

Last updated: 2025-06-27 11:29 (CET)