



2024/2188

4.9.2024

COMMISSION IMPLEMENTING REGULATION (EU) 2024/2188

of 3 September 2024

granting a Union authorisation for the biocidal product family 'Kersia's Lactic acid based products' in accordance with Regulation (EU) No 528/2012 of the European Parliament and of the Council

(Text with EEA relevance)

THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products ⁽¹⁾, and in particular Article 44(5), first subparagraph, thereof,

Whereas:

- (1) On 26 April 2019, HYPRED SAS submitted to the European Chemicals Agency ('the Agency') an application in accordance with Article 43(1) of Regulation (EU) No 528/2012 for a Union authorisation of a biocidal product family named 'Kersia's Lactic acid based products' of product-type 3, as described in Annex V to that Regulation, providing written confirmation that the competent authority of the Netherlands had agreed to evaluate the application. The application was recorded under case number BC-CH051281-59 in the Register for Biocidal Products.
- (2) 'Kersia's Lactic acid based products' contains L-(+)-lactic acid as the active substance, included in the Union list of approved active substances referred to in Article 9(2) of Regulation (EU) No 528/2012 for product-type 3.
- (3) On 30 November 2022, the evaluating competent authority submitted, in accordance with Article 44(1) of Regulation (EU) No 528/2012, an assessment report and the conclusions of its evaluation to the Agency.
- (4) On 30 June 2023, the Agency submitted to the Commission its opinion ⁽²⁾, the draft summary of the biocidal product characteristics ('SPC') of 'Kersia's Lactic acid based products' and the final assessment report on the biocidal product family, in accordance with Article 44(3) of Regulation (EU) No 528/2012.
- (5) The opinion concludes that 'Kersia's Lactic acid based products' is a biocidal product family within the meaning of Article 3(1), point (s), of Regulation (EU) No 528/2012, that it is eligible for Union authorisation in accordance with Article 42(1) of that Regulation and that, subject to compliance with the draft SPC, it meets the conditions laid down in Article 19(1) and (6) of that Regulation. The opinion does not recommend the authorisation of the use of the products as teat disinfectants applied prior to milking, due to an exceedance of the acceptable daily intake of a co-formulant contained in all products of the biocidal product family 'Kersia's Lactic acid based products'.
- (6) On 13 July 2023, the Agency transmitted to the Commission the draft SPC in all the official languages of the Union in accordance with Article 44(4) of Regulation (EU) No 528/2012.
- (7) The Commission concurs with the opinion of the Agency and considers it therefore appropriate to grant a Union authorisation for the biocidal product family 'Kersia's Lactic acid based products' in accordance with the recommendations in that opinion.
- (8) The measures provided for in this Regulation are in accordance with the opinion of the Standing Committee on Biocidal Products,

⁽¹⁾ OJ L 167, 27.6.2012, p. 1, ELI: <http://data.europa.eu/eli/reg/2012/528/oj>.

⁽²⁾ Opinion of the Biocidal Products Committee of 6 June 2023 on the Union authorisation of 'Kersia's Lactic acid based products' (ECHA/BPC/381/2023), <https://echa.europa.eu/opinions-on-union-authorisation>.

HAS ADOPTED THIS REGULATION:

Article 1

A Union authorisation with authorisation number EU-0031195-0000 is hereby granted to HYPRED SAS for the making available on the market and use of the biocidal product family 'Kersia's Lactic acid based products' subject to compliance with the summary of the biocidal product characteristics set out in the Annex.

The Union authorisation is valid from 24 September 2024 to 31 August 2034.

Article 2

This Regulation shall enter into force on the twentieth day following that of its publication in the *Official Journal of the European Union*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 3 September 2024.

For the Commission
The President
Ursula VON DER LEYEN

ANNEX

SUMMARY OF PRODUCT CHARACTERISTICS FOR A BIOCIDAL PRODUCT FAMILY

Kersia’s Lactic acid based products

Product type(s): PT03: Veterinary hygiene
Authorisation number: EU-0031195-0000
R4BP asset number: EU-0031195-0000

PART I

FIRST INFORMATION LEVEL

1. ADMINISTRATIVE INFORMATION

1.1. Family name

Name	Kersia's Lactic acid based products
------	-------------------------------------

1.2. Product type(s)

Product type(s)	PT03: Veterinary hygiene
-----------------	--------------------------

1.3. Authorisation holder

Name and address of the authorisation holder	Name	HYPRED SAS
	Address	55, boulevard Jules Verger 35803 DINARD FR
Authorisation number		EU-0031195-0000
R4BP asset number		EU-0031195-0000
Date of the authorisation		24 September 2024
Expiry date of the authorisation		31 August 2034

1.4. Manufacturer(s) of the product

Name of manufacturer	HYPRED SAS - KERSIA Group
Address of manufacturer	55, Boulevard Jules Verger BP10180 35803 DINARD France
Location of manufacturing sites	HYPRED SAS - KERSIA Group 55, Boulevard Jules Verger; BP 10180 35803 DINARD Cedex France HYPRED SAS - KERSIA Group Zone Industrielle Le Roi-neau 72500 VAAS France Medentech Ltd – KERSIA Group Clonard Road Y35Y7WY WEXFORD Ireland SOPURA – KERSIA Group Parc Paysager de Tyberchamps 14 7180 SENEFFE Belgium KERSIA DEUTSCHLAND GmbH Marie-Curie-Straße 23 53332 BORNHEIM – SECHTEM Germany

	<p>Holchem Laboratories Ltd – KERSIA Group Gateway House, Pilsworth Road, Pilsworth Industrial Estate BL9 8RD Bury United Kingdom of Great Britain and Northern Ireland (the)</p> <p>KERSIA AUSTRIA GmbH PFONGAUERSTRASSE 17 5202 NEUMARKT AM WALLERSEE Austria</p> <p>KERSIA POLSKA Sp.z.o.o Niepruszewo, ul. Kasztanowa 4 64-320 BUK Poland</p> <p>KERSIA ITALIA S.r.l Strada Montodine – Gombito; Loc. Cà Nova 26010 RIPALTA ARPINA (CR) Italy</p> <p>KERSIA IBERICA SL Pol. Miguel Eguía C/Zarapuz s/n 31200 ESTELLA (NAVARRA) Spain</p> <p>Kilco Holdings Ltd – KERSIA Group Broomhouses 2 Industrial Estate; Old Glasgow Road DG11 2SD LOCK-ERBIE United Kingdom of Great Britain and Northern Ireland (the)</p> <p>Kilco (International) Ltd – KERSIA Group 1A Trench Road Mallusk; Newtownabbey BT36 4TY CO ANTRIM Ireland</p> <p>SOPURA Quimica – KERSIA Group Pol. Ind. “La Canaleta”;AVINGUDA Júpiter nº 7 25300 TARREGA (LLEIDA) Spain</p> <p>KERSIA DEUTSCHLAND GmbH Oberbrühlstraße 16-18 87700 Memmingen Germany</p>
--	---

1.5. Manufacturer(s) of the active substance(s)

Active substance	L-(+)-lactic acid
Name of manufacturer	PURAC Bioquimica SA
Address of manufacturer	Gran Vial 19-25 8160 Montmelo - Barcelona Spain
Location of manufacturing sites	<p>PURAC Bioquimica SA Gran Vial 19-25 8160 Montmelo - Barcelona Spain</p> <p>PURAC BIOCHEM BV Arkelsedijk 46 4206 AC Gorinchem Netherlands (the)</p> <p>Purac Sínteses Ltda Av. Rui Barbosa, 521 CEP 28015-520 Campos dos Goytacazes - RJ Brazil</p> <p>Purac America Inc. 650 Industrial Park Drive, P.O. Box 38 NE 68008 Blair United States (the)</p> <p>Purac (Corbion) Thailand Ltd Tambol Huay Pong, Amphoe Muang 21150 Rayong Thailand</p>

Active substance	L-(+)-lactic acid
Name of manufacturer	Jungbunzlauer S.A.
Address of manufacturer	Z.I. Portuaire BP 32 67390 Marckolsheim France
Location of manufacturing sites	Z.I. Portuaire BP 32 67390 Marckolsheim France

2. PRODUCT FAMILY COMPOSITION AND FORMULATION

2.1. Qualitative and quantitative information on the composition of the family

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		active substance	79-33-4	201-196-2	8,4 - 8,4 % (w/w)
Sodium p-cume- nesulphonate		Non-active sub- stance	15763-76-5	239-854-6	1,32 - 1,32 % (w/w)
Sodium 2-ethyl- hexyl sulfate		Non-active sub- stance	126-92-1	204-812-8	0 - 2,1 % (w/w)
Diethanolamine		Non-active sub- stance	111-42-2	203-868-0	3,92 - 4,234 % (w/w)

2.2. Type(s) of formulation

Formulation type(s)	AL Any other liquid
---------------------	---------------------

PART II

SECOND INFORMATION LEVEL - META SPC(S)

1. META SPC 1 ADMINISTRATIVE INFORMATION

1.1. Meta SPC 1 identifier

Identifier	Meta SPC: meta SPC 1 - Dipping, foaming, spraying ready to use products
------------	---

1.2. Suffix to the authorisation number

Number	1-1
--------	-----

1.3. Product type(s)

Product type(s)	PT03: Veterinary hygiene
-----------------	--------------------------

2. META SPC 1 COMPOSITION

2.1. Qualitative and quantitative information on the composition of the meta SPC 1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		active substance	79-33-4	201-196-2	8,4 - 8,4 % (w/w)
Sodium p-cumenesulphonate		Non-active substance	15763-76-5	239-854-6	1,32 - 1,32 % (w/w)
Diethanolamine		Non-active substance	111-42-2	203-868-0	4,234 - 4,234 % (w/w)

2.2. Type(s) of formulation of the meta SPC 1

Formulation type(s)	AL Any other liquid
---------------------	---------------------

3. HAZARD AND PRECAUTIONARY STATEMENTS OF THE META SPC 1

Hazard statements	H319: Causes serious eye irritation.
Precautionary statements	P264: Wash hands thoroughly after handling. P280: Wear eye protection. P280: Wear face protection. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313: If eye irritation persists: Get medical attention. P337+P313: If eye irritation persists: Get medical advice.

4. AUTHORISED USE(S) OF THE META SPC

4.1. Use description

Table 1

Disinfection of teats of milk producing animals by manual or automated dipping, foaming or spraying after milking

Product type	PT03: Veterinary hygiene
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data

Field(s) of use	indoor use Manual or automated disinfection of teats of milk producing animals by dipping, foaming or spraying after milking
Application method(s)	Method: Dipping, foaming or spraying Detailed description: Dipping cup, foaming cup, teat sprayer, automated dipping machine, automated foaming machine or automated spraying machine.
Application rate(s) and frequency	Application rate: application rate per animal: - cows and buffaloes 3 to 10 ml (5 to 8 ml recommended) - sheep 1,5 to 5 ml (1,5 to 3 ml recommended) - goats 2,5 to 6 ml (2,5 to 4 ml recommended) Dilution (%): Ready to use product Number and timing of application: Contact time : 5 minutes Frequency: 2 to 3 times per day
Category(ies) of users	professional
Pack sizes and packaging material	HDPE (High Density Polyethylene) jerrycans 5, 10, 22, 25 and 30 litre HDPE barrel 60 litre HDPE drums 120 and 220 litre HDPE container 640 and 1000 litre

4.1.1. *Use-specific instructions*

See general directions for use of meta SPC 1

4.1.2. *Use-specific risk mitigation measures*

See general directions for use of meta SPC 1

4.1.3. *Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment*

See general directions for use of meta SPC 1

4.1.4. *Where specific to the use, the instructions for safe disposal of the product and its packaging*

See general directions for use of meta SPC 1

4.1.5. *Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage*

See general directions for use of meta SPC 1

5. **GENERAL DIRECTIONS FOR USE OF THE META SPC 1**

5.1. **Instructions for use**

Fill the dipping/foaming cup/sprayer manually or automatically with the ready to use product.

Manual or automatic dipping/foaming/spraying on animal's teats on the full length of the teat after milking.

Make sure that the teats are fully covered with disinfectant.

Leave the product until next milking.

Keep the animals standing for at least 5 minutes until the product has dried.

At the next milking, use the teat cleaning and wiping method systematically before attaching the milking cluster.

Avoid contact with eyes.

Wash hands after work.

Product must be brought to a temperature between 20°C and 30°C before use.

5.2. Risk mitigation measures

Wear chemical goggles or face protection consistent with European Standard EN ISO 16321 or equivalent.

For manual application by spraying: Wear protective chemical resistant gloves consistent with European Standard EN ISO 374 during product handling phase.

Keep out of reach of children.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

IF INHALED: If symptoms occur call a POISON CENTRE or a doctor.

IF SWALLOWED: Rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call a POISON CENTRE or a doctor.

IF ON SKIN: Wash skin with water. If symptoms occur call a POISON CENTRE or a doctor.

IF IN EYES: Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing for 5 minutes. Call a POISON CENTRE or a doctor.

Refer to the safety data sheet available for professional user: it contains an emergency phone number.

Large spillage: Mark out, soak up with an inert absorbant and pump in an emergency tank. Never return spills in original containers for re-use. Keep in suitable, properly labelled and closed containers for disposal.

5.4. Instructions for safe disposal of the product and its packaging

At the end of the treatment, dispose unused product and the packaging in accordance with local requirements. Used product can be flushed to the municipal sewer or disposed to the manure deposit depending on local requirements. Avoid release to an individual waste water treatment plant.

The paper towels used for removing the product and drying the teats are disposed in the normal domestic waste.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Shelf life: 2 years in HDPE

6. OTHER INFORMATION

Full titles of EN standards and legislation referred to in section 5.2:

EN ISO 374 – Protective gloves against dangerous chemicals and micro-organisms.

EN ISO 16321 – Eye and face protection for occupational use.

7. THIRD INFORMATION LEVEL: INDIVIDUAL PRODUCTS IN THE META SPC 1

7.1. Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)			NATIDINE	Market area: EU	
			Bonimal H Lactili- quid	Market area: EU	
			LACTILIQ	Market area: EU	
			MilchsäureDip- Spray	Market area: EU	
			NATILAC	Market area: EU	
			PRIMAMO	Market area: EU	
			RBT LACTIC	Market area: EU	
			ROBOSPRAY LAC- TIC	Market area: EU	
			SPRAYLAC	Market area: EU	
			Bonimal CARE LactiLiquid	Market area: EU	
Authorisation number				EU-0031195-0001 1-1	
Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		active sub- stance	79-33-4	201-196-2	8,4
Sodium p-cume- nesulphonate		Non-active substance	15763-76-5	239-854-6	1,32
Diethanolamine		Non-active substance	111-42-2	203-868-0	4,234

1. META SPC 2 ADMINISTRATIVE INFORMATION

1.1. Meta SPC 2 identifier

Identifier	Meta SPC: meta SPC 2 - Dipping ready to use products
------------	--

1.2. Suffix to the authorisation number

Number	1-2
--------	-----

1.3. Product type(s)

Product type(s)	PT03: Veterinary hygiene
-----------------	--------------------------

2. META SPC 2 COMPOSITION

2.1. Qualitative and quantitative information on the composition of the meta SPC 2

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		active substance	79-33-4	201-196-2	8,4 - 8,4 % (w/w)
Sodium p-cumenesulphonate		Non-active substance	15763-76-5	239-854-6	1,32 - 1,32 % (w/w)
Sodium 2-ethylhexyl sulfate		Non-active substance	126-92-1	204-812-8	0 - 2,1 % (w/w)
Diethanolamine		Non-active substance	111-42-2	203-868-0	3,92 - 3,92 % (w/w)

2.2. Type(s) of formulation of the meta SPC 2

Formulation type(s)	AL Any other liquid
---------------------	---------------------

3. HAZARD AND PRECAUTIONARY STATEMENTS OF THE META SPC 2

Hazard statements	H319: Causes serious eye irritation.
Precautionary statements	P264: Wash hands thoroughly after handling. P280: Wear eye protection. P280: Wear face protection. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313: If eye irritation persists: Get medical attention. P337+P313: If eye irritation persists: Get medical advice.

4. AUTHORISED USE(S) OF THE META SPC

4.1. Use description

Table 1

Disinfection of teats of milk producing animals by manual or automated dipping after milking

Product type	PT03: Veterinary hygiene
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data

	Scientific name: no data Common name: Yeasts Development stage: no data
Field(s) of use	indoor use Manual or automated disinfection of teats of milk producing animals by dipping after milking
Application method(s)	Method: Dipping Detailed description: Dipping cup or automated dipping machine.
Application rate(s) and frequency	Application rate: application rate per animal: - cows and buffaloes 3 to 10 ml (5 ml recommended) - sheep 1,5 to 5 ml (1,5 ml recommended) - goats 2,5 to 6 ml (2,5 ml recommended) Dilution (%): Ready to use product Number and timing of application: Contact time : 5 minutes Frequency: 2 to 3 times per day
Category(ies) of users	professional
Pack sizes and packaging material	HDPE (High Density Polyethylene) jerrycans 5, 10, 22, 25 and 30 litre HDPE barrel 60 litre HDPE drums 120 and 220 litre HDPE container 640 and 1000 litre

4.1.1. Use-specific instructions

See general directions for use of meta SPC 2

4.1.2. Use-specific risk mitigation measures

See general directions for use of meta SPC 2

4.1.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 2

4.1.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 2

4.1.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 2

5. GENERAL DIRECTIONS FOR USE OF THE META SPC 2

5.1. Instructions for use

Fill the dipping cup manually or automatically with the ready to use product.

Apply by dipping manually or automatically on animal's teats on the full length of the teat after milking.

Make sure that the teats are fully covered with disinfectant.

Leave the product until next milking. Keep the animals standing for at least 5 minutes until the product has dried.

At the next milking, use the teat cleaning and wiping method systematically before attaching the milking cluster.

Avoid contact with eyes.

Wash hands after work.

Product must be brought to a temperature between 20°C and 30°C before use.

5.2. Risk mitigation measures

Wear chemical goggles or face protection consistent with European Standard EN ISO 16321 or equivalent.

Keep out of reach of children.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

IF INHALED: If symptoms occur call a POISON CENTRE or a doctor.

IF SWALLOWED: Rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call a POISON CENTRE or a doctor.

IF ON SKIN: Wash skin with water. If symptoms occur call a POISON CENTRE or a doctor.

IF IN EYES: Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing for 5 minutes. Call a POISON CENTRE or a doctor.

Refer to the safety data sheet available for professional user: it contains an emergency phone number.

Large spillage: Mark out, soak up with an inert absorbant and pump in an emergency tank. Never return spills in original containers for re-use. Keep in suitable, properly labelled and closed containers for disposal.

5.4. Instructions for safe disposal of the product and its packaging

At the end of the treatment, dispose unused product and the packaging in accordance with local requirements. Used product can be flushed to the municipal sewer or disposed to the manure deposit depending on local requirements. Avoid release to an individual waste water treatment plant.

The paper towels used for removing the product and drying the teats are disposed in the normal domestic waste.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Shelf life: 2 years in HDPE

Store below 30°C

6. OTHER INFORMATION

Full titles of EN standards and legislation referred to in section 5.2:

EN ISO 16321 – Eye and face protection for occupational use.

7. THIRD INFORMATION LEVEL: INDIVIDUAL PRODUCTS IN THE META SPC 2

7.1. Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)		FILMA-DINE LL	Market area: EU		
Authorisation number			EU-0031195-0002 1-2		
Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		active substance	79-33-4	201-196-2	8,4
Sodium p-cumenesulphonate		Non-active substance	15763-76-5	239-854-6	1,32
Diethanolamine		Non-active substance	111-42-2	203-868-0	3,92

7.2. Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	FILMADINE LC	Market area: EU
	FILMADINE C	Market area: EU
	Bonimal H Lactidip C	Market area: EU
	CERTI CREME C	Market area: EU
	CERTI FILM C	Market area: EU
	COSMADINE C	Market area: EU
	DIPLAC C	Market area: EU
	EQUO LACTO C	Market area: EU
	FILMADIP C	Market area: EU
	FILMALAC C	Market area: EU
	FILMALINE C	Market area: EU
	FILMATREMP C	Market area: EU
	FILMORANGE C	Market area: EU
	FP FILM C	Market area: EU
	HY-COSMETIC C	Market area: EU
	HYPREDIP PLUS C	Market area: EU

			INO EXTRA C	Market area: EU		
			INO FILM C	Market area: EU		
			LACTIDIP C	Market area: EU		
			MilchsäureFilm-dip-Super C	Market area: EU		
			PRIMASKIN C	Market area: EU		
			SUPREMADINE C	Market area: EU		
			ZOO FILM RED C	Market area: EU		
Authorisation number				EU-0031195-0003 1-2		
Common name	IUPAC name	Function	CAS number		EC number	Content (%)
L-(+)-lactic acid		active substance	79-33-4		201-196-2	8,4
Sodium p-cumenesulphonate		Non-active substance	15763-76-5		239-854-6	1,32
Sodium 2-ethylhexyl sulfate		Non-active substance	126-92-1		204-812-8	2,1
Diethanolamine		Non-active substance	111-42-2		203-868-0	3,92

7.3. Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	FILMADINE	Market area: EU
	Bonimal H Lactidip	Market area: EU
	CERTI CREME +	Market area: EU
	CERTI FILM	Market area: EU
	COSMADINE	Market area: EU
	DIPLAC	Market area: EU
	EQUO LACTO	Market area: EU
	FILMADIP	Market area: EU
	FILMALAC	Market area: EU
	FILMALINE	Market area: EU
	FILMATREMP	Market area: EU

			FILMORANGE	Market area: EU		
			FP FILM	Market area: EU		
			HY-COSMETIC	Market area: EU		
			HYPREDIP PLUS	Market area: EU		
			INO EXTRA	Market area: EU		
			INO FILM	Market area: EU		
			LACTIDIP	Market area: EU		
			MilchsäureFilm-dip-Super	Market area: EU		
			PRIMASKIN	Market area: EU		
			SUPREMADINE	Market area: EU		
			ZOO FILM RED	Market area: EU		
			LAURACTIV	Market area: EU		
			Salus TOP	Market area: EU		
			LAURAFILM	Market area: EU		
			Juvelit-extreme	Market area: EU		
Bonimal CARE LactiDip	Market area: EU					
Authorisation number				EU-0031195-0004 1-2		
Common name	IUPAC name	Function	CAS number		EC number	Content (%)
L-(+)-lactic acid		active substance	79-33-4		201-196-2	8,4
Sodium p-cumenesulphonate		Non-active substance	15763-76-5		239-854-6	1,32
Sodium 2-ethylhexyl sulfate		Non-active substance	126-92-1		204-812-8	2,1
Diethanolamine		Non-active substance	111-42-2		203-868-0	3,92