

PREPARATION OF SAFETY DATA SHEETS FOR HAZARDOUS CHEMICALS

Code of Practice

DECEMBER 2011



Safe Work Australia is an Australian Government statutory agency established in 2009. Safe Work Australia consists of representatives of the Commonwealth, state and territory governments, the Australian Council of Trade Unions, the Australian Chamber of Commerce and Industry and the Australian Industry Group.

Safe Work Australia works with the Commonwealth, state and territory governments to improve work health and safety and workers' compensation arrangements. Safe Work Australia is a national policy body, not a regulator of work health and safety. The Commonwealth, states and territories have responsibility for regulating and enforcing work health and safety laws in their jurisdiction.

NSW note: This code of practice has been approved under section 274 of the Work Health and Safety Act 2011. Notice of that approval was published in the NSW Government Gazette referring to this code of practice as *Preparation of safety data sheets for hazardous chemicals* (page 7194) on Friday 16 December 2011. This code of practice commenced on 1 January 2012.

ISBN 978-0-642-33311-7 [PDF] ISBN 978-0-642-33312-4 [RTF]



Creative Commons

Except for the logos of Safe Work Australia, SafeWork SA, Workplace Standards Tasmania, WorkSafe WA, Workplace Health and Safety QLD, NT WorkSafe, WorkCover NSW, Comcare and WorkSafe ACT, this copyright work is licensed under a Creative Commons Attribution-Noncommercial 3.0 Australia licence. To view a copy of this licence, visit

http://creativecommons.org/licenses/by-nc/3.0/au/

In essence, you are free to copy, communicate and adapt the work for non commercial purposes, as long as you attribute the work to Safe Work Australia and abide by the other licence terms.

Contact information Safe Work Australia Phone: +61 2 6121 5317

Email: info@safeworkaustralia.gov.au Website: www.safeworkaustralia.gov.au























TABLE OF CONTENTS

FOREWORD 2		
1.	INTRODUCTION	3
1.1	What is a safety data sheet?	3
1.2	The meaning of key terms and abbreviations	3
1.3	What are the duties in relation to the preparation of safety data sheets?	3
1.4	When is it necessary to prepare a safety data sheet?	4
2.	PREPARING, REVIEWING AND AMENDING SAFETY DATA SHEETS	6
2.1	What information is needed in an SDS?	6
2.2	Research Chemicals, Waste Products or Samples for Analysis	8
2.3	Can an SDS prepared overseas be used?	8
2.4	Reviewing and amending an SDS	9
3.	CONTENT OF THE SAFETY DATA SHEET	10
3.1	Section 1 - Identification	10
3.2	Section 2 - Hazard(s) Identification	11
3.3	Section 3 - Composition and Information on Ingredients	12
3.4	Section 4 - First Aid Measures	14
3.5	Section 5 - Fire Fighting Measures	15
3.6	Section 6 - Accidental Release Measures	15
3.7	Section 7 - Handling and Storage	17
3.8	Section 8 - Exposure controls and personal protection	18
3.9	Section 9 - Physical and Chemical Properties	20
3.10	Section 10 - Stability and Reactivity	22
3.11	Section 11 - Toxicological Information	23
3.12	Section 12 - Ecological Information	26
3.13	Section 13 - Disposal considerations	27
3.14	Section 14 - Transport Information	27
3.15	Section 15 - Regulatory Information	28
3.16	Section 16 - Other information	29

APPENDIX A - DEFINITIONS AND ABBREVIATIONS	30
APPENDIX B - HEADER CHECKLIST	33
APPENDIX C - GHS LABEL ELEMENTS FOR INCLUSION IN THE SDS	36
APPENDIX D - GUIDE FOR SELECTING GENERIC NAMES	88
APPENDIX E - OTHER RELEVANT INFORMATION	92

FOREWORD

This Code of Practice on *Preparation of Safety Data Sheets for Hazardous Chemicals* is an approved code of practice under section 274 of the *Work Health and Safety Act* (the WHS Act).

An approved code of practice is a practical guide to achieving the standards of health, safety and welfare required under the WHS Act and the Work Health and Safety Regulations (the WHS Regulations).

A code of practice applies to anyone who has a duty of care in the circumstances described in the code. In most cases, following an approved code of practice would achieve compliance with the health and safety duties in the WHS Act, in relation to the subject matter of the code. Like regulations, codes of practice deal with particular issues and do not cover all hazards or risks that may arise. The health and safety duties require duty holders to consider all risks associated with work, not only those for which regulations and codes of practice exist.

Codes of practice are admissible in court proceedings under the WHS Act and Regulations. Courts may regard a code of practice as evidence of what is known about a hazard, risk or control and may rely on the code in determining what is reasonably practicable in the circumstances to which the code relates.

An inspector may refer to an approved code of practice when issuing an improvement or prohibition notice.

This Code of Practice has been developed by Safe Work Australia as a model code of practice under the Council of Australian Governments' *Inter-Governmental Agreement for Regulatory and Operational Reform in Occupational Health and Safety* for adoption by the Commonwealth, state and territory governments.

A draft of this Code of Practice was released for public consultation on 7 December 2010 and was endorsed by the Workplace Relations Ministers Council on 10 August 2011.

SCOPE AND APPLICATION

This Code applies to substances, mixtures and articles used, handled or stored at the workplace that are defined as hazardous chemicals under the WHS Regulations.

This Code provides practical guidance on how to prepare a safety data sheet for any hazardous chemicals that are being manufactured or imported for use, handling or storage in Australia. It applies to a person conducting a business or undertaking involved in the manufacture or import of hazardous chemicals that will be used, or could reasonably be expected to be used, in workplaces.

HOW TO USE THIS CODE OF PRACTICE

In providing guidance, the word 'should' is used in this Code to indicate a recommended course of action, while 'may' is used to indicate an optional course of action.

This Code also includes various references to provisions of the WHS Act and Regulations which set out the legal requirements. These references are not exhaustive. The words 'must', 'requires' or 'mandatory' indicate that a legal requirement exists and must be complied with.

1. INTRODUCTION

1.1 What is a safety data sheet?

A safety data sheet (SDS), previously called a Material Safety Data Sheet (MSDS), is a document that provides information on the properties of hazardous chemicals, how they affect health and safety in the workplace and on how to manage the hazardous chemicals in the workplace. For example it includes information on the identity, health and physicochemical hazards, safe handling and storage, emergency procedures and disposal considerations.

An SDS is an important tool for eliminating or minimising the risks associated with the use of hazardous chemicals in workplaces.

1.2 The meaning of key terms and abbreviations

ADG Code means the Australian Code for the Transport of Dangerous Goods by Road and Rail, 7th edition, approved by the Australian Transport Council. The ADG Code is accessible at the National Transport Commission website **www.ntc.gov.au**

Hazardous chemical means any substance, mixture or article that satisfies the criteria for a hazard class in the *Globally Harmonised System of Classification and Labelling of Chemicals* (GHS) including a classification referred to in Schedule 6 of the WHS Regulations, but does not include a substance, mixture or article that satisfies the criteria solely for one of the following hazard classes:

- acute toxicity oral Category 5
- acute toxicity dermal Category 5
- acute toxicity inhalation Category 5
- skin corrosion/irritation Category 3
- serious eye damage/eye irritation Category 2B
- aspiration hazard Category 2
- flammable gas Category 2
- acute hazard to the aquatic environment Category 1, 2 or 3
- chronic hazard to the aquatic environment Categories 1, 2, 3 or 4, or
- hazardous to the ozone layer.

Further definitions and abbreviations used in this Code are listed in Appendix A.

1.3 What are the duties in relation to the preparation of safety data sheets?

Manufacturers and importers of hazardous chemicals have duties under the WHS Regulations to provide current information about the hazardous chemical in the form of an SDS. These duties are summarised below.

Duty holder Responsibilities Manufacturer and Must prepare an SDS for the hazardous chemical before importer of a first manufacturing or importing the hazardous chemical hazardous chemical or if that is not practicable, as soon as practicable after first manufacturing or importing the hazardous chemical. Must review the SDS at least once every 5 years and amend whenever necessary to ensure it contains correct current information. Must provide the current SDS to any person, if the person is likely to be affected by the chemical or asks for the SDS. Person conducting May change an SDS for a hazardous chemical only if: a business or ■ the person is an importer or manufacturer; and changes undertaking the safety data sheet in a way that is consistent with the duties of the importer or manufacturer; or ■ the change is to attach a translation of the SDS, and clearly states that the translation is not part of the original SDS.

Note: a person who packages or relabels a hazardous chemical with their own product name is considered to be a manufacturer and therefore has the same obligations as a manufacturer or importer under the WHS Regulations to prepare an SDS.

Under the WHS Regulations, manufacturers and importers of a substance, mixture or article have an obligation, before first supplying it to a workplace, to determine whether it is a hazardous chemical and, if so, to correctly classify that substance, mixture or article. The person writing the SDS should have appropriate expertise and have access to the product formulation and information on its correct hazard classification.

1.4 When is it necessary to prepare a safety data sheet?

Regulation **330**

A safety data sheet must be prepared before first manufacturing or importing a hazardous chemical, or if this is not possible, as soon as practicable after first manufacturing or importing the chemical.

Preparing and providing an SDS is mandatory where a substance, mixture or article is a hazardous chemical. However, the WHS Regulations do not require an SDS to be prepared for any of the following chemicals (although the general duty of care requirements under the WHS Act still apply):

- chemicals in batteries while they are incorporated in plant
- fuel, oils or coolants in a container that is fitted to a vehicle, vessel or aircraft, mobile plant, appliance or other device, where the fuel, oils or coolants are intended for use in its operation
- fuel in the fuel container of a domestic or portable fuel burning appliance where the quantity of fuel does not exceed 25 kg or 25 litres

- hazardous chemicals in portable fire-fighting or medical equipment for use at a workplace
- hazardous chemicals that form part of the integrated refrigeration system of refrigerated freight containers
- potable liquids that are consumer products at retail premises.

The following things are excluded from the scope of the WHS Regulations except to the extent that the use, handling or storage of those things is related to a work activity at a workplace:

- food and beverages within the meaning of the Food Standards Australia New Zealand Food Standards Code that are in a package and form intended for human consumption
- therapeutic goods at the point of intentional intake by or administration to humans
- veterinary chemical products at the point of administration to animals
- tobacco or products made of tobacco.

While this Code applies to hazardous chemicals as defined, an SDS should be provided for any chemical that may adversely impact the health or safety of persons or the environment, but has insufficient information to allow it to be correctly classified. The SDS should reflect what is currently known about the chemical.

Where a mixture contains an ingredient that meets the criteria for respiratory and skin sensitisation, specific target organ toxicity, reproductive toxicity, carcinogenicity and mutagenicity it is recommended that an SDS be prepared for that mixture, even if the mixture overall is not a hazardous chemical according to the WHS Regulations.

Other information on hazard properties of a chemical not already captured within the SDS should be included, for example if the chemical has ototoxic properties.¹

Some overseas authorities may require an SDS or information on an SDS for certain chemicals that are not hazardous chemicals under the WHS Regulations, for example substances that meet the criteria for a *GHS* hazard class or category as noted in this section.

PRODUCTS CONTAINING NANOMATERIALS

For engineered or manufactured nanomaterials² or chemicals containing engineered or manufactured nanomaterials, an SDS should be provided unless there is evidence that the nanomaterials are not hazardous.

- Ototoxicity is the potential damage to the ears, specifically to the cochlea or auditory nerve, by a toxin. A list of ototoxic substances is included in Appendix A of the Code of Practice: Managing Noise and Preventing Hearing Loss at Work.
- ² ISO TS 80004-1:2010 Nanotechnologies- Vocabulary-Part 1: Core Terms provides the following definitions:
- Nanomaterial material with any external dimension in the nanoscale or having internal structure or surface structure in the nanoscale
- Engineered nanomaterial nanomaterial designed for a specific purpose or function
- Manufactured nanomaterial intentionally produced for commercial purposes to have specific properties or specific composition
- Nanoscale size range from approximately 1 nm to 100 nm.

2. PREPARING, REVIEWING AND AMENDING SAFETY DATA SHEETS

An SDS must be prepared and written to provide accurate information about the hazards of a chemical and how to handle it safely, including its storage and disposal. It must contain information about physicochemical properties, as well as potential health and emergency response measures. The SDS should also contain information relevant to environmental effects to meet other laws.

2.1 What information is needed in an SDS?

Regulation **330** Schedule **7** A safety data sheet must:

- be in English
- contain unit measures expressed in Australian legal units of measurement under the National Measurement Act 1960 (Commonwealth)
- state the date it was last reviewed, or if it has not been reviewed, the date it was prepared
- state the name, Australian address and business telephone number of the manufacturer or importer
- state an Australian business telephone number from which information about the chemical can be obtained in an emergency.

The language used in an SDS should be simple, clear and precise, avoiding jargon, acronyms and abbreviations. Vague and misleading expressions should not be used. Phrases such as "may be dangerous", "no health effects", "safe under most conditions of use" and "harmless" are also not recommended. It may be that information on certain properties is of no significance or that it is technically impossible to provide detailed information, and if so, the reasons for this should be clearly stated under each heading. If it is stated that a particular hazard does not exist, the safety data sheet should clearly differentiate between cases where no information is available to the classifier and cases where negative test results are available.

Other units of measurement, including the International System of Units (SI) or non-SI units may be used if they are in wide use in Australia. For example, mm Hg for vapour pressure or degrees Celsius (°C) rather than Kelvin (K) for temperature can be used.

An SDS should include a version number, superseded date or some other indication of what version is replaced.

There is no limit in relation to the length of the document, but it should be proportionate to the hazard level of the chemical and the available information.

All pages of an SDS should be numbered and include an indication of the end of the SDS, for example, "Page 1 of 3". Alternatively, number each page and indicate whether there is a page following, for example, "Continued on next page" or "End of SDS".

2. PREPARING, REVIEWING AND AMENDING SAFETY DATA SHEETS

Regulation **330** Schedule **7** A safety data sheet for a hazardous chemical must state the following information about the chemical:

Section 1 - Identification: Product identifier and chemical identity

Section 2 - Hazard(s) identification

Section 3 - Composition and information on ingredients

Section 4 - First-aid measures

Section 5 - Fire-fighting measures

Section 6 - Accidental release measures

Section 7 - Handling and storage, including how the chemical may be safely used

Section 8 - Exposure controls and personal protection

Section 9 - Physical and chemical properties

Section 10 - Stability and reactivity

Section 11 - Toxicological information

Section 12 - Ecological information

Section 13 - Disposal considerations

Section 14 - Transport information

Section 15 - Regulatory information

Section 16 - Any other relevant information

Chapter 2 of this Code contains further guidance about the information that should be included in the SDS, where relevant and available.³ A reasonable attempt should be made to obtain the information, however, when information is not available or lacking, this should be clearly stated. The SDS should not contain any blank spaces or abbreviations without a legend.

Any recommendation made by the National Industrial Chemicals Notification and Assessment Scheme (NICNAS) in a relevant NICNAS assessment report relating to the information required in an SDS should be reviewed and considered for inclusion.

Information to protect the health and safety of persons in the workplace may be included on the SDS for chemicals that do not meet the GHS classification criteria, for example some miscellaneous dangerous goods (identified in the *ADG Code*). For example, the health and safety information for dry ice could include recommendations under *Section 7 – Handling and Storage* to use gloves while handling the hazardous chemical, instructions not to use it in enclosed spaces and to ensure that there is adequate ventilation.

³ 'Available' means where the information is available to the manufacturer or importer.

2.2 Research Chemicals, Waste Products or Samples for Analysis

Regulation **331** Schedule **7**

Where it is not reasonably practicable to comply with the WHS Regulations to prepare an SDS for a chemical that is a research chemical, waste product or a sample for analysis because the hazard properties are not fully known, then an acceptable SDS is one that:

- is written in English
- states the name, Australian address and business telephone number of the manufacturer or importer
- states that full identification or hazard information is not available for the chemical, and in the absence of such information a precautionary approach must be taken to handling or storing the chemical
- states the chemical identity or structure of the chemical, or chemical composition, as far as is reasonably practicable
- states any known or suspected hazards, and
- states any precautions that must be taken in using, handling or storing the chemical, to the extent such precautions have been identified.

It is acceptable to prepare a single SDS for a group of substances, mixtures and articles where it is reasonable to assume that the group will have similar hazardous properties, provided the SDS contains all product identifiers.

2.3 Can an SDS prepared overseas be used?

An SDS prepared by an overseas manufacturer or supplier is acceptable only if it is prepared in accordance with the WHS Regulations. If the overseas manufacturer's SDS does not comply with the requirements of the WHS Regulations, the importer will be responsible for preparing an SDS that does comply.

An SDS prepared in accordance with national legislation of other countries implementing the GHS (for example, the EU CLP-Regulations⁴) must be checked for compliance with the WHS Regulations and amended if necessary to bring it into compliance.

CLP-Regulation (European Commission) No 1272/2008 came into force on 20 January 2009 and aligns existing European Union legislation to the United Nations Globally Harmonized System (GHS)

2.4 Reviewing and amending an SDS

The SDS must be reviewed every five years from the date of original preparation or the last revision of the SDS. It must be amended whenever any new information about the hazardous chemical is known or received or when the formulation changes.

It is not necessary to review the SDS if the manufacturer or importer has not manufactured or imported the chemical in the last five years.

An SDS should still be made available after the hazardous chemical is withdrawn from sale as it may be required by workplaces at a later date.

It is acceptable to have a translation of the SDS attached to the original SDS, provided the appended information clearly states the translation is not part of the original SDS. The original SDS is the SDS prepared in accordance with the WHS Regulations.

3. CONTENT OF THE SAFETY DATA SHEET

This chapter describes the type of information needed for each of the sections required in an SDS. A summary of this information is provided in a checklist at Appendix B.

3.1 Section 1 - Identification

This section provides information about the identification of the hazardous chemical, recommended uses and the contact details of the Australian manufacturer or importer, including an emergency contact.

Product identifier	The SDS must include the product identifier of the hazardous chemical, exactly as found on the label. If one generic SDS is used to cover several minor variants of a hazardous chemical, all product identifiers must be listed on the SDS.
Other means of identification	The hazardous chemical must be identified by its product identifier or its chemical name. The SDS must include any company product codes, numbers or other unique identifiers, for example a Proper Shipping Name (as identified in the ADG Code), or a name specified in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP). Other names or synonyms by which the hazardous chemical is labelled or commonly known should also be provided in this section.
Recommended use of the chemical and restrictions on use	The recommended or intended use of the hazardous chemical should be provided in this section. This includes a brief description of what the chemical does, for example a flame retardant or anti-oxidant. Restrictions on use should be stated as far as known, for example if it is a prohibited carcinogen, an illicit drug precursor, or a chemical of security concern.
Details of manufacturer or importer	The name, full street address, phone number(s) and electronic address (where available) of the Australian manufacturer or importer must be included in the SDS.
Emergency phone number	The SDS must include Australian emergency contact information. The emergency information available through this service should be available outside of working hours. If an emergency information service or Poisons Information Centre phone number is provided in the SDS, this arrangement should be confirmed with the service beforehand and copies of the SDS should be provided to them.

3.2 Section 2 - Hazard(s) Identification

This section describes the hazards of the chemical and the appropriate warning information associated with the hazards as listed in Appendix C. The information provided here must include a hazard classification statement explaining all the hazards of the hazardous chemical, as described below.

Classification of the hazardous chemical

If the hazardous chemical is classified in accordance with the *GHS*, the appropriate hazard class and category should be indicated, for example:

- Flammable liquid Category 1
- Acute toxicity oral Category 3

Although it is not mandatory under the WHS Regulations, an SDS may provide information on environmental hazards and other *GHS* hazard classes and categories, for example Acute toxicity – oral – Category 5, that are outside the scope of the WHS Regulations.

Label elements, including precautionary statements

In this section the following labelling elements should be included in accordance with the hazardous chemicals classification, as listed in Appendix C:

- Signal word
- Hazard statement(s)
- Precautionary statement(s)

Additionally, Appendix C lists 12 non-GHS hazard statements that should be included on the SDS, where relevant.

It is not mandatory to include pictograms (or hazard symbols) in an SDS. However, these symbols may be included in this section as graphical reproductions in black and white. This allows for the distribution of an SDS with ease via hard copy or through a database.

Persons preparing an SDS can download the *GHS* pictograms from www.unece.org/trans/danger/publi/ghs/pictograms.html. Pictograms should meet the following size specification to avoid stretching or having oversized pictograms on the SDS:

>1x1 cm² and <2x2 cm



The name of the pictogram should also be provided, which are defined in the tables in Appendix C (for example, flame, skull and crossbones).

Dangerous goods class labels may also be used; however, graphical elements do not need be duplicated.

3.3 Section 3 - Composition and Information on Ingredients

The ingredient(s) of the hazardous chemical must be identified. This includes the identification of impurities and stabilising additives that contribute to the classification of the hazardous chemical.

DISCLOSURE OF INGREDIENT NAMES

The chemical identity of an ingredient must be disclosed on an SDS in accordance with Schedule 8 of the WHS Regulations (Disclosure of ingredients). In some cases, a generic name may be used.

Ingredients that are not classified as hazardous but have an exposure standard and which are present above 1% should be mentioned in the SDS if it is likely that they might be released under standard storage and application conditions.

Disclosure of ingredient names is not required by the WHS Regulations for those ingredients that meet only physicochemical and/or environmental hazard classifications, or for non-hazardous ingredients.

There is no requirement to disclose the identity of ingredients for the following *GHS* health hazard categories because they fall outside the scope of the WHS Regulations:

- Acute toxicity Category 5 (oral, dermal and inhalation)
- Skin corrosion/irritation Category 3
- Serious eye damage/eye irritation Category 2B
- Aspiration hazard Category 2
- Aquatic toxicity (all categories)
- Flammable gas Category 2
- Ozone depletion.

USE OF GENERIC NAMES⁵

Generic names may be used in an SDS if the identity of an ingredient is genuinely commercially confidential, and if:

- the ingredient is in any of the following health hazard categories:
 - Acute toxicity Category 4 (oral, dermal, inhalation)
 - Aspiration hazard Category 1
 - Serious eye damage/eye irritation Category 2A
 - Skin corrosion/irritation Category 2
 - Specific target organ toxicity (single exposure) Category 3;

⁵ This section is an Australian specific requirement not necessarily applicable in other countries. SDSs prepared for export products must comply with relevant legislation of the export country.

3. CONTENT OF THE SAFETY DATA SHEET

- the ingredient does not cause the correct classification of the hazardous chemical to include any other hazard class or category; and
- an exposure standard for the ingredient has not been established.

A guide for selecting generic names for ingredients is included in Appendix D.

DISCLOSURE OF PROPORTIONS OF INGREDIENTS

Where the chemical identity or generic name of an ingredient that makes up a hazardous chemical is disclosed, the proportions of the ingredients must also be disclosed in an SDS.

For multiple ingredients, proportions should be listed in descending order by mass or volume. Ingredients not contributing to the hazard classification should also be listed, and where included, should be listed after the ingredients contributing to the hazard classification.

However, where the exact concentration of an ingredient is commercially confidential, the concentration of the ingredient can be disclosed using the following ranges:

<10%	10- <30%	30 - 60%	>60%

The proportion of an ingredient should normally be disclosed using a narrower range, for example, for an ingredient present at 35%, a range of 30 - 40% should be used instead of 30 - 60%.

Where possible, the percentage composition should add up to or indicate a total of 100%, even if an estimate of non-hazardous ingredients needs to be provided.

3.4 Section 4 - First Aid Measures

This section of the SDS provides information about the initial care that does not involve the use of sophisticated equipment or access to a wide selection of medications to be given to a person affected by a hazardous chemical. It should state whether medical attention is required for a chemical, including the urgency of treatment required.

A SDS should provide information on any immediate effects of the chemical, by route of exposure, and the immediate treatment required. It should also include information on the possible delayed effects of the chemical and on specific health surveillance that may be needed.

Description of In this section, the SDS should provide first aid instructions for necessary first each relevant route of exposure and describe expected immediate aid measures and delayed symptoms. Sub-headings to indicate the procedure for each route (for example, inhalation, skin contact, eye contact and ingestion) should be used. Information should be provided on situations when: immediate medical attention is required known antidotes should be available for administration by persons trained in their use (and, where relevant, authorised by law) as part of the recommended first aid procedure delayed effects can be expected after exposure movement of the exposed individual to fresh air is recommended removal of clothing and shoes from the individual is recommended personal protective equipment (PPE) for first aiders is recommended there is a risk that first aiders may be exposed to risks from individuals who have ingested hazardous chemicals (for example, organophosphates). Any information on specific first aid facilities, for example showers or evewashes that are necessary in a workplace where the particular hazardous chemical is used, should also be provided. Relevant information on the most important symptoms and effects Symptoms caused by of exposure to the chemical should be provided. Information exposure should be provided on acute, delayed and aggravated medical conditions caused by the hazardous chemical to enable first aid to be administered. Medical attention If applicable, information on clinical testing and medical monitoring and special for delayed effects, specific details on antidotes (where they are treatment known) and contraindications are recommended for inclusion in this section.

3.5 Section 5 - Fire Fighting Measures

This section of the SDS provides information on how to fight a fire caused by a hazardous chemical, or a fire arising in its vicinity.

Suitable extinguishing	This SDS should describe:
equipment	 the type of extinguishers or fire fighting agents needed for extinguishing a fire
	 whether any extinguishers are unsuitable for a particular situation involving the hazardous chemical.
Specific hazards arising from the chemical	The SDS should describe any specific hazards that may arise from a hazardous chemical relevant to its physical properties, for example explosive properties or hazardous combustion products that may be generated when the hazardous chemical burns, for example:
	"May produce toxic fumes, e.g. carbon monoxide if burning"
	"Produces oxides of sulphur and nitrogen on combustion"
	"May create flammable gas when wetted"
Special protective equipment and precautions for fire fighters	Advice should be provided on any precautions to be taken during fire fighting, for example, "Keep containers cool with water spray" and advice on appropriate PPE required for fire-fighters for example specific boots, overalls, gloves, eye and face protection, and breathing apparatus.
	The Hazchem Code must be included in this section for the information of emergency services. The Hazchem Code for bulk dangerous goods provides information on the fire-fighting medium to be used, for example whether water should be used as a fire-fighting agent, as this will be the first response of fire-fighters. The Hazchem Code includes information on PPE, the risk of violent reaction or explosion, spillage action and whether evacuation should be considered in the event of an incident with the material.

3.6 Section 6 - Accidental Release Measures

This section of the SDS provides information on the appropriate ways to respond to the release of chemicals, in the form of spills, leaks or other accidental release. This is so that the adverse effects on people, property and the environment at or near the workplace can be prevented or minimised. This information should distinguish between responses for large and small spills where the spill volume has a significant impact on the hazard or response.

Personal precautions,	The SDS should provide the following advice on a spill or release of a hazardous chemical:
protective equipment and emergency	The use of suitable equipment (including PPE) to prevent contamination of skin, eyes and personal clothing.
procedures	The removal of ignition sources and provision of sufficient ventilation.
	Emergency procedures, for example the need to evacuate the danger area or to consult an expert.
Environmental precautions	Contamination of the environment can give rise to indirect human chemical exposures within and outside the workplace. The SDS should provide advice on precautions related to accidental spills and releases of the hazardous chemical into the environment, for example keeping away from drains and surface and ground water.
Methods and materials for	The SDS should include advice on how to contain and clean up a spill. Appropriate containment techniques may include:
containment and cleaning up	■ Bunding ⁶ .
5 ap	■ Covering of drains.
	 Capping procedures (providing a cover or protection, for example to prevent damage or spillage).
	Appropriate clean up procedures may include:
	 Neutralisation techniques.
	 Decontamination techniques.
	Adsorbent materials.
	Cleaning techniques.
	Vacuuming techniques.
	 Equipment required for containment/clean up (includes the use of non-sparking tools and equipment where applicable).
	Recommended clean up procedures should also take into account disposal considerations under Section 13 - <i>Disposal considerations</i> of the SDS.

A **bund** is a provision of liquid collection facilities which, in the event of any leak or spillage from tanks or pipe work, will capture well in excess of the volume of liquids held, for example, an embankment. Bunded areas should drain to a capture tank which should have facilities for water/oil separation.

3.7 Section 7 - Handling and Storage

This section of the SDS provides guidance on safe handling and storage practices to minimise the risks of release and exposure to the hazardous chemical. These precautions should be appropriate to the intended use of the chemical and its unique properties.

PRECAUTIONS FOR SAFE HANDLING

Information should be provided to:

- allow for the safe handling of the hazardous chemical, for example, avoiding spills
- prevent inappropriate handling of incompatible hazardous chemicals
- minimise the release of the hazardous chemical outside of the workplace.

Information on how the chemical may be safely used must be provided.

General warnings on what practices to avoid or restrict should also be included in this section. This information is in addition to other hazard control measures in Section 8 – *Exposure controls and personal protection*. This section should also provide advice on general hygiene requirements, for example:

- "Eating, drinking and smoking in work areas is prohibited"
- "Wash hands after use"
- "Remove contaminated clothing and protective equipment before entering eating areas".

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

This section should include advice consistent with the physical and chemical properties of a hazardous chemical referred to in Section 9 - *Physical and chemical properties and Section* 10 - *Stability and Reactivity.* Advice should be provided on specific storage requirements, including:

- how to avoid:
 - explosive atmospheres
 - corrosive conditions
 - flammability hazards
 - incompatible substances or mixtures
 - evaporative conditions
 - potential ignition sources (including electrical equipment).
- how to control the effects of:
 - weather conditions
 - ambient pressure
 - temperature
 - sunlight
 - humidity
 - vibration.

- how to maintain the integrity of the hazardous chemical by the use of:
 - stabilisers
 - anti-oxidants
 - temperature control
- other advice on:
 - ventilation requirements for storage facilities
 - specific designs for storage rooms/vessels
 - quantity limits under storage conditions
 - packaging compatibilities
 - warnings if water should not be used as a fire-fighting agent, for example: "Ensure that fire-fighting water cannot reach water-sensitive chemicals and if necessary provide protective cabinets with appropriate labelling".

3.8 Section 8 - Exposure controls and personal protection

This section provides guidance on how to eliminate or minimise risks associated with exposure to hazardous chemicals. "Exposure control" means the full range of specific protection measures (including engineering control measures) to be taken during the use of a hazardous chemical in order to minimise personal exposure to the chemical.

Exposure control measures

The SDS should include advice on what measures should be taken to minimise exposure to hazardous chemicals and to keep exposure below the relevant exposure standard. Exposure standards represent airborne concentrations of individual substances which, according to current knowledge, should neither impair the health of, nor cause undue discomfort to, nearly all workers.

Exposure standards are generally expressed as a Time-Weighted Average (TWA) concentration of a substance over an eight-hour working shift. Along with this, Short Term Exposure Limits (STEL) or Peak Limitations should also be specified where available.

This section should list the available exposure standards, including all notations, for each hazardous chemical ingredient. If additional air contaminants are generated when using the hazardous chemical as intended, exposure standards for these should also be listed.

If there are no Australian exposure standards or occupational exposure limits, overseas standards should be used. Examples of overseas standards or limits include those of the Health and Safety Executive (HSE) in Great Britain, American Conference of Governmental Industrial Hygienists (ACGIH) or the German MAK.

Regardless of the exposure standard (if any) this section should describe controls to be implemented in a workplace to eliminate or minimise personal exposure.

Exposure standards are reviewed from time to time and therefore an up-to-date record of exposure standards should be consulted. Exposure standards published by Safe Work Australia are the *Workplace Exposure Standards for Airborne Contaminants*. A list of Australian exposure standards is also available on the Hazardous Substances Information System (HSIS), which can be accessed from **www.safeworkaustralia.gov.au**.

BIOLOGICAL MONITORING

Biological monitoring can assist in the detection and estimation of absorption of the hazardous chemical, for example by skin, gastrointestinal system, or inhalation. The effects of some hazardous chemicals used in the workplace must be monitored through biological monitoring. The SDS should detail the monitoring needed for a hazardous chemical.

It should also list known or recognised safe biological levels (in some countries these are known as biological limit values, biological exposure indices, biological exposure standards), where available, including notations for a hazardous chemical or for each ingredient of a mixture.

The source of the biological levels should be stated on the SDS. When biological levels are listed, they should use the chemical identity as specified in Section 3.3 – *Composition and information on ingredients*.

CONTROL BANDING

Control banding is a process used in some countries where a hazardous chemical is assigned to a band, based on the chemical's hazard classification and use. Each band may have a different control solution, for example: band 1 - good industrial hygiene practice, band 2 - use local exhaust ventilation, band 3 - enclose the process.

If the control banding approach is recommended in the SDS to provide protection in relation to specific uses of the hazardous chemical, then sufficient detail should be given to enable effective management of risks. The context and limitations of the specific control banding recommendation should be made clear.

ENGINEERING CONTROLS

The SDS should include a description of appropriate engineering control measures relating to the intended use of the hazardous chemical. This section should indicate when special engineering controls are necessary, and specify which controls are required, for example:

- "Maintain air concentration below occupational exposure standards, using engineering controls if necessary"
- "Use only in a well-ventilated area"
- "Use local exhaust ventilation"
- "Use only in an enclosed system"
- "Use only in spray paint booth or enclosure"
- "Use mechanical handling to reduce human contact with materials"
- "Use explosive dust handling controls".

The information in this section should complement that provided in Section 7 - Handling and Storage of the SDS.

INDIVIDUAL PROTECTION MEASURES, FOR EXAMPLE PERSONAL PROTECTIVE EQUIPMENT (PPE)

Consistent with the hierarchy of controls, PPE should be used only when other control measures (for example, elimination, substitution, isolation, engineering controls) have been found to be impracticable or in conjunction with one or more control measures. This section of the SDS should include information on PPE provided that it clearly recommends other controls to minimise exposure to the hazardous chemical.

Consideration should be given to the possible reduction in effectiveness of PPE and possible detrimental effects of hazardous chemicals on some materials from which items of PPE may be made, for example the use of synthetic clothing for protection against corrosive hazardous chemicals.

Eye and face protection

Information should be provided on eye and face protection needed for a hazardous chemical. It is important to specify:

- the type of eye protection required, for example safety glasses, goggles or face shields
- the properties of the eye protection required based on the hazard of the chemical and potential for contact, for example the degree of impact protection or splash resistance.

Skin protection

Information should be included on the skin protection required for a hazardous chemical. It is important to specify:

- the protective equipment to be worn when using or handling the hazardous chemical including the types of gloves, boots and bodysuits required
- the properties of the protective equipment based on the hazard of the chemical and potential for contact, for example cotton, PVC or nitrile.

Respiratory protection

If respiratory protection is needed for a hazardous chemical, the SDS should include information on the appropriate types of respiratory protection based on the chemical hazard and potential for exposure, for example air-purifying respirators requiring specific respiration filters, air-line respirator or breathing apparatus. Where appropriate, a reference to a standard should be included.

Vague information - for example "use respirator" - is not acceptable, whereas "use half-face filter respirator suitable for organic vapours" is acceptable.

Thermal hazards

The SDS should include information on the PPE required for thermal hazards. Special consideration should be given to the materials of the PPE to avoid adding to the thermal load of the wearer. Information on any secondary risk should also be included here.

See also Section 5 - Fire fighting measures of the SDS for specific fire/chemical PPE advice.

3.9 Section 9 - Physical and Chemical Properties

This section of the SDS describes the physical and chemical properties of a hazardous chemical. The data should apply to the hazardous chemical as supplied. If the hazardous chemical is a mixture, the physicochemical data should describe the mixture. If that information is not available, the properties of the most relevant ingredients should be provided.

The following properties should be included in the SDS where relevant and the appropriate units of measure and/or reference conditions should be specified:

- Appearance (physical state, colour etc)
- Odour
- Odour threshold

3. CONTENT OF THE SAFETY DATA SHEET

- pH
- Melting point/freezing point
- Initial boiling point and boiling range
- Flash point
- Evaporation rate
- Flammability (solid, gas)
- Upper/lower flammability or explosive limits
- Vapour pressure
- Vapour density
- Relative density
- Solubility
- Partition coefficient: n-octanol/water
- Auto-ignition temperature
- Decomposition temperature
- Viscosity

If relevant, the interpretation of the numeric value and the method of the determination should also be provided. Where there is no information about specific characteristics or data available, a statement should be included to that effect. It is not appropriate to leave blank spaces or use the term 'N/A' in an SDS.

In addition to those listed above, other physical or chemical parameters relevant to health and safety should be included in this section of the SDS. This includes parameters which, in addition to chemistry, can significantly influence the properties of chemicals, for example size or surface area in the case of engineered nanomaterials. Examples of parameters which may be included are:

- Specific heat value
- Saturated vapour concentration (include reference temperatures)
- Release of invisible flammable vapours and gases
- Particle size (average and range)
- Size distribution
- Shape and aspect ratio
- Crystallinity
- Dustiness
- Surface area
- Degree of aggregation or agglomeration, and dispersibility
- Redox potential
- Biodurability or biopersistence
- Surface coating or chemistry (if different to rest of particle).

3.10 Section 10 - Stability and Reactivity

This section of the SDS provides information regarding the stability and reactivity of the hazardous chemical. Information on the possibility of hazardous reactions is necessary to ensure the safe handling and storage of chemicals and to ensure effective fire fighting and spill control measures.

REACTIVITY

This section should describe the reactivity hazards of the chemical, including the conditions under which the hazardous reactions may occur, for example:

- whether the hazardous chemical will react or polymerise
- flame propagation or burning rate of solid materials
- properties of both flammable and non-flammable materials that may initiate or add to the intensity of a fire
- potential for dust explosion
- reactions that release flammable or toxic gases or vapours
- fast or intensely burning characteristics
- non-flammables that could contribute to unusual hazards to a fire, for example strong oxidising and reducing agents or peroxide fumes.

Specific test data should be provided for the hazardous chemical as a whole, where available. However, the information may also be based on general data for the class or family of chemical if such data adequately represents the anticipated hazard of the hazardous chemical.

If data for mixtures is not available, ingredient data should be provided. In determining incompatibility, the substances, containers and contaminants that the hazardous chemical might be exposed to during transportation, storage and use should be considered.

CHEMICAL STABILITY

Information should be provided on the stability of the hazardous chemical under normal ambient storage and handling conditions. Consider any foreseeable changes in temperature and pressure conditions. Any stabilisers used to maintain the product should be described, as well as the safety implications of any change in the physical appearance of the product which may result if the stabiliser is compromised.

POSSIBILITY OF HAZARDOUS REACTIONS

If relevant, the SDS should state if a hazardous chemical will react or polymerise, releasing excess pressure or heat, or create other hazardous conditions. It should describe under what conditions a hazardous reaction may occur.

CONDITIONS TO AVOID

Information should include conditions – for example, temperature, pressure, shock, static discharge, vibrations or other physical stresses – that might cause a hazardous reaction.

INCOMPATIBLE MATERIALS

Classes of chemicals or specific substances with which the hazardous chemical could react to produce a hazardous situation should be listed in the SDS, for example, explosion, excessive heat generation, release of toxic or flammable materials.

HAZARDOUS DECOMPOSITION PRODUCTS

The SDS should list any hazardous products that may be produced due to the decomposition of the chemical during use, storage or heating. The anticipated outcomes of a reaction with another material should be described, including the production of flammable, toxic or asphyxiating gases. Advice should be provided about what should be done if an unstable state is reached.

Hazardous combustion products should be included in Section 5 - Fire Fighting Measures of the SDS.

3.11 Section 11 - Toxicological Information

This section of the SDS provides toxicological information relevant to the health hazard category assigned to the chemical using the *GHS*. It should be based on expert toxicological advice and on the toxicological hazards information provided in the *GHS* classification criteria. A concise but complete and comprehensible description of the various toxicological health effects (for both acute and chronic effects) consistent with hazard classification, and the available data used to identify those effects, should be provided. The relevant hazards for which data should be provided are:

- acute toxicity
- skin corrosion/irritation
- serious eve damage/irritation
- respiratory or skin sensitisation
- germ cell mutagenicity
- carcinogenicity
- reproductive toxicity
- Specific Target Organ Toxicity (STOT) single exposure
- Specific Target Organ Toxicity (STOT) repeated exposure
- aspiration hazard.

Information on these hazards should be presented in the above order in each SDS. Other non-classifiable hazards may also be included. For example, some chemicals readily penetrate the skin and may increase skin absorption of other toxins, such as dimethyl sulfoxide. Information should also be provided on whether potential exposure to the hazardous chemical has immediate or delayed health effects.

If data for any of these hazards is not available, they should still be listed with a statement that data is not available.

The toxicological data should apply to the hazardous chemical as used in the workplace. It should be relevant to the mixture. Where information on the mixture is not available, then information on the toxicological properties of the hazardous ingredients above the concentration cut-off in the mixture should be provided. If there is no data on a mixture but sufficient data exists on the components of the mixture or similar mixtures, bridging principles can be used to provide information. The type of bridging principles used should also be stated.

The health effects included in the SDS should be consistent with those described in studies used for the classification of the hazardous chemical. General statements – for example "Toxic" – with no supporting data or "Safe if properly used" are not acceptable as they may be misleading and do not provide a description of health effects. Phrases such as "not applicable" and "not relevant", or leaving blank spaces in the health effects section, can lead to confusion and misunderstanding and should not be used.

For health effects where information is not available, this should be clearly stated. Health effects should be described accurately and relevant distinctions made. For example, allergic contact dermatitis and irritant contact dermatitis should be distinguished from each other.

Where there is a substantial amount of test data on the hazardous chemical, the results should be summarised for example, by grouping toxicological data by the route of exposure.

Information should also be provided on the relevant negative data. Information to support negative test results should be included, for example "carcinogenicity studies in the rat have shown no significant increase in the incidence of cancer".

INFORMATION ON POSSIBLE ROUTES OF EXPOSURE

Information should be provided on the possible routes of exposure and the effects of the hazardous chemical via each route of exposure, that is, through ingestion (swallowing), inhalation or skin/eye exposure. A statement should be made if health effects are not known. Statements such as "Ingestion is not expected to occur" or "Ingestion should be avoided" are not acceptable.

Information on all routes of exposure should be provided as it is not possible to predict how a chemical will be used in a workplace or the most likely exposure route.

EARLY ONSET SYMPTOMS RELATED TO EXPOSURE

Information should be provided on early symptoms associated with exposure to the hazardous chemical, its ingredients or known by-products. It should include information on the symptoms related to the physical, chemical and toxicological characteristics of the hazardous chemical following exposure related to the intended uses. This section should describe the first symptoms at the lowest exposures through to the consequences of severe exposure, for example, "Headaches and dizziness may occur, proceeding to fainting or unconsciousness; large doses may result in coma and death".

DELAYED HEALTH EFFECTS FROM EXPOSURE

Information should be provided on whether delayed or immediate effects can be expected after short or long term exposure consistent with the classification of the chemical. Information should include acute and chronic health effects relating to human exposure to the hazardous chemical.

Where human data is not available, animal data should be summarised and the species clearly identified. The SDS should indicate whether toxicological data is based on human or animal data. Classifications or studies from government or international agencies may be used, for example "Has been classified as a probable human carcinogen by the International Agency for Research on Cancer". Where data on chronic effects is not available, it is recommended that the SDS take a precautionary approach to health effects from exposure.

EXPOSURE LEVELS AND HEALTH EFFECTS

The SDS should provide information on the dose, concentration or conditions of exposure that may cause adverse health effects. Where appropriate, doses should be linked to symptoms and effects, including the period of exposure likely to cause harm. For example, "10 ppm respiratory irritation, 250-300 ppm difficulty in breathing, 500 ppm unconsciousness leading to death after 30 minutes". Where exposure levels are not known, the SDS should take a precautionary approach to exposure levels or include links to potential health effects, if available.

INTERACTIVE EFFECTS

If known, information on interactions should be included in situations where:

- symptoms are worsened by drinking alcohol, taking medication or smoking
- pre-existing medical conditions for example, asthma, high blood pressure or a predisposition to allergic reactions - may increase risk.

WHEN SPECIFIC CHEMICAL DATA IS NOT AVAILABLE

Where there is insufficient data to classify a chemical, testing may be required. However, it may not always be possible to obtain information on the hazards of a chemical. In cases where data on the specific hazardous chemical is not available, data on the chemical functional group, if appropriate, should be used. Where generic data is used or where data is not available, this should be stated clearly in the SDS.

MIXTURES OF CHEMICALS

If a mixture has not been tested for its health effects as a whole, then information must be provided on each ingredient listed under Section 3 – *Composition and Information on Ingredients*.

Ingredients may interact with each other in the body resulting in different rates of absorption, metabolism and excretion. As a result, the toxic actions may be altered and the overall toxicity of the mixture may be different from its ingredients.

This section should advise whether the concentration of each ingredient is sufficient to contribute to the overall health effects of the mixture. The information on toxic effects should be presented for each ingredient, except:

- If the information is duplicated, in which case it is not necessary to list this more than once (for example, if two ingredients both cause vomiting and diarrhoea, the mixture should be described overall as causing vomiting and diarrhoea)
- if it is unlikely that these effects will occur at the concentrations present (for example, when a mild irritant is diluted in a non-irritating solution, the overall mixture would be unlikely to cause irritation).

Predicting the interactions between ingredients is difficult where information on interactions is not available. However, assumptions should not be made. Instead, the SDS should list the health effects of each ingredient separately

OTHER INFORMATION

It is recommended that other relevant information on adverse health effects be included for hazards even when they are outside the scope of the WHS Regulations.

3.12 Section 12 - Ecological Information

This section of the SDS provides information about the environmental and ecological hazards of hazardous chemicals. This information can assist in handling spills and evaluating waste treatment practices and should clearly indicate species, media, units, test duration and test conditions. Where information is not available, this also should be stated.

Ecological information should be given for each ingredient, where available and appropriate.⁷

ECOTOXICITY

Information on ecotoxicity should be provided using data from tests performed on aquatic and/or terrestrial organisms. This should include relevant available data on both acute and chronic aquatic toxicity for fish, crustaceans, algae and other aquatic plants. In addition, toxicity data on other organisms (including soil micro and macro-organisms) for example birds, bees and plants, should be included when available. Where the hazardous chemical has inhibitory effects on the activity on micro-organisms, the possible impact on sewage treatment plants should be mentioned.

PERSISTENCE AND DEGRADABILITY

Persistence and degradability is the potential for the hazardous chemical (or hazardous ingredients of a mixture) to degrade in the environment, either through biodegradation or other processes, for example oxidation or hydrolysis. Test results relevant to assess persistence and degradability should be given where available. If degradation half-lives are quoted an indication of whether these half-lives refer to mineralisation or to primary degradation should be provided. The potential for the hazardous chemical (or hazardous ingredients of a mixture) to degrade in sewage treatment plants may also be mentioned.

BIOACCUMULATIVE POTENTIAL

Bioaccumulation is the potential for the hazardous chemical (or hazardous ingredients of a mixture) to accumulate in biota and possibly pass through the food chain. Test results relevant to assess the bioaccumulative potential should be given. This may include reference to the octanol-water partition coefficient (K_{ow}) and bioconcentration factor (BCF), if available.

MOBILITY IN SOIL

Where real data on the hazardous chemical is available, this data should take precedence over models and predictions.

OTHER ADVERSE EFFECTS

Information on any other adverse effects to the environment should be included where data is available, for example environmental fate (exposure), ozone depletion potential, photochemical ozone creation potential, endocrine-disrupting potential and global warming potential.

Further ecological information, such as ecotoxicity, persistence, degradability and mobility, may be available from chemical assessments undertaken by the Department of Sustainability, Environment, Water, Population and Communities (DSEWPaC), the National Industrial Chemicals Notification and Assessment Scheme (NICNAS) or the Australian Pesticides and Veterinary Medicines Authority (APVMA).

⁸ Soil organic carbon partition coefficient

3.13 Section 13 - Disposal considerations

This section of the SDS provides information on the most effective way to dispose of a chemical safely.

Disposal Methods

Information should be provided for proper disposal, recycling or reclamation of the hazardous chemical and its container to assist in the determination of safe and environmentally-preferred waste management options. This section should include:

- Disposal containers and methods.
- Physical/chemical properties that may affect disposal options.
- Effects of sewage disposal.
- Special precautions for incineration or landfill.

The disposal advice provided on the SDS should apply to the material as manufactured.

For the safety of persons conducting disposal, recycling or reclamation activities, refer to the information in Section 8 – *Exposure Controls and Personal Protection* of the SDS.

The local council and /or state environment authority may be able to provide advice on the disposal of chemicals.

3.14 Section 14 - Transport Information

This section provides basic classification information for the transportation or shipment of a hazardous chemical by road, rail, sea or air as required by relevant transport legislation. Where information is not available or relevant this should be stated.

UN number	The UN number (i.e. four-digit identification number of the substance or article) as listed in the <i>ADG Code</i> should be provided.
Proper shipping name or Technical Name	The Proper Shipping Name or Technical Name from the <i>ADG Code</i> should also be included. For hazardous chemicals, the Proper Shipping Name or Technical Name should be provided in this subsection even if it has not appeared as the product identifier or national or regional identifiers.
Transport hazard class	The SDS should provide the transport class/division (and subsidiary risks) assigned to the hazardous chemical according to the most predominant hazards that the chemical presents under the <i>ADG Code</i> .

Packing Group	If applicable, information should be provided on the Packing Group number found in the <i>ADG Code</i> . The Packing Group number is assigned to certain hazardous chemicals in accordance with their degree of hazard. Packing Group I is the highest hazard and Packing Group III the lowest.
Environmental hazards for Transport Purposes	The SDS should indicate whether the hazardous chemical is a known marine pollutant according to the <i>International Maritime Dangerous Goods (IMDG) Code</i> . Also it is recommended that the SDS indicate whether the substance or mixture is classified as having an acute aquatic toxicity hazard as required under the <i>ADG Code</i> .
	Additional information for certain environmentally hazardous chemicals may be required on the SDS to comply with maritime transport laws, for example, for chemicals listed in Annex 1 of the <i>International Convention for the Prevention of Pollution from Ships (MARPOL)</i> .
Special Precautions for user	Information should be provided on special precautions that users should be aware of or should comply with when transporting a hazardous chemical. Any other special requirements relevant to transport of the chemical should be stated here, for example shock sensitivity, specific storage requirements during transit/warehousing and overseas regulatory transport requirements if the hazardous chemical is for export.
Additional Information	Any additional information required by overseas regulatory agencies or relevant Regulations for the transport of goods by other modes should be included here.
Hazchem or Emergency Action Code	The relevant <i>Hazchem (or Emergency Action) Code</i> must be provided as specified in the <i>ADG Code</i> .

3.15 Section 15 - Regulatory Information

This section of the SDS provides advice on other regulatory information on the hazardous chemical that is not provided elsewhere in the SDS, for example whether the hazardous chemical is subject to the following international agreements:

- Montreal Protocol (Ozone depleting substances)⁹
- The Stockholm Convention (Persistent Organic Pollutants) ¹⁰
- The Rotterdam Convention (Prior Informed Consent)¹¹
- Basel Convention (Hazardous Waste)¹²
- International Convention for the Prevention of Pollution from Ships (MARPOL).

Montreal Protocol means the Montreal Protocol on Substances that Deplete the Ozone Layer, as adjusted and/or amended.

Stockholm Convention means the Stockholm Convention on Persistent Organic Pollutants.

¹¹ Rotterdam Convention means the Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade.

Basel Convention means the Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal.

SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS

Other regulatory information specific to the hazardous chemical may also be included here, for example whether the substance is covered by the following requirements:

- the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) established under the *Therapeutic Goods Act 1989* (Commonwealth) (as amended). If so, list the relevant Poisons Schedule number
- any applicable prohibition or notification/licensing requirements, including for carcinogens under Commonwealth, State or Territory legislation
- the Agricultural and Veterinary Chemicals Code Act 1994 (Commonwealth) and/or applicable Commonwealth, State or Territory control-of-use legislation
- the Industrial Chemicals (Notification and Assessment) Act 1989 (Commonwealth), including listing on the Australian Inventory of Chemical Substances (AICS), any condition of use associated with the listing on the AICS and/or whether any chemical or a chemical in the product is being introduced under a permit. In addition, it is recommended that information in a NICNAS assessment report be included.

3.16 Section 16 - Other information

This section of the SDS provides any other information relevant to the preparation of the SDS, including:

- the date of preparation of the latest revision of the SDS. When revisions are made to an SDS, clearly indicate where the changes have been made to the previous version of the SDS. Suppliers should maintain an explanation of the changes and be willing to provide it upon request
- a key/legend to abbreviations and acronyms used in the SDS.

Key literature references and sources for data used to compile the SDS should also be included.

APPENDIX A - DEFINITIONS AND ABBREVIATIONS

Article means a manufactured item, other than a fluid or particle, that is formed into a particular shape or design during manufacture and has hazard properties and a function that are wholly or partly dependent on the shape or design.

Bioaccumulative potential is the potential for a chemical to accumulate in biota and possibly pass through the food chain.

Biological monitoring means the measurement and evaluation of a substance, or its metabolites, in the body tissue, fluids or exhaled air of a person exposed to that substance.

Chemical Identity means a name, in accordance with the nomenclature systems of the International Union of Pure and Applied Chemistry or the Chemical Abstracts Service, or a technical name, that gives a chemical a unique identity.

Class of dangerous goods, means the number assigned to the goods in the ADG Code indicating the hazard, or most predomianant hazard, exhibited by the goods.

Combustible liquid means a liquid, other than a flammable liquid, that has a flash point, and a fire point less than its boiling point.

Combustible substance means a substance that is combustible and includes dust, fibres, fumes, mists or vapours produced by the substance.

Container means anything in or by which a hazardous chemical is, or has been, wholly or partly covered, enclosed or packed, including anything necessary for the container to perform its function as a container.

Correct classification means the set of hazard classes and hazard categories assigned to a hazardous chemical when it is correctly classified.

Division of dangerous goods, means a number, in a class of dangerous goods, to which the dangerous goods are assigned in the *ADG Code*.

Exposure standard means an exposure standard published by Safe Work Australia in the Workplace Exposure Standards for Airborne Contaminants.

Note: The Workplace Exposure Standards for Airborne Contaminants will replace the Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOSHC:1003(1995)].

Flammable Liquid means a flammable liquid within the meaning of the GHS that has a flashpoint of less than 93°C.

Flash point means the lowest temperature (corrected to a standard pressure of 101.3 kPa) at which the application of an ignition source causes the vapours of a liquid to ignite under specified test conditions.

Generic Name means a name applied to a group of chemicals having a similar structure and properties.

Genuine research means systematic investigative or experimental activities that are carried out for either acquiring new knowledge (whether or not the knowledge will have a specific practical application) or creating new or improved materials, products, devices, processes or services.

APPENDIX A - DEFINITIONS AND ABBREVIATIONS

GHS means the 'Globally Harmonized System of Classification and Labelling of Chemicals, 3rd Revised Edition', published by the United Nations.

Hazard means a situation or thing that has the potential to harm people, property or the environment. The GHS covers physicochemical, health and environmental hazards for hazardous chemicals.

Hazard Category means a division of criteria within a hazard class in the GHS.

Hazard class means the nature of a physical, health or environmental hazard under the GHS.

Hazard pictogram means a graphical composition, including a symbol plus other graphical elements, that is assigned in the GHS to a hazard class or hazard category.

Hazard Statement means a statement assigned to a hazard class or hazard category describing the nature of the hazards of a hazardous chemical including, if appropriate, the degree of hazard.

Hazchem Code means 'Hazchem Code' under the ADG Code, also known as the Emergency Action Code.

Health Surveillance, of a person, means monitoring the person to identify changes in the person's health status as a result of exposure to a hazardous chemical.

Import means to bring into the jurisdiction from outside Australia.

Label means written, printed or graphical information elements concerning a hazardous chemical that is affixed to, printed on or attached to the container of a hazardous chemical.

Manufacture includes the activities of packing, repacking, formulating, blending, mixing, making, remaking and synthesizing of the chemical.

Mixture means a combination of or a solution composed of two or more substances that do not react with each other.

Physicochemical means the physical properties of a chemical.

Precautionary Statement means a phrase prescribed by the GHS that describes recommended measures to be taken to prevent or minimise the adverse effects of exposure to a hazardous chemical or the improper handling of a hazardous chemical.

Product Identifier means the name or number used to identify a product on a label or in a safety data sheet (SDS).¹³

Proper shipping name means a proper shipping name under the ADG Code.

Research chemical means a substance or mixture that is manufactured in a laboratory for genuine research and is not for use or supply for a purpose other than analysis or genuine research.

The term 'product name' has previously been used for 'product identifier'

APPENDIX A - DEFINITIONS AND ABBREVIATIONS

Substance means a chemical element or compound in its natural state or obtained or generated by a process:

- including any additive necessary to preserve the stability of the element or compound and any impurities deriving from the process; but
- excluding any solvent that may be separated without affecting the stability of the element or compound, or changing its composition.

Supply includes selling or transferring ownership or responsibility for a chemical.

Technical name means a name that is:

- ordinarily used in commerce, regulations and codes to identify a substance or mixture, other than an International Union of Pure and Applied Chemistry or Chemical Abstracts Service name
- recognised by the scientific community.

United Nations (UN) Number means a number assigned to dangerous goods by the United Nations Subcommittee of Experts on the Transport of Dangerous Goods.¹⁴

¹⁴ UN Numbers are published in the UN Recommendations on the Transport of Dangerous Goods - Model Regulation, and in the ADG Code.

APPENDIX B - HEADER CHECKLIST

This checklist provides a summary of the information contained in Chapter 3 of this Code. It is not a comprehensive list of information required on the SDS. Refer to the relevant section for detailed instructions.

SECTION	HEADERS
Product identifier & identity for the chemical	☐ Product Identifier
for the chemical	☐ Other means of identification
	\square Recommended use of the chemical and restrictions on use
	☐ Suppliers name, address and phone number
	☐ Emergency phone number
2. Hazard Identification	☐ Classification of the hazardous chemical
	☐ Label elements, including precautionary statements
	Other hazards which do not result in classification
Composition/information on ingredients	☐ Identity of chemical ingredients
ingredients	\square CAS number and other unique identifiers
	\square Concentration of ingredients
4. First Aid Measures	☐ Description of necessary first aid measures
	☐ Symptoms caused by exposure
	☐ Medical Attention and Special Treatment
5. Fire Fighting Measures	☐ Suitable extinguishing media
	\square Specific hazards arising from the chemical
	\square Special protective equipment and precautions for fire fighters
6. Accidental release measures	$\hfill \square$ Personal precautions, protective equipment and emergency procedures
	☐ Environmental precautions
	\square Methods and materials for containment and cleaning up
7. Handling and Storage	☐ Precautions for safe handling
	\square Conditions for safe storage, including any incompatibilities
8. Exposure controls/personal	☐ Control parameters - exposure standards, biological monitoring
protection	Appropriate engineering controls
	Personal protective equipment (PPE)
9. Physical and chemical	Appearance
properties	Odour
	☐ Odour threshold
	ПрН
t e e e e e e e e e e e e e e e e e e e	

9. Physical and chemical properties (continued)	☐ Melting point/freezing point
properties (continued)	☐ Boiling point and boiling range
	☐ Flash point
	☐ Evaporation rate
	☐ Flammability
	\square Upper/lower flammability or explosive limits
	☐ Vapour pressure
	☐ Vapour density
	☐ Relative density
	☐ Solubility(ies)
	☐ Partition coefficient: n-octanol/water
	☐ Auto-ignition temperature
	☐ Decomposition temperature
	□ Viscosity
	☐ Specific heat value
	☐ Particle size
	☐ Volatile organic compounds content
	☐ % volatile
	☐ Saturated vapour concentration
	Release of invisible flammable vapours and gases
Additional parameters	☐ Shape and aspect ratio
	☐ Crystallinity
	☐ Surface area
	\square Degree of aggregation or agglomeration
	☐ Ionisation (redox potential)
	☐ Biodurability or biopersistence
10. Stability and Reactivity	Reactivity
	☐ Chemical stability
	☐ Conditions to avoid
	\square Incompatible materials and possible hazardous reactions
	☐ Hazardous decomposition products

APPENDIX B - HEADER CHECKLIST

11. Toxicological information	\square Information on routes of exposure
	☐ Symptoms related to exposure
	☐ Numerical measures of toxicity
	☐ Immediate, delayed and chronic health effects from exposure
	☐ Exposure Levels
	☐ Interactive effects
	☐ Data limitations
12. Ecological information	
	☐ Persistence and degradability
	☐ Bioaccumulative potential
	☐ Mobility in soil
	☐ Other adverse effects
13. Disposal considerations	☐ Safe handling and disposal methods
	☐ Disposal of any contaminated packaging
	☐ Environmental regulations
14. Transport information	☐ UN number
	☐ Proper shipping name
	☐ Transport hazard class(es)
	☐ Packing group
	☐ Environmental hazards
	☐ Special precautions during transport
	☐ Hazchem Code
15. Regulatory information	☐ Safety, health and environmental regulations specific for the product in question
	☐ Poisons Schedule number
16. Other information	☐ Date of preparation or review
	☐ Key abbreviations or acronyms used

The information in this Appendix guides the selection of appropriate GHS signal words, pictograms, hazard statements and precautionary statements that apply to each GHS hazard class and category. It includes elements for all categories of precautionary action. All specific elements relating to particular hazard classes and categories should be used. General elements not linked in particular to a certain hazard class or category should also be used, where appropriate.

The precautionary statements included in the following matrix cover general emergency response and first-aid. For some specific chemicals, supplementary first aid, treatment measures or specific antidotes or cleansing materials may be required. Poisons Centres and/or medical practitioners or specialist advice should be sought in such situations and included on labels where appropriate.

c1. Structure of hazard statement text

The text in bold should appear in the SDS, except as otherwise specified. The information in italics should also appear as part of the hazard statement in the SDS when the information is known, for example:

"Causes damage to organs (or state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)".

The hazard statement codes shown in the tables are intended to be used for reference purposes only. They are not part of the hazard statement text and should not be used to replace it in the SDS.

c2. Structure of precautionary statement text

There are five types of precautionary statements: **general, prevention, response** (in case of accidental spillage or exposure, emergency response and first aid), **storage** and **disposal**.

The core parts of the precautionary statements are shown in bold print. This is the text that should appear in the SDS, except as otherwise specified.

The precautionary statement codes used in the tables are intended to be used for reference purposes only. They are not part of the precautionary statement text and should not be used to replace it in the SDS.

To provide flexibility in the application of precautionary phrases, a combination of statements may be used to improve the readability of phrases. Combinations of phrases can also be useful for different types of hazard where the precautionary behaviour is similar. For example: "Keep away from heat, sparks and open flame and store in a cool well ventilated place". Where precautionary statements have been modified or combined, clear plain language is essential to convey information on precautionary behaviour.

When a backslash or diagonal mark [/] appears in a precautionary statement text, it indicates that a choice has to be made between the phrases they separate. For example, in P280 "Wear protective gloves/protective clothing/eye protection/face protection" could read "Wear eye protection" where the hazard classification does not warrant the additional personal protective equipment.

When three full stops [...] appear in a precautionary statement text, they indicate that all applicable conditions are not listed. For example, in P241 "Use explosion-proof electrical/ventilating/lighting/.../equipment.", the use of "..." indicates that other equipment should be specified.

When text in italics is used in the precautionary statement text, this indicates specific conditions apply to the use or allocation of the precautionary statement. This may relate to conditions attaching to either the general use of a precautionary statement or its use for a particular hazard class and/or hazard category. For example, for P241 "Use explosion-proof electrical/ventilating/lighting/.../ equipment" only applies for flammable solids "if dust clouds can occur".

c3. General precautionary measures

The general precautionary statements listed below are not aligned with any particular GHS hazard category. According to the GHS principles, these statements are required for consumer products only. However, manufacturers of hazardous chemicals may choose to include these in an SDS, particularly where it is foreseeable that the chemical may be used in a non-workplace situation.

Code (1)	General precautionary statements (2)	Conditions for use (5)
P101	If medical advice is needed, have product container or label at hand.	Consumer products
P102	Keep out of reach of children.	Consumer products
P103	Read label before use.	Consumer products

c4. Tables of label elements from the GHS

The tables below provide the following information for each hazard class and hazard category of the GHS:

- hazard category
- the assigned GHS symbol
- the assigned signal word
- the assigned hazard statement and code
- the assigned precautionary statements, by precautionary statement type and code.

EXPLOSIVES

Hazard category Signal word Hazard statement

Unstable Explosive Danger H200 **Unstable Explosive**

Exploding bomb

Symbol

Prevention	Response	Storage	Disposal
P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood.	P372 Explosion risk in case of fire. P373 DO NOT fight fire when fire reaches explosives.	P401 Storein accordance with local/regional/ national/ international Regulations (to be specified).	P501 Dispose of contents container to in accordance with local/regional/ national/international Regulations (to be specified).
P281 Use personal protective equipment as required.	P380 Evacuate area.		

EXPLOSIVES

Hazard category	Signal word	Hazard statement	Symbol
Division 1.1	Danger	H201 Explosive; mass explosion hazard	Exploding bomb
Division 1.2	Danger	H202 Explosive; severe projection hazard	1.
Division 1.3	Danger	H203 Explosive; fire, blast or projection hazard	- S

Prevention	Response	Storage	Disposal
P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. Manufacturer/supplier or the	P370 +P380 In case of fire: evacuate area.	P401 Storein accordance with local/regional/ national/	P501 Dispose of contents, container toin accordance
competent authority to specify applicable ignition source(s). P230	P372 Explosion risk in case of fire.	international Regulations (to be specified).	with local/regional/ national/internationa Regulations (to be
Keep wetted with	in case of fire.		specified).
Manufacturer/supplier or the competent authority to specify appropriate material. - if drying out increases explosion hazard, except as needed for manufacturing or operating processes (e.g. nitrocellulose).	P373 DO NOT fight fire when fire reaches explosives.		
P240 Ground/bond container and receiving equipment if the explosive is electrostatically			
sensitive.			
P250 Do not subject to grinding/shock//frictionManufacturer/supplier or the competent authority to specify applicable rough handling.			
P280 Wear face protection. Manufacturer/supplier or the competent authority to specify type of equipment.			

Hazard statement

hazard

H204 Fire or projection

EXPLOSIVES

Hazard category

Division 1.4

Signal word

Warning

E)

Exploding bomb

Symbol



Precautionary statements

Precautionary statements				
Prevention	Response	Storage	Disposal	
P210	P370 +P380	P401	P501	
Keep away from heat/sparks/	In case of fire:	Store	Dispose of contents/	
open flames/hot surfaces No	Evacuate area.	in accordance with	container to	
smoking.	D770	local/regional/ national/	in accordance	
Manufacturer/supplier or the	P372	international Regulations	with local/regional/	
competent authority to specify	Explosion risk in case of fire.	(to be specified).	national/international	
applicable ignition source(s).	- except if explosives		Regulations (to be	
P240	are 1.4S AMMUNITION		specified).	
Ground/bond container and	AND COMPONENTS			
receiving equipment.	THEREOF.			
- if the explosive is	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
electrostatically sensitive.	P373			
, and the second	DO NOT fight fire			
P250	when fire reaches			
Do not subject to grinding/	explosives.			
shock//friction.	P374			
Manufacturer/supplier or the	Fight fire with normal			
competent authority to specify	precautions from a			
applicable rough handling.	reasonable distance.			
P280	-If explosives are			
Wear face protection.	1.4S AMMUNITION			
Manufacturer/supplier or	AND COMPONENTS			
competent authority to specify	THEREOF.			
type of equipment.				

EXPLOSIVES

Hazard category

Division 1.5

Signal word

Danger

Hazard statement

H205 May mass explode in fire



Prevention	Response	Storage	Disposal
P210 Keep away from heat/sparks/ open flames/hot surfaces No smoking. Manufacturer/supplier or the competent authority to specify applicable ignition source(s).	P370 +P380 In case of fire: Evacuate area. P372 Explosion risk in case of fire.	P401 Storein accordance with local/regional/ national/ international Regulations (to be specified).	P501 Dispose of contents, container to in accordance with local/regional/national/international Regulations (to be
P230 Keep wetted with Manufacturer/supplier or the competent authority to specify appropriate material if drying out increases explosion hazard, except as needed for manufacturing or operating processes (e.g. nitrocellulose).	P373 DO NOT fight fire when fire reaches explosives.		specified).
P240 Ground/bond container and receiving equipment - if the explosive is electrostatically sensitive.			
P250 Do not subject to grinding/ shock//frictionManufacturer/supplier or the competent authority to specify applicable rough handling.			
P280 Wear face protection. Manufacturer/supplier or competent authority to specify type of equipment.			

^{*}Note: This symbol is according to the ADG Code for the transport of dangerous goods

EXPLOSIVES

Hazard category

Division 1.6 No signal word

Hazard statement

No hazard statement



Precautionary statements			
Prevention	Response	Storage	Disposal
No precautionary statements	No precautionary statements	No precautionary statements	No precautionary statements

^{*}Note: Symbol for Explosive Division 1.6 is the symbol used for the transport of dangerous goods

Signal word

FLAMMABLE GASES

Hazard category

Signal word

Danger

Hazard statement

H220 Extremely flammable gas





Precautionary statements			
Prevention	Response	Storage	Disposal
P210 Keep away from heat/sparks/ open flames/hot surfacesNo smoking. Manufacturer/supplier or competent authority to specify applicable ignition source(s).	P377 Leaking gas fire: Do not extinguish, unless leak can be stopped safely. P381 Eliminate all ignition sources if safe to do so.	P403 Store in well-ventilated place.	

FLAMMABLE AEROSOLS

Hazard category

Signal word Hazard statement

Danger H222 Extremely flammable aerosol

2 Warning H223 **Flammable aerosol**



Symbol

Precautionary statements	T		T.
Prevention	Response	Storage	Disposal
P210		P410 + P412	
Keep away from heat/sparks/		Protect from sunlight.	
open flames/hot surfacesNo		Do not expose to	
smoking.		temperatures exceeding	
Manufacturer/supplier or the		50°C/122°F.	
competent authority to specify			
applicable ignition sources(s).			
P211			
Do not spray on an open flame			
or other ignition source.			
P251			
Pressurized container: Do not			
oierce or burn, even after use.			
pierce or burn, even after use.			

OXIDISING GASES

Hazard category

Signal word Hazard statement

oxidiser

Danger H270 **May cause** or intensify fire;

8

Flame over circle

Symbol

Precautionary statements				
Prevention	Response	Storage	Disposal	
P220 Keep/Store away from clothing//combustible materialsManufacturer/supplier or the competent authority to specify other incompatible materials.	P370 + P376 In case of fire: Stop leak if safe to do so.	P403 Store in well-ventilated place.		
P244 Keep reduction valves free from grease and oil.				

GASES UNDER PRESSURE			Symbol Gas cylinder
Hazard category	Signal word	Hazard statement	
Compressed gas	Warning	H280 Contains gas under pressure; may explode if heated	
Liquefied gas	Warning	H280 Contains gas under pressure; may explode if heated	
Dissolved gas	Warning	H280 Contains gas under pressure; may explode if heated	
Precautionary statemen	ts		
Prevention	Response	Storage	Disposal
		P410 + P403 Protect from sunlight. Store in a well-ventilated place.	

GASES UNDER PRESSURE

Hazard category

Refrigerated liquefied

gas

Signal word

Warning

Hazard statement

H281 Contains refrigerated gas; may cause cryogenic

burns or injury

Symbol Gas cylinde

Gas cylinder



Precautionary statements						
Prevention	Response	Storage	Disposal			
P282 Wear cold insulating gloves/face shield/eye protection.	P336 Thaw frosted parts with lukewarm water. Do not rub affected area.	P403 Store in well-ventilated place.				
	P315 Get immediate medical advice/attention					

Symbol

TE/ (I II I/ (BEE EIGOIDS	,		Flame
Hazard category	Signal word	Hazard statement	
1	Danger	H224 Extremely flammable liquid and vapour	.
2	Danger	H225 Highly flammable liquid and vapour	E3
3	Warning	H226 Flammable liquid and vapour	
Precautionary statements			
Prevention	Response	Storage	Disposal
P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. Manufacturer/supplier or the competent authority to specify applicable ignition source(s). P233 Keep container tightly closed. P240 Ground/Bond container and receiving equipment - if electrostatically sensitive material is for reloading if product is volatile so as to generate hazardous atmosphere. P241 Use explosion-proof electrical/ventilating/lighting//equipment Manufacturer/supplier or the competent authority to specify other equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge.	P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. P370 + P378 In case of fire: Use for extinctionManufacturer/ supplier or the competent authority to specify appropriate media if water increases risk.	P403 + P235 Store in a well-ventilated place. Keep cool.	P501 Dispose of contents/ container to in accordance with local/regional/ national/international Regulations (to be specified).
Wear protective gloves/eye protection/face protection Manufacturer/supplier or the competent authority to specify type of equipment.			

FLAMMABLE LIQUIDS

Symbol

I LAMINABLE LIQ	0100		No symbol
Hazard category	Signal word	Hazard statement	
4	Warning	H227 Combustible liquid	
Precautionary statements			
Prevention	Response	Storage	Disposal
P210 Keep away from flames and hot surfaces No smoking. P280 Wear protective gloves/eye protection/face protection Manufacturer/supplier or the competent authority to specify type of equipment.	P370 + P378 In case of fire: Use for extinction Manufacturer/supplier or the competent authority to specify appropriate media if water increases risk.	P403 + P235 Store in a well- ventilated place. Keep cool.	P501 Dispose of contents/ container to in accordance with local/regional/ national/international Regulations (to be specified).

FLAMMABLE LIQUIDS

FLAMMABLE SOLIDS Hazard category Signal word Danger H228 Flammable solid Warning H228 Flammable solid

Prevention	Response	Storage	Disposal
P210 Keep away from heat/sparks/ open flames/hot surfaces No smoking. Manufacturer/supplier or the competent authority to specify applicable ignition source(s).	P370 + P378 In case of fire: Use for extinctionManufacturer/supplier or the competent authority to specify appropriate media if water increases risk.		
P240 Ground/Bond container and receiving equipment if electrostatically sensitive material is for reloading.			

Use explosion-proof electrical/ventilating/lighting/.../equipment.

- ... Manufacturer/supplier or the competent authority to specify other equipment.
- if dust clouds can occur.

P280

Wear protective gloves/eye protection/face protection

Manufacturer/supplier or the competent authority to specify type of equipment.

SELF-REACTIVE SUBSTANCES AND MIXTURES

Hazard category

Type A

Signal word

Danger

Hazard statement

H240 Heating may cause an explosion

Symbol

Exploding bomb



Precautionary statements						
Prevention	Response	Storage	Disposal			
Reep away from heat/sparks/open flames/hot surfaces No smoking. Manufacturer/supplier or the competent authority to specify applicable ignition source(s). P220 Keep/Store away from clothing//combustible materials. Manufacturer/supplier or the competent authority to specify other incompatible materials. P234 Keep only in original container. P280 Wear protective gloves/eye protection/face protection. Manufacturer/supplier or the competent authority to specify type of equipment.	P370 + P378 In case of fire: Use for extinction Manufacturer/ supplier or the competent authority to specify appropriate media if water increases risk. P370 + P380 + P375 In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.	P403 + P235 Store in a well-ventilated place. Keep cool. P411 Store at temperatures not exceeding °C/ °F Manufacturer/supplier or the competent authority to specify temperature. P420 Store away from other materials.	P501 Dispose of contents/ container toin accordance with local/regional/ national/international Regulations (to be specified).			

SELF-REACTIVE SUBSTANCES AND MIXTURES

Hazard category

Type B

Signal word

Danger

Hazard statement

H241 Heating may cause a fire or explosion

Symbol

Exploding bomb and flame



Precautionary statements						
Prevention	Response	Storage	Disposal			
P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. Manufacturer/supplier or the competent authority to specify applicable ignition source(s). P220 Keep/Store away from clothing//combustible materials Manufacturer/supplier or the competent authority to specify other incompatible materials. P234 Keep only in original container. P280 Wear protective gloves/eye protection/face protection. Manufacturer/supplier or the competent authority to specify type of equipment.	P370 + P378 In case of fire: Use for extinction Manufacturer/ supplier or the competent authority to specify appropriate media if water increases risk. P370 + P380 + P375 In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.	P403 + P235 Store in a well- ventilated place. Keep cool. P411 Store at temperatures not exceeding°C/°F Manufacturer/supplier or the competent authority to specify temperature. P420 Store away from other materials.	P501 Dispose of contents/ container toin accordance with local/regional/ national/international Regulations (to be specified).			

SELF-REACTIVE SUBSTANCES AND MIXTURES

Hazard categorySignal wordHazard statementType CDangerH242 Heating may cause a fireType DDangerH242 Heating may cause a fireType EWarningH242 Heating may cause a fireType FWarningH242 Heating may cause a fire

Symbol Flame



Precautionary statements

Prevention	Response	Storage	Disposal
P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. Manufacturer/supplier or the competent authority to specify applicable ignition source(s). P220 Keep/Store away from clothing//combustible materials Manufacturer/supplier or the competent authority to specify other incompatible materials. P234 Keep only in original container. P280 Wear protective gloves/eye protection/face protection. Manufacturer/supplier or the competent authority to specify type of equipment.	P370 + P378 In case of fire: Use for extinction Manufacturer/ supplier or the competent authority to specify appropriate media if water increases risk.	Store in a well-ventilated place. Keep cool. P411 Store at temperatures not exceeding ° C / ° F. Manufacturer/supplier or the competent authority to specify temperature. P420 Store away from other materials	P501 Dispose of contents/ container to in accordance with local/regional/ national/international Regulations (to be specified).

Note: Hazard category Type G: There are no label elements allocated to this hazard category

PYROPHORIC LIQUIDS

Hazard category

Signal wordDanger

Hazard statement

H250 Catches fire spontaneously if exposed to air

Symbol Flame



Prevention	Response	Storage	Disposal
P210	P302 + P334	P422	
Keep away from heat/sparks/	IF ON SKIN: Immerse	Store contents under	
open flames/hot surfaces	in cool water/wrap	Manufacturer/supplier	
No smoking.	with wet bandages	or the competent	
Manufacturer/supplier or		authority to specify	
the competent authority to	P370 + P378	appropriate liquid or	
specify applicable ignition	In case of fire: Use	inert gas.	
source(s).	for extinction.		
D000	Manufacturer/		
P222	supplier or the		
Do not allow contact with air.	competent authority		
P280	to specify appropriate		
Wear protective gloves/eye	media.		
	- if water increases risk.		
protection/face protection.			
Manufacturer/supplier or			
the competent authority to			
specify type of equipment.			

PYROPHORIC SOLIDS

Hazard category

1

Signal word

Danger

Hazard statement

H250 Catches fire spontaneously if exposed to air

Symbol Flame



Prevention	Response	Storage	Disposal
Keep away from heat/sparks/open flames/hot surfaces No smoking. Manufacturer/supplier or he competent authority to specify applicable ignition source(s).	P335 + P334 Brush off loose particles from skin. Immerse in cool water/ wrap in wet bandages. P370 + P378 In case of fire: Use for extinction.	P422 Store contents under Manufacturer/supplier or the competent authority to specify appropriate liquid or inert gas.	
2222 Do not allow contact with air.	Manufacturer/ supplier or the competent authority		
P280 Wear protective gloves/eye protection/face protection. Manufacturer/supplier or he competent authority to	to specify appropriate media if water increases risk.		

SELF-HEATING SUBSTANCES AND MIXTURES

Hazard category

Signal word

Hazard statement

Danger

H251 Self-heating; may catch fire

Warning

H252 Self-heating in large quantities; may catch fire



Symbol

Prevention	Response	Storage	Disposal
P235 + P410 Keep cool. Protect from sunlight.		P407 Maintain air gap between stacks/ pallets.	
P280 Wear protective gloves/eye		P413	
protection/face protection. Manufacturer/supplier or		Store bulk masses greater than kg/lbs	
the competent authority to specify type of equipment.		at temperatures not exceeding°C/°F Manufacturer/supplier or the competent authority to specify mass and temperature.	
		P420 Store away from other materials.	

SUBSTANCES AND MIXTURES WHICH, IN CONTACT WITH WATER, EMIT FLAMMABLE GASES

Symbol Flame

Hazard category

Signal word

Hazard statement

spontaneously

2

Danger

H260 In contact with water releases flammable gases, which may ignite

Danger

H261 In contact with water releases flammable gases

Precautionary statements

-			
Prevention	Response	Storage	Disposal
P223	P335 + P334	P402 + P404	P501
Keep away from any possible contact with water,	Brush off loose particles from skin and	Store in a dry place. Store in a closed container.	Dispose of contents/ container to
because of violent reaction and possible flash fire.	immerse in cool water/ wrap in wet bandages.		in accordance with local/regional/
P231 + P232	P370 + P378		national/international Regulations (to be
Handle under inert gas. Protect from moisture.	In case of fire: Use for extinction		specified).
P280	Manufacturer/supplier		
Wear protective gloves/eye	or the competent authority to specify		
protection/face protection.	appropriate media.		
Manufacturer/supplier or the competent authority to	- if water increases risk.		
specify type of equipment.			

SUBSTANCES AND MIXTURES WHICH, IN CONTACT WITH WATER, EMIT FLAMMABLE GASES

Symbol Flame

Hazard category

Signal word

Warning

Hazard statement

3

H261 In contact with water releases flammable gases



Precautionary statements

Prevention	Response	Storage	Disposal
P231 + P232 Handle under inert gas. Protect from moisture. P280 Wear protective gloves/eye protection/face protection. Manufacturer/supplier or the competent authority to specify type of equipment.	P370 + P378 In case of fire: Use for extinction Manufacturer/supplier or the competent authority to specify appropriate media if water increases risk.	P402 + P404 Store in a dry place. Store in a closed container.	P501 Dispose of contents/ container toin accordance with local/regional/ national/ international Regulations (to be specified).

OXIDISING LIQUIDS

Hazard category

Signal word

Hazard statement

Symbol Flame over circle

1

Danger

H271 May cause fire or explosion; strong oxidiser



Prevention	Response	Storage	Disposal
P210	P306 + P360		P501
Keep away from heat.	IF ON CLOTHING:		Dispose of contents/
P220	Rinse immediately		container to
Keep/Store away from	contaminated clothing and skin with		in accordance with local/regional/
clothing and other	plenty of water before		national/international
combustible materials.	removing clothes.		Regulations
P221	D771 : D700 : D775		(to be specified).
Take any precaution to avoid	P371 + P380 + P375 In case of major fire		
mixing with combustibles/	and large quantities:		
Manufacturer/supplier or	Evacuate area. Fight		
the competent authority to	fire remotely due to		
specify other incompatible materials.	the risk of explosion.		
naterials.	P370 + P378		
P280	In case of fire: Use		
Wear protective gloves /eye	for extinction		
protection/face protection. Manufacturer/supplier or	Manufacturer/		
the competent authority to	supplier or the competent		
specify type of equipment.	authority to specify		
2007	appropriate media.		
P283 Wear fire/flame resistant/	- if water increases risk.		
retardant clothing.			

OXIDISING LIQUIDS

Hazard categorySignal wordHazard statement2DangerH272 May intensify fire; oxidiser3WarningH272 May intensify fire; oxidiser

Flame over circle

Symbol

Precautionary statements				
Prevention	Response	Storage	Disposal	
P210 Keep away from heat .	P370 + P378 In case of fire: Use for extinction		P501 Dispose of contents/ container to	
P220 Keep/Store away from clothing//combustible materialsManufacturer/supplier or the competent authority to specify other incompatible materials.	Manufacturer/ supplier or the competent authority to specify appropriate media if water increases risk.		in accordance with local/regional/ national/international Regulations (to be specified).	
P221 Take any precaution to avoid mixing with combustibles/ Manufacturer/supplier or the competent authority to specify other incompatible materials.				
P280 Wear protective gloves/eye protection/face protection. Manufacturer/supplier or the competent authority to specify type of equipment.				

OXIDISING SOLIDS

Hazard category

Signal word

Danger

Hazard statement

H271 May cause fire or explosion; strong oxidiser

Symbol Flame over circle



Precautionary statements				
Prevention	Response	Storage	Disposal	
P210 Keep away from heat. P220 Keep away from clothing and other combustible materials. P221 Take any precaution to avoid mixing with combustibles/ Manufacturer/supplier or the competent authority to specify other incompatible materials. P280 Wear protective gloves/eye protection/face protection. Manufacturer/supplier or the competent authority to specify type of equipment. P283 Wear fire/flame resistant/retardant clothing.	P306 + P360 IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. P371 + P380 + P375 In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. P370 + P378 In case of fire: Use for extinction Manufacturer/supplier or the competent authority to specify appropriate media if water increases risk.		P501 Dispose of contents/ container to in accordance with local/regional/ national/international Regulations (to be specified).	

OXIDISING SOLIDS

Hazard category Signal word Hazard statement

2 Danger H272 May intensify fire; oxidiser

Warning H272 May intensify fire;

oxidiser

Symbol Flame over circle



Prevention	Response	Storage	Disposal
P210 Keep away from heat. P220 Keep/Store away from clothing//combustible materialsManufacturer/supplier or the competent authority to specify incompatible materials.	P370 + P378 In case of fire: Use for extinction Manufacturer/supplier or the competent authority to specify appropriate media if water increases risk.		P501 Dispose of contents/ container toin accordance with local/regional/ national/international Regulations (to be specified).
P221 Take any precaution to avoid mixing with combustibles/ Manufacturer/supplier or the competent authority to specify other incompatible materials.			
P280 Wear protective gloves/eye protection/face protection. Manufacturer/supplier or the competent authority to specify type of equipment.			

ORGANIC PEROXIDES

Hazard category

Type A

Signal word

Danger

Hazard statement

H240 **Heating may cause an**

explosion

Symbol Exploding bomb



Precautionary statements			
Prevention	Response	Storage	Disposal
P210 Keep away from heat/sparks/ open flames/hot surfaces No smoking. Manufacturer/supplier or the competent authority to specify applicable ignition source(s). P220 Keep/Store away from clothing//combustible materials. Manufacturer/supplier or the competent authority to specify incompatible materials. P234 Keep only in original container. P280 Wear protective gloves/eye protection/face protection. Manufacturer/supplier or the competent authority to specify type of equipment.		Store at temperatures not exceeding°C/°F. Keep cool Manufacturer/supplier or the competent authority to specify temperature. P410 Protect from sunlight. P420 Store away from other materials.	P501 Dispose of contents/ container toin accordance with local/regional/ national/international Regulations (to be specified).

ORGANIC PEROXIDES

Hazard category

Туре В

Signal word

Danger

Hazard statement

H241 Heating may cause a fire or explosion

Symbol

Exploding bomb and flame



Prevention	Response	Storage	Disposal
P210 Keep away from heat/sparks/ open flames/hot surfaces No smoking. Manufacturer/supplier or the competent authority to specify applicable ignition source(s).		P411 + P235 Store at temperatures not exceeding°C/°F. Keep cool Manufacturer/supplier or the competent authority to specify temperature.	P501 Dispose of contents container to in accordance with local/regional/ national/international Regulations
P220 Keep/Store away from clothing//combustible materials Manufacturer/supplier or the competent authority to specify incompatible materials.		P410 Protect from sunlight. P420 Store away from other materials.	(to be specified).
P234 Keep only in original container.			
P280 Wear protective gloves/eye protection/face protection. Manufacturer/supplier or the competent authority to specify type of equipment.			

Symbol

Flame

Hazard category Signal word Hazard statement H242 Heating may cause a fire Type C Danger Type D H242 Heating may cause a fire Danger Type E Warning H242 Heating may cause a fire Type F Warning H242 Heating may cause a fire **Precautionary statements** Prevention Response Storage Disposal P210 P411 + P235 P501 Keep away from heat/sparks/ Store at temperatures not Dispose of contents/ open flames/hot surfaces. - No exceeding ...°C/...°F. Keep cool. container to... ...in accordance smoking. ... Manufacturer/supplier or the Manufacturer/supplier or the competent authority to specify with local/regional/ competent authority to specify national/international temperature. applicable ignition source(s). Regulations P410 (to be specified). P220 Protect from sunlight. Keep/Store away from clothing/ P420 .../combustible materials. Store away from other ... Manufacturer/supplier or the materials. competent authority to specify incompatible materials. P234 Keep only in original container.

Note: Hazard category Type G: There are no label elements allocated to this hazard category

ORGANIC PEROXIDES

P280

Wear protective gloves/eye protection/face protection.

Manufacturer/supplier or the competent authority to specify

type of equipment.

CORROSIVE TO METALS

Hazard category Signal word Hazard statement

1 Warning H290 May be corrosive to metals

Symbol Corrosion

Precautionary statements			
Prevention	Response	Storage	Disposal
P234 Keep only in original container	P390 Absorb spillage to prevent material damage	P406 Store in corrosive resistant/ container with a resistant inner liner Manufacturer/supplier or the competent authority to specify other compatible materials.	

ACUTE TOXICITY - ORAL

Hazard category Signal word Hazard statement

Danger H300 **Fatal if swallowed**

2 Danger H300 **Fatal if swallowed**

SymbolSkull and crossbones



Precautionary statements			
Prevention	Response	Storage	Disposal
P264 Washthoroughly after handling Manufacturer/supplier or the competent authority to specify parts of the body to be washed after handling. P270 Do not eat, drink or smoke when using this product.	P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P321 Specific treatment (see on this label) Reference to supplemental first aid instruction if immediate administration of antidote is required. P330 Rinse mouth.	P405 Store locked up.	Dispose of contents/container to in accordance with local/regional/ national/international Regulations (to be specified).

ACUTE TOXICITY - ORAL

Hazard category Signal word

3

Danger

Hazard statement

H301 Toxic if swallowed

Symbol

Skull and crossbones



Precautionary statements				
Prevention	Response	Storage	Disposal	
P264 Washthoroughly after handling Manufacturer/supplier or the competent authority to specify parts of the body to be washed after handling. P270 Do not eat, drink or smoke when using this product.	P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P321 Specific treatment (see on this label) Reference to supplemental first aid instruction if immediate administration of antidote is required. P330 Rinse mouth.	P405 Store locked up.	P501 Dispose of contents/ container to in accordance with local/regional/ national/international Regulations (to be specified).	

ACUTE TOXICITY - ORAL

Hazard category

4

Signal word

Warning

Hazard statement

H302 Harmful if swallowed

Symbol

Exclamation mark



Precautionary statements

Prevention	Response	Storage	Disposal
Washthoroughly after handling Manufacturer/supplier or the competent authority to specify parts of the body to be washed after handling.	P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. P330 Rinse mouth.		P501 Dispose of contents/ container to in accordance with local/regional/ national/international Regulations (to be specified).
P270 Do not eat, drink or smoke when using this product.			

ACUTE TOXICITY - DERMAL

Hazard category

Hazard statement

Skull and crossbones

Symbol

2

Danger

Danger

Signal word

H310 Fatal in contact

with skin

H310 Fatal in contact

with skin



Precautionary statements

Prevention	Response	Storage	Disposal
P262	P302 + P350	P405	P501
Do not get in eyes, on skin, or on clothing.	IF ON SKIN: Gently wash with plenty of soap and water.	Store locked up.	Dispose of contents, container to
P264	P310		in accordance with local/regional/
Wash thoroughly after	Immediately call a POISON		national/internationa
handling . Manufacturer/supplier or	CENTRE or doctor/physician.		Regulations
the competent authority to	P322		(to be specified).
specify parts of the body to	Specific measures (see on		
be washed after handling.	this label)		
P270	Reference to supplemental first aid instruction.		
Do not eat, drink or smoke	- if immediate measures such		
when using this product.	as specific cleansing agent is advised.		
P280	advised.		
Wear protective gloves/	P361		
protective clothing.	Remove/Take off immediately		
Manufacturer/supplier or the competent authority to	all contaminated clothing.		
specify type of equipment.	P363		
. 5 5	Wash contaminated clothing before reuse.		

ACUTE TOXICITY - DERMAL

Hazard category

3

Signal word

Danger

Hazard statement

H311 Toxic in contact with skin

Symbol

Skull and crossbones



Precautionary statements			
Prevention	Response	Storage	Disposal
P280 Wear protective gloves/ protective clothing. Manufacturer/supplier or the competent authority to specify type of equipment.	P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P312 Call a POISON CENTRE or doctor/physician if you feel unwell.	P405 Store locked up.	P501 Dispose of contents, container to in accordance with local/regional/ national/international Regulations (to be specified).
	P322 Specific measures (see on this label) Reference to supplemental first aid instruction if measures such as specific cleansing agent is advised.		
	P361 Remove/Take off immediately all contaminated clothing.		
	P363 Wash contaminated clothing before reuse.		

ACUTE TOXICITY - DERMAL

Hazard category

4

Signal word

Warning

Hazard statement

 $\ensuremath{\mathsf{H312}}$ Harmful in contact with skin

Symbol Exclamation mark



Precautionary statements			
Prevention	Response	Storage	Disposal
Wear protective gloves/protective clothing. Manufacturer/supplier or the competent authority to specify type of equipment.	P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P312 Call a POISON CENTRE or doctor/physician if you feel unwell. P322 Specific measures (see on this label) Reference to supplemental first aid instruction if measures such as specific cleansing agent is advised. P363 Wash contaminated clothing before reuse.		P501 Dispose of contents/ container to in accordance with local/regional/ national/international Regulations (to be specified).

ACUTE TOXICITY - INHALATION

Hazard category Signal word Hazard statement

Danger H330 **Fatal if inhaled**Danger H330 **Fatal if inhaled**

SymbolSkull and crossbones



Precautionary statements			
Prevention	Response	Storage	Disposal
P260 Do not breathe dust/fume/gas/mist/vapours/spray. Manufacturer/supplier or the competent authority to specify applicable conditions. P271	P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P310 Immediately call a POISON CENTER or doctor/physician.	P403 + P233 Store in a wellventilated place. Keep container tightly closed if product is volatile as to generate hazardous atmosphere.	P501 Dispose of contents/ container to in accordance with local/regional/ national/international Regulations (to be specified).
Use only outdoors or in a well-ventilated area. P284 Wear respiratory protection. Manufacturer/supplier or the competent authority to specify equipment.	P320 Specific treatment is urgent (see on this label) Reference to supplemental first aid instruction if immediate administration of antidote is required.	P405 Store locked up.	

ACUTE TOXICITY - INHALATION

Hazard category Signal word Hazard statement

3 Danger H331 **Toxic if inhaled**

Symbol Skull and crossbones



Precautionary statements			
Prevention	Response	Storage	Disposal
P261	P304 + P340	P403 + P233	P501
Avoid breathing dust/	IF INHALED: Remove victim	Store in a well-	Dispose of contents
fume/gas/mist/ vapours/	to fresh air and keep at rest	ventilated place.	container to
spray.	in a position comfortable for	Keep container	in accordance
Manufacturer/supplier or	breathing.	tightly closed.	with local/regional/
the competent authority	2. cag.	- if product is	national/international
to specify applicable	P311	volatile so as to	Regulations
conditions.	Call a POISON CENTER or	generate hazardous	(to be specified).
	doctor/physician.	atmosphere.	
P271	,,		
Use only outdoors or in a	P321	P405	
well-ventilated area.	Specific treatment (see on	Store locked up.	
	this label)		
	Reference to supplemental first		
	aid instruction.		
	- if immediate specific measures		
	are required.		

ACUTE TOXICITY - INHALATION

Hazard categorySignal wordHazard statement4WarningH332 Harmful if

Symbol Exclamation mark



Precautionary statements			
Prevention	Response	Storage	Disposal
Avoid breathing dust/fume/gas/mist/vapours/spray. Manufacturer/supplier or the competent authority to specify applicable conditions.	P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.		
P271 Use only outdoors or in a well-ventilated area.	P312 Call a POISON CENTER or doctor/physician if you feel unwell.		

inhaled

SKIN CORROSION/IRRITATION

Hazard category

1A to 1C

Signal word

Danger

Hazard statement

H314 Causes severe skin burns and eye damage

Symbol Corrosion



Precautionary statements			
Prevention	Response	Storage	Disposal
Do not breathe dusts or mists. - if inhalable particles of dusts or mists may occur during use. P264 Washthoroughly after handling. Manufacturer/supplier or the competent authority to specify parts of the body to be washed after handling. P280 Wear protective gloves/ protective clothing/eye protection/face protection. Manufacturer/supplier or the competent authority to specify type of equipment.	P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/shower. P363 Wash contaminated clothing before reuse. P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P310 Immediately call a POISON CENTER or doctor/physician.	P405 Store locked up.	Dispose of contents/container to in accordance with local/regional/ national/international Regulations (to be specified).
	P321 Specific treatment (see on this label) Reference to supplemental first aid instruction Manufacturer/supplier or the competent authority may specify a cleansing agent if appropriate. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		

SKIN CORROSION/IRRITATION

Hazard category

2

Signal word

Warning

Hazard statement

H315 Causes skin irritation

Symbol Exclamation mark



Prevention	Response	Storage	Disposal
Washthoroughly after handlingManufacturer/supplier or the competent authority to specify parts of the body to be washed after handling. P280 Wear protective gloves. Manufacturer/supplier or the competent authority to specify type of equipment.	P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P321 Specific treatment (see on this label) Reference to supplemental first aid instruction Manufacturer/supplier or the competent authority may specify a cleansing agent if appropriate.		
	P332 + P313 If skin irritation occurs: Get medical advice/attention.		
	P362 Take off contaminated clothing and wash before reuse.		

SERIOUS EYE DAMAGE/IRRITATION

Hazard category

Signal word

Danger

Hazard statement

H318 Causes serious eye damage

Symbol Corrosion



Precautionary statements	recautionary statements		
Prevention	Response	Storage	Disposal
P280 Wear eye protection/face protection. Manufacturer/supplier or the competent authority to specify type of equipment.	P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
	P310 Immediately call a POISON CENTER or doctor/physician.		

SERIOUS EYE DAMAGE/IRRITATION

Hazard category

2A

Signal word

Warning

Hazard statement

H319 Causes serious eye irritation

Symbol Exclamation mark



Prevention	Response	Storage	Disposal
P264	P305 + P351 + P338		
Wash thoroughly after	IF IN EYES: Rinse cautiously		
nandling.	with water for several minutes.		
Manufacturer/supplier or	Remove contact lenses, if		
he competent authority to	present and easy to do.		
specify parts of the body to	Continue rinsing.		
be washed after handling.			
	P337 + P313		
P280	If eye irritation persists: Get		
Wear eye protection/	medical advice/attention.		
face protection.			
Manufacturer/supplier or			
the competent authority to			
specify type of equipment.			

SENSITISATION - RESPIRATORY

Hazard category

1, 1A, 1B

Signal word

Danger

Hazard statement

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled **Symbol** Health hazard



Prevention	Response	Storage	Disposal
P261 Avoid breathing dust/fume/ gas/mist/ vapours/spray. Manufacturer/supplier or the competent authority to specify applicable conditions. P285	P304 + P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. P342 + P311		P501 Dispose of contents, container to in accordance with local/regional/ national/international Regulations (to be specified).
In case of inadequate ventilation wear respiratory protection. Manufacturer/supplier or the competent authority to specify equipment.	If experiencing respiratory symptoms: Call a POISON CENTER or doctor/ physician		(to be specified).

SENSITISATION - SKIN

Hazard category

1, 1A, 1B

Signal word

Warning

Hazard statement

H317 May cause an allergic skin reaction

Symbol

Exclamation mark



Precautionary statements			
Prevention	Response	Storage	Disposal
P261	P302 + P352		P501
Avoid breathing dust/fume/gas/mist/vapours/spray. Manufacturer/supplier or the competent authority to specify applicable conditions.	IF ON SKIN: Wash with plenty of soap and water. P333 + P313 If skin irritation or rash		Dispose of contents/container to in accordance with local/regional/national/international
P272	occurs: Get medical advice/attention.		Regulations
Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves. Manufacturer/supplier or the competent authority to specify type of equipment.	P321 Specific treatment (see on this label) Reference to supplemental first aid instruction Manufacturer/supplier or the competent authority may specify a cleansing agent if appropriate.		(to be specified).
	P363 Wash contaminated clothing before reuse.		

GERM CELL MUTAGENICITY

2

Hazard category Signal word Hazard statement

1A, 1B Danger H340 May cause genetic

defects <...>

Warning H341 Suspected of causing genetic

defects <...>

<...> (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)

Symbol Health hazard



Precautionary statements			
Prevention	Response	Storage	Disposal
P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood.	P308 + P313 IF exposed or concerned: Get medical advice/attention.	P405 Store locked up.	P501 Dispose of contents container to in accordance with local/regional/national/internation Regulations (to be specified).
P281 Use personal protective equipment as required.			

CARCINOGENICITY

Hazard category Signal word **Hazard statement**

1A, 1B Danger H350 May cause cancer <...>

2 Warning H351 Suspected of causing cancer <...>

conclusively proven that no other routes

<...> (state route of exposure if it is of exposure cause the hazard).

Symbol Health hazard



Precautionary statements			
Prevention	Response	Storage	Disposal
P201	P308 + P313	P405	P501
Obtain special	IF exposed or	Store locked up.	Dispose of contents
instructions before use.	concerned: Get		container to
	medical advice/		in accordance
P202	attention.		with local/regional/
Do not handle until			national/internation
all safety precautions			Regulations (to be
have been read and			specified).
understood.			
P281			
Use personal protective			
equipment as required.			

TOXIC TO REPRODUCTION

Hazard category Signal word **Hazard statement** 1A, 1B Danger H360 May damage fertility or the unborn child <...> <<...>> 2 Warning H361 Suspected of damaging fertility or the unborn child <...>> <...> (state specific effect if known) <<...>> (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)



Symbol Health hazard

Prevention	Response	Storage	Disposal
P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P281 Use personal protective equipment as required.	P308 + P313 IF exposed or concerned: Get medical advice/attention.	P405 Store locked up.	P501 Dispose of contents/ container to in accordance with local/regional/ national/international Regulations (to be specified).

Symbol

No symbol (effects on or via lactation) **Hazard category** Signal word **Hazard statement** No signal word H362 May cause harm to (additional) breast-fed children **Precautionary statements** Prevention Response Storage Disposal P201 P308 + P313 Obtain special instructions before IF exposed or concerned: Get medical advice/ P260 attention. Do not breathe dusts or mists. - if inhalable particles of dusts or mists may occur during use. P263 Avoid contact during pregnancy/ while nursing. P264 Wash ... thoroughly after handling. ...Manufacturer/supplier or the competent authority to specify

TOXIC TO REPRODUCTION

parts of the body to be washed

Do not eat, drink or smoke when

after handling.

using this product.

SPECIFIC TARGET ORGAN TOXICITY (Single Exposure)

Symbol Health hazard

Hazard category

1

Signal word

Danger

Hazard statement

 $\ensuremath{\mathsf{H370}}$ Causes damage to organs

<...>

<...> (or state all organs affected if known)

<<...>> (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)



Precautionary statements

Prevention	Response	Storage	Disposal
P260 Do not breathe dust/fume/gas/mist/vapours/spray. Manufacturer/supplier or the competent authority to specify applicable conditions. P264 Washthoroughly after handling Manufacturer/supplier or the competent authority to specify parts of the body to be washed after handling. P270 Do not eat, drink or smoke when using this product.	P307 + P311 IF exposed: Call a POISON CENTER or doctor/physician. P321 Specific treatment (see on this label) Reference to supplemental first aid instruction if immediate measures are required.	P405 Store locked up.	P501 Dispose of contents/ container to in accordance with local/regional/ national/international Regulations (to be specified).

SPECIFIC TARGET ORGAN TOXICITY (Single Exposure)

Symbol Health hazard

Hazard category

Signal word

Warning

Hazard statement

H371 May cause damage to organs <...> <<...>>

<...> (or state all organs affected, if known)

<<...>> (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)



Precautionary statements Prevention Disposal Response Storage P260 P309 + P311 P405 P501 Do not breathe dust/fume/ IF exposed or if Store locked up. Dispose of contents/ gas/mist/vapours/spray. you feel unwell: Call container to... Manufacturer/supplier or a POISON CENTER ... in accordance the competent authority to or doctor/physician. with local/regional/ specify applicable conditions. national/international Regulations P264 (to be specified). Wash ...thoroughly after handling. ... Manufacturer/supplier or the competent authority to specify parts of the body to be washed after handling. Do not eat, drink or smoke when using this product.

SPECIFIC TARGET ORGAN TOXICITY (Single Exposure)

Symbol Exclamation mark

Hazard category

3

Signal word

Warning

Hazard statement

H335 May cause respiratory

irritation; or

H336 May cause drowsiness

or dizziness

!

Precautionary statements			
Prevention	Response	Storage	Disposal
P261 Avoid breathing dust/fume/ gas/mist/vapours/spray. Manufacturer/supplier or the competent authority to specify applicable conditions. P271 Use only outdoors or in a well-ventilated area.	P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P312 Call a POISON CENTER or doctor/ physician if you feel unwell.	P403 + P233 Store in a well-ventilated place. Keep container tightly closed. - if product is volatile so as to generate hazardous atmosphere. P405 Store locked up.	P501 Dispose of contents/ container to in accordance with local/regional/ national/international Regulations (to be specified).

SPECIFIC TARGET ORGAN TOXICITY (Repeated Exposure)

Hazard category

Signal word

Danger

Hazard statement

H372 Causes damage to organs <...> through prolonged or repeated exposure <<...>>

<...> (state all organs affected, if known)

<<...>> (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)

Symbol

Health hazard



Prevention	Response	Storage	Disposal
P260 Do not breathe dust/fume/gas/mist/vapours/spray. Manufacturer/supplier or the competent authority to specify applicable conditions. P264 Wash thoroughly after handlingManufacturer/supplier or the competent authority to specify parts of the body to be washed after handling. P270 Do not eat, drink or smoke when using this product.	P314 Get medical advice/ attention if you feel unwell.		P501 Dispose of contents/ container to in accordance with local/regional/ national/international Regulations (to be specified).

SPECIFIC TARGET ORGAN TOXICITY (Repeated Exposure)

Symbol

Hazard category

Signal word

Hazard statement

Health hazard

Warning

H373 May cause damage to organs <...> through prolonged or repeated exposure <<...>>

<...> (state all organs affected, *if known)*

<<...>> (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)



Precautionary statements			
Prevention	Response	Storage	Disposal
P260 Do not breathe dust/fume/ gas/mist/ vapours/spray. Manufacturer/supplier or the competent authority to specify applicable conditions.	P314 Get medical advice/ attention if you feel unwell.		P501 Dispose of contents/ container to in accordance with local/regional/ national/international Regulations (to be specified).

ASPIRATION HAZARD

Hazard category

Signal word

Danger

Hazard statement

H304 May be fatal if swallowed and enters airways

Symbol Health hazard



Prevention	Response	Storage	Disposal
	P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician. P331 Do NOT induce vomiting.	P405 Store locked up.	P501 Dispose of contents/ container to in accordance with local/regional/ national/international Regulations (to be specified).

ADDITIONAL NON-GHS HAZARD STATEMENTS

Regulation **335** Schedule **9** A label must include any information about the hazards, first aid and emergency procedures relevant to the chemical, not otherwise included in the hazard statement and precautionary statements.

The following twelve non-GHS hazard statements should be used on labels of hazardous chemicals, where applicable.

PHYSICAL HAZARD STATEMENTS

AUH001: Explosive when dry

For explosive substances and mixtures placed on the market wetted with water or alcohols or diluted with other chemicals to suppress their explosives properties.

AUH006: Explosive with or without contact with air

For substances and mixtures that are unstable at ambient temperatures, for example acetylene.

AUH014: Reacts violently with water

For substances and mixtures that react violently with water, for example acetyl chloride, alkali metals and titanium tetrachloride.

AUH018: In use, may form flammable/explosive vapour-air mixture

For substances and mixtures not classified as flammable themselves but which may form flammable/explosive vapour-air mixtures. For substances this might be the case for halogenated hydrocarbons and for mixtures this might be the case due to a volatile flammable component or due to the loss of a volatile non-flammable component.

AUH019: May form explosive peroxides

For substances and mixtures that may form explosive peroxides during storage, for example diethyl ether, 1,4-dioxan.

AUH044: Risk of explosion if heated under confinement

For substances and mixtures not classified as explosive but which may nevertheless display explosive properties in practice if heated under sufficient confinement. In particular, substances and mixtures that decompose explosively if heated in a steel drum do not show this effect if heated in less-strong containers.

HUMAN HEALTH HAZARD STATEMENTS

AUH029: Contact with water liberates toxic gas

For substances and mixtures, when in contact with water or damp air, evolve gases classified for acute toxicity in Category 1, 2 or 3 in potentially dangerous amounts, for example aluminium phosphide, phosphorus pentasulphide.

AUH031: Contact with acids liberates toxic gas

For substances and mixtures that react with acids to evolve gases classified for acute toxicity in Category 3 in dangerous amounts, for example sodium hypochlorite and barium polysulphide.

ADDITIONAL NON-GHS HAZARD STATEMENTS

AUH032: Contact with acids liberates very toxic gas

For substances and mixtures that react with acids to evolve gases classified for acute toxicity in Category 1 or 2 in dangerous amounts, for example salts of hydrogen cyanide, sodium azide.

AUH066: Repeated exposure may cause skin dryness or cracking

For substances and mixtures which may cause concern as a result of skin dryness, flaking or cracking but which do not meet the criteria for skin irritancy.

AUH070: Toxic by eye contact

For substances or mixtures where an eye irritation test has resulted in overt signs of systemic toxicity or mortality among the animals tested, which is likely to be attributed to absorption of the substance or mixture through the mucous membranes of the eye. The statement should also be applied if there is evidence in humans for systemic toxicity after eye contact.

The statement should also be applied where a substance or a mixture contains another substance labelled for this effect, if the concentration of this substance is equal to, or greater than 0.1 %.

AUH071: Corrosive to the respiratory tract

For substances and mixtures in addition to classification for inhalation toxicity, if data is available that indicates the mechanism of toxicity was corrosivity.

In addition to an appropriate acute toxicity symbol, a 'corrosion' symbol (similar to the 'corrosion' symbol used for skin and eye corrosivity) is added along with the hazard statement AUH071: Corrosive to the respiratory tract.

For substances and mixtures in addition to classification for skin corrosivity, if no acute inhalation test data is available and which may be inhaled.

This guide describes a procedure for naming hazardous chemicals and the division of substances into families, which is described in subsection D1.3. Generic names are not permitted for hazardous chemicals with health hazards above the concentration cut-off.

The families are defined in the following manner:

- inorganic or organic substances whose properties are identified by having a common chemical element as their chief characteristic. The family name is derived from the name of the chemical element. These families are identified in subsection D1.3 by the atomic number of the chemical element (Family No. 001 to 103)
- organic substances whose properties are identified by having a common functional group as their chief characteristic.
 - the family name is derived from the functional group name
 - these families are identified by the number convention found in subsection D1.3 (Family No. 601 to 650).
- sub-families bringing together substances with a common specific character have been added in certain cases.

ESTABLISHING THE GENERIC NAME

D1.1 General Principles

In selecting a generic name, the following approach is adopted:

- the most specific generic name must be chosen
- identity of the functional groups and chemical elements present in the molecule
- determine the most important functional groups and chemical elements, which contribute to its properties.

The identified functional groups and elements taken into account are the names of the families and sub-families set out in subsection 3 in the form of a (non-restrictive) list.

D1.2 Practical application

After having conducted a search to see if the substance belongs to one or more families or sub-families on the list, the generic name can be established in the following way:

If the name of a family or sub-family is sufficient to characterise the chemical elements or important functional groups, this name will be chosen as the generic name. For example:

Name	Family Sub-family	Generic Name
1,4-dihydoxybenzene	604: Phenols and derivatives	Phenol derivative
Butanols	603: Alcohols and derivatives Aliphatic alcohols	Aliphatic alcohol
2-isopropoxyethanol	603: Alcohols and derivatives Glycolethers	Glycolether
Methacrylate	607: Organic acids and derivatives Methacrylates	Methacrylate

■ If the name of a family or sub-family is not sufficient to characterise the chemical elements of important functional groups, the generic name should be a combination of the corresponding different family or sub-family names. For example:

Name	Family Sub-family	Generic Name
Lead hexafluorosilicate	009: Fluorine compounds Inorganic fluorides 082: Lead compounds	Inorganic lead fluoride
Chlorobenzene	602: Halogenated hydrocarbons Halogenated aromatic hydrocarbons 017: Chlorine compounds	Chlorinated aromatic hyrdrocarbon
2,3,6-Trichlorophenylacetic acid	607: Organic acids and derivatives Halogenated aromatic acids 017: Chlorine compounds	Chlorinated aromatic acid
1-Chloro-1-nitropropane	610: Chloronitrated compounds 601: Hydrocarbons Aliphatic hydrocarbons	Chlorinated aliphatic hydrocarbon
Tetrapropyl dithiopyrophosphate	O15: Phosphorus compounds Phosphoric esters O16: Sulphur compounds	Thiophosphoric ester

Note: In the case of certain elements, notably metals, the name of the family or sub-family may be indicated by the words 'organic' or 'inorganic'. For example:

Name	Family Sub-family	Generic Name
Dimercury dichloride	080: Mercury compounds	Inorganic mercury compound
Barium acetate	056: Barium compounds	Organic barium compound
Ethyl nitrite	007: Nitrogen compounds Nitrites	Organic nitrite
Sodium hydrosulphite	016: Sulphur compounds	Inorganic sulphur compound

D1.3 Division of substances into families and sub-families

Family No.	Families Sub-Families
001	Hydrogen compounds Hydrides
003	Lithium compounds
004	Beryllium compounds
005	Boron compounds Boranes Borates
006	Carbon compounds Carbamates Inorganic carbon compounds Salts of hydrogen cyanide Urea and derivatives
007	Nitrogen compounds Quaternary ammonium compounds Acid nitrogen compounds Nitrates Nitrites
008	Oxygen compounds
009	Fluorine compounds Inorganic fluorides
O11	Sodium compounds
012	Magnesium compounds Organometallic magnesium derivatives
013	Aluminium compounds Organometallic aluminium derivatives
014	Silicon compounds Silicones Silicates
015	Phosphorus compounds Acid phosphorus compounds Phosphonium compounds Phosphoric esters Phosphates Phosphites Phosphoramides and derivatives
016	Sulphur compounds Acid sulphur compounds Mercaptans Sulphates Sulphites
017	Chlorine compounds Chlorates Perchlorates
018	Argon compounds

Family No.	Families Sub-Families
019	Potassium compounds
020	Calcium compounds
021	Scandium compounds
022	Titanium compounds
023	Vanadium compounds
024	Chromium compounds Chromium VI compounds
025	Manganese compounds
026	Iron compounds
027	Cobalt compounds
028	Nickel compounds
029	Copper compounds
030	Zinc compounds Organometallic zinc derivatives
031	Gallium compounds
032	Germanium compounds
033	Arsenic compounds
034	Selenium compounds
035	Bromine compounds
036	Krypton compounds
037	Rubidium compounds
038	Strontium compounds
039	Yttrium compounds
040	Zirconium compounds
041	Niobium compounds
042	Molybdenum compounds
043	Technetium compounds
044	Ruthenium compounds
045	Rhodium compounds
046	Palladium compounds
047	Silver compounds
048	Cadmium compounds
049	Indium compounds
050	Tin compounds Organometallic tin derivates
051	Antimony compounds
052	Tellurium compounds
053	lodine compounds
054	Xenon compounds

Family No.	Families Sub-Families
055	Caesium compounds
056	Barium compounds
057	Lanthanum
058	Cerium compounds
059	Praseodymium compounds
060	Neodymium compounds
061	Promethium compounds
062	Samarium compounds
063	Europium compounds
064	Gandolinium compounds
065	Terbium compounds
066	Dysprosium compounds
067	Holmium compounds
068	Erbium compounds
069	Thulium compounds
070	Ytterbium compounds
071	Lutetium compounds
072	Hafnium compounds
073	Tantalum compounds
074	Tungsten compounds
075	Rhenium compounds
076	Osmium compounds
077	Iridium compounds
078	Platinum compounds
079	Gold compounds
080	Mercury compounds Organometallic mercury derivatives
081	Thallium compounds
082	Lead compounds Organometallic lead derivatives
083	Bismuth compounds
084	Polonium compounds
085	Astate compounds
086	Radon compounds
087	Francium compounds
088	Radium compounds
089	Actinium compounds
090	Thorium compounds
091	Protactinium compounds

Family No.	Families Sub-Families
092	Uranium compounds
093	Neptunium compounds
094	Plutonium compounds
095	Americium compounds
096	Curium compounds
097	Berkelium compounds
098	Californium compounds
099	Einsteinium compounds
100	Fermium compounds
101	Mendelevium compounds
102	Nobelium compounds
103	Lawrencium compounds
601	Hydrocarbons Aliphatic hydrocarbons Aromatic hydrocarbons Alicyclic hydrocarbons Polycyclic aromatic hydrocarbons (PAH)
602	Halogenated hydrocarbons* Halogenated aliphatic hydrocarbons* Halogenated aromatic hydrocarbons* Halogenated alicyclic hydrocarbons* * Specify according to family corresponding to halogen.
603	Alcohols and derivates Aliphatic alcohols Aromatic alcohols Alicyclic alcohols Alcanolamines Epoxy derivatives Ethers Glycolethers Glycols and polyols
604	Phenols and derivatives Halogenated phenol derivatives* * Specify according to the family corresponding to halogen.
605	Aldehydes and derivates Aliphatic aldehydes Aromatic aldehydes Alicyclic aldehydes Aliphatic acetals Aromatic acetals Alicyclic acetals
606	Ketones and derivatives Aliphatic Ketones Aromatic Ketones* Alicyclic Ketones * Quinones included

Family No.	Families Sub-Families
607	Organic acids and derivatives Aliphatic acids Halogenated aliphatic acids* Aromatic acids Halogenated aromatic acids* Alicyclic acids Halogenated alicyclic acids* Aliphatic acid anhydrides Halogenated aliphatic acid anhydrides* Aromatic acid anhydrides Halogenated aromatic acid anhydrides* Alicyclic acid anhydrides Halogenated alicyclic acid anhydrides* Alicyclic acid anhydrides Halogenated alicyclic acid anhydrides* Salts of aliphatic acid Salts of halogenated aliphatic acid* Salts of halogenated aromatic acid* Salts of halogenated aromatic acid* Salts of halogenated alicyclic acid* Esters of aliphatic acid Esters of halogenated alicyclic acid* Esters of aromatic acid Esters of halogenated alicyclic acid* Esters of alicyclic acid Esters of alicyclic acid Esters of halogenated alicyclic acid* Esters of alicyclic acid Esters of halogenated alicyclic acid* Esters of plycol ether Acrylates Methacrylates Lactones Acyl halogenides * Specify according to the family corresponding to halogen
608	Nitriles and derivatives
609	Nitro compounds
610	Chloronitrated compounds
611	Azoxy and azo compounds
612	Amine compounds Aliphatic amines and derivatives Alicyclic amines and derivatives Aromatic amines and derivatives Aniline and derivatives Benzidine and derivatives
613	Heterocyclic basis and derivatives Benzimidazole and derivatives Imidazol and derivatives Pyrethrinoids Quinoline and derivatives Triazine and derivatives Triazole and derivatives

89

Family No.	Families Sub-Families
614	Glycosides and alkaloids Alkaloid and derivatives Glycosides and derivatives
615	Cyanates and isocyanates Cyanates Isocyanates
616	Amides and derivatives Acetamide and derivatives Anilides
617	Organic Peroxides
650	Various substances Do not use this family. Instead, use the families or sub-families mentioned above.

APPENDIX E - OTHER RELEVENT INFORMATION

OTHER RELEVANT CODES OF PRACTICE

■ Labelling of Workplace Hazardous Chemicals Code of Practice

HAZARD CLASSIFICATION

- Australian Inventory of Chemical Substances (AICS) (NICNAS)http://www.nicnas.gov.au/Industry/AICS/Search.asp
- Chemical Assessment Reports (NICNAS)http://www.nicnas.gov.au/Publications/CAR.asp
- Exposure Standards (Workplace Exposure Standards for Airborne Contaminants)
- Globally Harmonized System of Classification and Labelling of Chemicals (GHS)
 (United Nations) http://www.unece.org/trans/danger/publi/ghs/ghs_welcome_e.html
- Global Portal to Information on Chemical Substances (OECD¹⁵)
 http://webnet3.oecd.org/echemportal/
- HSIS database www.safeworkaustralia.gov.au
- Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (ECH¹⁶)
 http://echa.europa.eu/reach_en.asp

Standards, applicable to all, or several, classes of hazardous substances		
AS 1319:1994	Safety Signs for the Occupational Environment	
AS 1345:1995	Rules for the identification of piping, conduits and ducts	
AS/NZS 3833:2007	The storage and handling of mixed classes of dangerous goods in packages and intermediate bulk containers	
AS 4745:2004	Code of practice for handling combustible dusts	
AS 4897:2008	The design, installation and operation of underground petroleum storage systems	
AS 4976:2008	The removal and disposal of underground petroleum storage tanks	
AS 4977:2008	Petroleum products - Pipeline, road tanker compartment and underground tank identification	
AS/NZS 60079.10.1:2009	Classification of areas - Explosive gas atmospheres (IEC 6007-10-1, Ed. 1.1 (2008) MOD)	
AS/NZS 61241.10:2005	Electrical apparatus for use in the presence of combustible dust - Classification of areas where combustible dusts are or may be present	
HB 76:201	Dangerous goods - Initial emergency response guide	

OECD means the Organisation for Economic Co-operation and Development

¹⁶ ECHA means European Chemicals Agency

GASES (IN PARTI	CULAR DG CLASS 2.1, 2.2 AND 2.3)
AS 1375:1985	Industrial fuel fire appliances
AS/NZS 1596:2008	Storage and handling of LP Gas
AS/NZS 4645.2:2008	Gas distribution networks - Steel pipe systems
AS 1894:1997	The storage and handling of non-flammable cryogenic and refrigerated liquids
AS/NZS 2022:2003	Anhydrous Ammonia - Storage and handling
AS 2030.1:2009	Gas cylinders - General requirements
AS 2030.2:1996	The verification, filling, inspection, testing and maintenance of cylinders for storage and transport of compressed gases - Cylinders for dissolved acetylene
AS 2030.4:1985	The verification, filling, inspection, testing and maintenance of cylinders for storage and transport of compressed gases - Weldersteel cylinders, insulated
AS 2337.1:2004	Gas cylinder test stations - General requirements, inspection and tests - Gas cylinders
AS 2658:2008	LP gas - portable and mobile appliances
AS 2896:2011	Medical gas systems - Installation and testing of non-flammable medical gas pipeline systems
AS/NZS 2927:2001	The storage and handling of liquefied chlorine gas
AS 3814:2009	Industrial and commercial gas fired appliances
AS 3961:2005	Liquefied natural gas - storage and handling
AS 4289:1995	Oxygen and acetylene gas reticulation systems
AS 4332:2004	The storage and handling of gases in cylinders
AS 5601.1:2010	Gas installations
FLAMMABLE LIQ	UIDS (IN PARTICULAR DG CLASS 3)
AS 1940:2004	The storage and handling of flammable and combustible liquids
AS 1692:2006	Steel tanks for flammable and combustible liquids
AS/NZS 2106 set	Methods for the determination of the flashpoint of flammable liquids (closed cup)
AS/NZS 2906:2001	Fuel Containers - Portable - plastics and metal

FLAMMABLE SOLIDS, SELF-REACTIVE SUBSTANCES, PYROPHORIC LIQUIDS AND SOLIDS, SELF-HEATING SUBSTANCES AND SUBSTANCES WHICH IN CONTACT WITH WATER EMIT FLAMMABLE GASES (IN PARTICULAR DG CLASS 4.1, 4.2, AND 4.3)		
AS/NZS 4745:2004	Code of practice for handling combustible dusts	
	IIDS AND SOLIDS, ORGANIC PEROXIDES R DG CLASS 5.1 AND 5.2)	
AS 2714:2008	The storage and handling of hazardous chemical materials - Class 5.2 substances (organic peroxides)	
AS 4326:2008	The storage and handling of oxidising substances	
TOXIC SUBSTAN	ICES (IN PARTICULAR DG CLASS 6.1)	
AS/NZS 4081:2001	The storage, handling and transport of liquid and liquefied polyfunctional isocyanates	
AS/NZS 4452:1997	The storage and handling of toxic substances	
CORROSIVE SUI	BSTANCES (IN PARTICULAR DG CLASS 8)	
AS 3780:2008	The storage and handling of corrosive substances	
MISCELLANEOU	IS SUBSTANCES (IN PARTICULAR DG CLASS 9)	

Design requirements	
AS 1530.4:2005	Methods for fire tests on building materials, components and structures - Fire resistance tests of elements of building construction
AS 1668.2:2001	The use of ventilation and air-conditioning in buildings - Ventilation design for indoor air contaminant control
AS/NZS 1680 set	Interior lighting
AS 2809: 2008 set	Road tank vehicles for dangerous goods
AS/NZS 2885 set	Pipelines - gas and liquid petroleum
AS 3788: 2006	Pressure equipment - In-service inspection
AS 3873:2001	Pressure equipment - Operation and maintenance
AS 3892:2001	Pressure equipment - Installation

Fire protection	
GENERAL	
AS/NZS 1221:1997	Fire hose reels
AS 1603 part 1-17	Automatic fire detection and alarm systems
AS 1670 part 1-6	Fire detection, warning, control and intercom systems - System design, installation and commissioning
AS 1851 Set:2005	Maintenance of fire protection equipment
AS 2118 part 1-9	Automatic fire sprinkler installations
AS 2419 part 1-3	Fire hydrant installations
AS 2441:2005	Installation of fire hose reels
AS 2941:2008	Fixed fire protection installations - Pump set systems
FIRE PREVENTION	
AS/NZS 1020:1995	Control of undesirable static electricity
AS/NZS 1768:2007	Lightning protection
AS 2359.12:1996	Powered industrial trucks - Hazardous areas
FIRE EXTINGUISHERS	
AS/NZS 1841 Set: 2007	Portable fire extinguishers
AS/NZS 1850:2009	Portable fire extinguishers - Classification, rating and performance testing
AS 2444:2001	Portable fire extinguishers and fire blankets - Selection and location
AS 4265:1995	Wheeled fire extinguishers

Industry or particular situation	
AS 2243 part 1-10	Safety in laboratories
AS 2507:1998	The storage and handling of agricultural and veterinary chemicals
AS/NZS 2865:2009	Safe working in a confined space
AS/NZS 2982: 2010	Laboratory design and construction
AS 3846:2005	The handling and transport of dangerous cargoes in port areas
AS 4041:2006	Pressure piping
AS/NZS 4114.1 2003	Spray painting booths - design, construction and testing

Personal protective equipment (PPE)	
AS/NZS 1336:1997	Recommended practices for occupational eye protection
AS/NZS 1337 part 1-6	Eye protectors for industrial applications
AS/NZS 1715:2009	Selection, use and maintenance of respiratory protective devices
AS/NZS 1716:2003	Respiratory protective devices
AS/NZS 2161 Set: 2008	Occupational protective gloves
AS/NZS 2210.1:2010	Safety, protective and occupational footwear - Guide to selection, care and use
AS/NZS 2210.2:2009	Occupational protective footwear - Test methods
AS/NZS 4503 part 1-3	Protective clothing - Protection against liquid chemicals - Test method: Resistance of materials to permeation by liquids

Airborne contaminants - sampling and analysis		
AS 2985:2009	Workplace atmospheres - Method for sampling and gravimetric determination of respirable dust	
AS 2986.1:2003	Workplace air quality - Sampling and analysis of volatile organic compounds by solvent desorption/gas chromatography - Pumped sampling method	
AS 2986.2:2003	Workplace air quality - Sampling and analysis of volatile organic compounds by solvent desorption/gas chromatography - Diffusive sampling method	
AS 3640:2009	Workplace atmospheres - Method for sampling and gravimetric determination of inhalable dust	
AS 3853.1:2006	Health and safety in welding and allied processes - Sampling of airborne particles and gases in the operator's breathing zone - Sampling of airborne particles	
AS 3853.2:2006	Health and safety in welding and allied processed - Sampling of airborne particles and gases in the operator's breathing zone - Sampling of gases	
Health and Safety Executive (UK)	Monitoring strategies for toxic substances, Environmental Hygiene, No.42 Methods for the determination of hazardous chemicals, MDHS Series	
National Institute for Occupational Safety and Health (USA)	NIOSH manual of analytical methods Occupational exposure sampling strategy manual	

Disclaimer
This publication may contain work health and safety and workers compensation information. It may include some of your obligations under the various legislations that WorkCover NSW administers. To ensure you comply with your legal obligations you must refer to the appropriate legislation.

appropriate regislation.
Information on the latest laws can be checked by visiting the NSW legislation website (www.legislation.nsw.gov.au).
This publication does not represent a comprehensive statement of the law as it applies to particular problems or to individuals or as a substitute for legal advice. You should seek independent legal advice if you need assistance on the application of the law to your situation.

© WorkCover NSW

.....

THIS CODE PROVIDES PRACTICAL
GUIDANCE ON HOW TO MEET THE
REQUIREMENTS UNDER THE WHS
REGULATIONS IN RELATION TO
PREPARATION OF SAFETY DATA
SHEETS FOR HAZARDOUS CHEMICALS.

•••••